



STONE AGE OUTDOOR LIVING KITS

FIREPLACES | PIZZA OVENS | FIRE PITS

REV: 05/24/24

TABLE OF CONTENTS

OUTDOOR FIREPLACE KITS

Why Use a Stone Age Kit?.....	2
Contractor Series	4
Standard Series	5
New Age Series	8

PIZZA OVEN KITS

Mezzo/Amerigo	16
---------------------	----

PIZZA OVEN / FIREPLACE COMBOS


Mezzo Vent Free	17
Caminetto Medeo & Grande	18

FIRE PIT KITS

Short Round	21
Tall Round	21
Large Round	22
Square/Rectangular	22



WHY USE STONE AGE OUTDOOR FIREPLACE KITS?



WHY USE AN OUTDOOR FIREPLACE KIT:


Outdoor Fireplace Kits make installing an outdoor fireplace faster and easier. Instead of spending hours or even days constructing the framework of an outdoor fireplace from scratch out of blocks, Stone Age Manufacturing kits arrive on a compact pallet and assemble in just 3-4 hours with the labor of only two people.

CUSTOMIZABLE

Adjust the height of your fireplace in a variety of ways or add wood storage boxes

- Install a custom base or hearth to the height you want. Use natural stone or other materials (risers and hearth included in Standard Series)
- Use a firebox extension to increase the height of your firebox
- Add flue extensions to reach desired height (check local codes for max height)
- Install a metal or stone chimney cap to finish the fireplace

Customize fireplace kits with accessories to reach the height you want.



BENEFITS OF STONE AGE OUTDOOR FIREPLACE KITS

QUICK & EASY INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.




QUALITY CONSTRUCTION

Stone Age kits are solid construction, not hollow and are made from refractory cement reinforced with rebar.



PROPER DRAFT

Design takes the guesswork out of creating a proper draft and great fires. Larger flue keeps smoke flowing upward and not out of the front of the fireplace.



CONTRACTOR FIREPLACE SERIES


Traditional Style Base Kit



The Contractor Series offers Stone Age design and materials distilled down to its essential components of fireplace and chimney. Additional items are left optional to allow for full customization and the specific height requirements of your local regulations. **See page 6 for building necessities and accessories to customize height.** 24" Contractor Fireplace Kits available for special order, please call for details.



Overall Dimensions:
73.5"H x 46"W x 33"D
Weight: 1,250 lbs.



36" Contractor Kit


36" Contractor base kit, plus 3 flue extensions (6" each).
Firebrick not included. See finishing specs below.

\$3,012 Retail

Item #	Description	Lintel
SA-36CN	36" Contractor Kit	Arched
SA-36CN-SL	36" Contractor Kit	Straight
SA-36CN-SEETHRU	36" Contractor Kit - See-Thru	Arched
SA-36CN-SL-SEETHRU	36" Contractor Kit - See-Thru	Straight



Overall Dimensions:
77.5"H x 58"W x 33"D
Weight: 1,490 lbs.



48" Contractor Kit

48" Contractor base kit, plus 3 flue extensions (6" each).
Firebrick not included. See finishing specs below.

\$3,648 Retail

Item #	Description	Lintel
SA-48CN	48" Contractor Kit	Arched
SA-48CN-SL	48" Contractor Kit	Straight
SA-48CN-SEETHRU	48" Contractor Kit - See-Thru	Arched
SA-48CN-SL-SEETHRU	48" Contractor Kit - See-Thru	Straight

NOTES:
Firebox widths are without Firebrick.

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.
CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar and firebrick splits required for assembly. See page 6 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-36CN	4 Buckets (SA-APRM)	4 Buckets	85	26	85 splits (SA-SFB-WHT)
SA-36CN See-Thru	4 Buckets (SA-APRM)	4 Buckets	79	26	61 splits (SA-SFB-WHT)
SA-48CN	5 Buckets (SA-APRM)	5 Buckets	109	26	105 splits (SA-SFB-WHT)
SA-48CN See-Thru	5 Buckets (SA-APRM)	5 Buckets	101	26	73 splits (SA-SFB-WHT)

STANDARD FIREPLACE SERIES


Traditional Style Base Kit + Additional Pieces




The Standard Series Fireplace Kits includes:

- Contractor Base
- One (1) additional Flue Extension for a total of four (4)
- 18" Risers
- Hearth
- Firebrick

See page 6 for building necessities and accessories to customize height.



Overall Dimensions:
98.4"H x 46"W x 40"D
Weight: 2,190 lbs.



36" Standard Kit


36" Contractor base kit, plus 4 flue extensions (6" each), 18" risers and a hearth. Firebrick included. See finishing specs below.

\$4,615 Retail

Item #	Description	Lintel
SA-36STD	36" Standard Kit	Arched
SA-36STD-SL	36" Standard Kit	Straight
SA-36STD-SEETHRU	36" Standard Kit - See-Thru	Arched
SA-36STD-SL-SEETHRU	36" Standard Kit - See-Thru	Straight



Overall Dimensions:
102.75"H x 58"W x 40"D
Weight: 2,400 lbs.



48" Standard Kit

48" Contractor base kit, plus 4 flue extensions (6" each), 18" risers and a hearth. Firebrick included. See finishing specs below.

\$5,575 Retail

Item #	Description	Lintel
SA-48STD	48" Standard Kit	Arched
SA-48STD-SL	48" Standard Kit	Straight

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar required for assembly. See page 6 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-36STD	4 Buckets (SA-APRM)	4 Buckets	100	32	Included
SA-36STD See-Thru	4 Buckets (SA-APRM)	4 Buckets	94	32	Included
SA-48STD	5 Buckets (SA-APRM)	5 Buckets	125	32	Included

STONE AGE BUILDING ESSENTIALS

Accessories



BUILDING NECESSITIES



Hi-Temp Mortar

SA-APRM*

5-gallon bucket covers 15-30 sq.ft.
Add 1 bucket per 8 additional flue extensions.

\$120 Retail

High temperature mortar required for assembly to maintain warranty. Ready-Mix, just add water.




Firebrick Splits

SA-SFB-WHT*



\$3.50/each Retail

1.25" Thick
Needed for fireplace firebox

ACCESSORIES TO ADD HEIGHT



6" Flue Extensions
18" x 18" x 6"



11.5" Firebox Extension

6" Flue Extensions

SA-FL-EXT*

Add 1 bucket of mortar per 8 additional flue extensions.
Add 4 sq. ft of veneer and 2 LF of corners per flue extension.

\$110 Retail

11.5" Firebox Extension

Item #	Description	Retail
SA-36-EXT	11.5" Firebox Extension for 36"	\$652
SA-48-EXT	11.5" Firebox Extension for 48"	\$764
SA-36-ST-EXT	11.5" Firebox Extension – 36" See-Thru	\$433
SA-48-ST-EXT*	11.5" Firebox Extension – 48" See-Thru	\$433

Firebox extensions require additional mortar (SA-APRM) and 40 split firebrick (SA-SFB-WHT) for the 36" and 46 split firebrick for the 48". 10 additional sq. ft of veneer will also be required for the 36", or 11 sq. ft. for the 48". 2 LF of corners are also required for each model.

WOOD STORAGE BOXES




Wood Storage Box

SA-WCA-K (Arched)
SA-WCS-K (Straight)

\$1,238 Retail

Dimensions: 36"H x 36"W x 33"D
Veneer: 27 sq. ft / 12 LF corners



Angled Adapter for

Wood Storage Box

SA-WAA-K

\$618 Retail

Adapter Kit Contains panels to finish area if angling wood storage box.

ADDITIONAL ACCESSORIES

Accessories



STAINLESS STEEL LOG GRATES



Stainless Steel Grates

H = Height | FW = Front Width | BW = Back Width | D = Depth

Item #	Description	H	FW	BW	D	Retail
18634	Grate	4"	25"	21"	16 1/4"	\$224
18635	Grate	4"	28"	25"	16 1/4"	\$269
18636	Grate	4"	32"	27"	16 1/4"	\$314

STAINLESS STEEL CHIMNEY CAPS



304 Stainless Steel Chimney Caps

Item #	Description	Fits Outside Tile Dimension	Retail
SS1313	13" X 13" Stainless Steel	11 1/2" x 11 1/2" to 13 1/2" x 13 1/2"	\$212
SS1318	13" X 18" Stainless Steel	11 1/2" x 16 1/2" to 13 1/4" x 18 1/4"	\$273
SS1818	18" X 18" Stainless Steel	16 1/2" x 16 1/2" to 18" x 18"	\$293

VENTED LOG SETS & ACCESSORIES

See page 24 in the Warming Trends section for burner kits designed to easily complete a beautiful gas fueled Outdoor Fireplace. Each kit includes a CROSSFIRE® Brass Burner, elevated black, powder-coated plate, steel grate, an Ignition System of your choice, and all connections needed for a quick and complete installation.

Choose a burner kit based on the size of your outdoor fireplace opening: 30", 36" or 48" openings. Select between H-Style and Tree Style burners and three different ignition kits. Then purchase a log set to complete the look.



H-STYLE



TREE STYLE

NEW AGE FIREPLACE SERIES

Why Choose a Zero-Clearance Fireplace Kit



INDOOR/OUTDOOR

New Age fireplace kits are UL-127/ULC-S610 Certified for outdoor or indoor applications, and ICC-ES AC156 Certified for Seismic Resistance. Use a vented gas insert or wood burning.



MODERN LOOK

The flat top design of New Age Fireplace kits, not only gives a modern look, but also makes for easy construction and mounting televisions above fireplaces.



PAVILIONS AND PERGOLAS

The Zero Clearance rating for New Age kits means you can build directly onto the base kit, which means they build seamlessly and safely into backyard pavilions and pergolas.



NEW AGE FIREPLACE SERIES

Benefits of Fireplace Kits



ZERO CLEARANCE

The design of New Age masonry chimneys incorporates the necessary “air gap” making it possible for framing to be in contact with the fireplace. A clay flue sits separately inside concrete outer blocks giving the fireplace its Zero Clearance rating.



QUICK & EASY INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.



NEW AGE FIREPLACE SERIES

Zero-Clearance Rated Modern Fireplace




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe.

See page 12-14 for building necessities, accessories and chimney information.



Overall Dimensions:
66.5"H x 54"W x 30"D
Weight: 2,050 lbs.



42" New Age Kit


42" New Age Kit. See finishing specs below.

\$3,677 Retail

Item #	Description	Retail
SA-NA-42	42" New Age Kit w/ Straight Lintel	\$3,677
SA-NA-ARCH-42	Arched Lintel	\$158
SA-2226-8	8" Flue Extension for 42" (22" x 26")	\$144
SA-FL1317*	Clay Flue Insert (13" x 17" x 24" can be cut)	\$105



Overall Dimensions:
72.5"H x 60"W x 30"D
Weight: 2,860 lbs.



48" New Age Kit

48" New Age Kit. See finishing specs below.

\$4,053 Retail

Item #	Description	Retail
SA-NA-48	48" New Age Kit w/ Straight Lintel	\$4,053
SA-NA-ARCH-48	Arched Lintel	\$158
SA-2226-8	8" Flue Extension for 42" (22" x 26")	\$144
SA-FL1317*	Clay Flue Insert (13" x 17" x 24" can be cut)	\$105

NOTES:

Finishing specs refer to OUTDOOR installations only. For interior installations, where the back of the fireplace will be against a wall, less veneer will be required. Fireplace size is firebox measured from brick to brick. New Age models use full brick.

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires. CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar and full Firebrick required for assembly. See page 12 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-NA-42	6 Buckets (SA-APRM)	5 Buckets	105	32	120 full (SA-FFB-WHT)
SA-NA-48	7 Buckets (SA-APRM)	6 Buckets	115	34	150 full (SA-FFB-WHT)

NEW AGE FIREPLACE SERIES

Zero-Clearance Rated Modern Fireplace




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe.

See page 12-14 for building necessities, accessories and chimney information.



Overall Dimensions:
85"H x 72"W x 30"D
Weight: 3,900 lbs.



60" New Age Kit


60" New Age Kit - Requires double chimney stack.
Arched lintel not available. See finishing specs below.

\$6,031 Retail

Item #	Description	Retail
SA-NA-60	60" New Age Kit w/ Straight Lintel	\$6,031
SA-2323-8	8" Flue Extension for 60" (23" x 23")	\$137
SA-FL1313*	Clay Flue Insert (13" x 13" x 24" can be cut)	\$55



Overall Dimensions:
85"H x 84"W x 30"D
Weight: 4,900 lbs.



72" New Age Kit

72" New Age Kit - Requires double chimney stack.
Arched lintel not available. See finishing specs below.

\$6,935 Retail

Item #	Description	Retail
SA-NA-72	72" New Age Kit w/ Straight Lintel	\$6,935
SA-2226-8	8" Flue Extension for 72" (22" x 26")	\$144
SA-FL1317*	Clay Flue Insert (13" x 17" x 24" can be cut)	\$105

NOTES:

Finishing specs refer to OUTDOOR installations only. For interior installations, where the back of the fireplace will be against a wall, less veneer will be required. Fireplace size is firebox measured from brick to brick. New Age models use full brick.

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires. CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar and full Firebrick required for assembly. See page 12 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-NA-60	8 Buckets (SA-APRM)	7 Buckets	140	36	175 full (SA-FFB-WHT)
SA-NA-72	9 Buckets (SA-APRM)	8 Buckets	165	36	200 full (SA-FFB-WHT)

NEW AGE FIREPLACE SERIES

Accessories



BUILDING NECESSITIES



Hi-Temp Mortar

SA-APRM*

5-gallon bucket covers 15-30 sq.ft.
Add 1 bucket per 8 additional flue extensions.

\$120 Retail

High temperature mortar required for assembly to maintain warranty. Ready-Mix, just add water.



Full Firebrick

SA-FFB-WHT*

\$3.75/each Retail

2.5" Thick
Needed for fireplace firebox, not included with kit.

WOOD STORAGE BOXES




Wood Storage Box

SA-WCA-NA-K (Arched)

SA-WCS-NA-K (Straight)

\$1,238 Retail

Dimensions: 36"H x 36"W x 30"D
Veneer: 27 sq. ft / 12 LF corners



Angled Adapter for Wood Storage Box

SA-WAA-NA-K

\$618 Retail

Adapter Kit Contains panels to finish area if angling wood storage box.

STAINLESS STEEL LOG GRATES



Stainless Steel Grates

H = Height | FW = Front Width | BW = Back Width | D = Depth

Item #	Description	H	FW	BW	D	Retail
18634	Grate	4"	25"	21"	16 ¼"	\$224
18635	Grate	4"	28"	25"	16 ¼"	\$269
18636	Grate	4"	32"	27"	16 ¼"	\$314

STAINLESS STEEL CHIMNEY CAPS



304 Stainless Steel Chimney Caps

Item #	Description	Fits Outside Tile Dimension	Retail
SS1313	13" X 13" Stainless Steel	11 ½" x 11 ½" to 13 ½" x 13 ½"	\$212
SS1318	13" X 18" Stainless Steel	11 ½" x 16 ½" to 13 ¼" x 18 ¼"	\$273
SS1818	18" X 18" Stainless Steel	16 ½" x 16 ½" to 18" x 18"	\$293


NEW AGE FIREPLACE SERIES

Chimney Construction



MASONRY CHIMNEY

New Age™ kits are available in all-masonry, zero clearance configurations, where structural framing may be placed in direct contact with the kit and its masonry chimney. A separate clay flue sits within the concrete outdoor block to create an “air gap” necessary for Zero Clearance applications. Larger fireplaces (60”, 72”) require double chimneys.



Air Gap



8” Flue Extension Outer Blocks

Add 1 bucket of mortar per 8 additional flue extensions.




Clay Flue

Item #	Description	Retail
SA-2323-8	23” x 23” x 8” Outer Block (for 60”)	\$137
SA-FL1313*	13” x 13” x 24” Clay Flue (for 60”)	\$55
SA-2226-8	22” x 26” x 8” Outer Block (for 42”, 48”, 72”)	\$144
SA-FL1317*	13” x 17” x 24” Clay Flue (for 42”, 48”, 72”)	\$105

METAL CHIMNEY

New Age™ kits may be used with 14” or 16” UL-103 metal chimney. However, please note that unlike our masonry flue, the metal chimney will need a 2” clearance from combustibles. Metal chimney is ideal in situations where total weight could become an issue and is around ten times faster to install vs. a masonry flue. Larger fireplaces (60”, 72”) require double chimney.



Chimney Adaptor

For Metal Chimney flue installations 14” or 16”



New Age 42” = 16” Diameter

New Age 48” = 16” Diameter

New Age 60” = 14” Diameter x 2

New Age 72” = 16” Diameter x 2

See page 14 for metal chimney components and pricing.

DURAVENT FOR NEW AGE

Chimney Components




Chimney Sections



Elbow



Anchor Plate



Firestop



Attic Insulation Shield

14" compatible with New Age 60" (SA-NA-60 – requires double chimney)

16" compatible with New Age 42" (SA-NA-42), New Age 48" (SA-NA-48), New Age 72" (SA-NA-72 – requires double chimney)

CHIMNEY SECTIONS

14" CHIMNEY

16" CHIMNEY

Description	14" Item #	14" Retail
12" Chimney Length	14DCA-12	\$175.37
18" Chimney Length	14DCA-18	\$205.51
36" Chimney Length	14DCA-36	\$339.78
48" Chimney Length	14DCA-48	\$364.44

16" Item #	16" Retail
16DCA-12	\$197.29
16DCA-18	\$243.87
16DCA-36	\$380.88
16DCA-48	\$395.95

ELBOW

Description	14" Item #	14" Retail
30° Elbow (1 Elbow)	14DCA-E30	\$348.00
Elbow Strap	14DCA-ES	\$174.93

16" Item #	16" Retail
16DCA-E30	\$380.88
16DCA-ES	\$179.15

ANCHOR PLATE

Description	14" Item #	14" Retail
Anchor Plate	SA-14DCA-AP	\$875.00

16" Item #	16" Retail
SA-16DCA-AP	\$1,015.00

FIRESTOPS / SHIELDS

Description	14" Item #	14" Retail
Ceiling Firestop	14DCA-FS	\$95.91
Attic Insulation Shield	14DCA-IS	\$679.56
Roof Radiation Shield	14DCA-RRS	\$94.84

16" Item #	16" Retail
16DCA-FS	\$100.02
16DCA-IS	\$685.04
16DCA-RRS	\$449.75

CHIMNEY TOPS/STORM COLLAR

Description	14" Item #	14" Retail
Chimney Cap	14DCA-VC1	\$545.29
Storm Collar	14DCA-SC	\$60.28

16" Item #	16" Retail
16DCA-VC1	\$624.75
16DCA-SC	\$60.28

CHIMNEY SUPPORTS

Description	14" Item #	14" Retail
Chimney Support	14DCA-SS	\$180.85
Chimney Stabilizer	14DCA-ST	\$83.95

16" Item #	16" Retail
16DCA-SS	\$311.83
16DCA-ST	\$167.91

OUTDOOR PIZZA OVEN KITS

Traditional Wood-Fired Pizzas



MEZZO

Mezzo kits have 800 square inches of cooking space but can reach up to 800° for perfect, super-fast pizzas.



AMERIGO

Amerigo kits boast 1,500 square inches of cooking space. Great for parties or businesses.




KITCHENS

Pizza oven kits make outdoor kitchens better. Ask about Stone Age's Panel & Bracket Masonry Kitchen base system.



WOOD FIRED PIZZA

Ovens reach up to 800° and can cook a pizza in 90 seconds. Authentic wood-fired pizza right in your backyard.



QUICK INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.

OUTDOOR PIZZA OVEN KITS


Traditional Wood-Fired Pizzas



Stone Age Outdoor Pizza Oven Kits are designed for optimum heat retention, with temperatures reaching up to 800°. Two sizes are available. Wood Storage boxes are sold separately.



Overall Dimensions:
36"H x 36"W x 33"D
Dome Height: 23.5"
Cooking Surface: 800 Sq. In.
Weight: 750 lbs.



Mezzo Pizza Oven


Metal door and firebrick included. See finishing specs below.

\$3,181 Retail

Item #	Description	Retail
SA-MPO-36	Mezzo Pizza Oven	\$3,181
SA-MCA-36-K	Pizza Oven Wood Storage Box - Mezzo Arched	\$1,238
SA-MCS-36-K	Pizza Oven Wood Storage Box - Mezzo Straight	\$1,238
SA-FLAPO*	Pizza Oven 12" Chimney Extension (not tapered)	\$98



Overall Dimensions:
42.5"H x 48"W x 42"D
Dome Height: 30"
Cooking Surface: 1,500 Sq. In.
Weight: 1,230 lbs.



Amerigo Pizza Oven

Larger model. Metal door and firebrick included. See finishing specs below.

\$3,949 Retail

Item #	Description	Retail
SA-APO-48	Amerigo Pizza Oven	\$3,949
SA-PCA-48-K	Pizza Oven Wood Storage Box - Amerigo Arched	\$1,480
SA-APO48-BPE*	Pizza Oven Base Plate Extension	\$376
SA-APO48-ATWC*	Access Tunnel with Chimney	\$928
SA-FLAPO*	Pizza Oven 12" Chimney Extension (not tapered)	\$98

NOTES: Temperatures reach up to 800°

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

ACCESSORIES



High temperature mortar needed for joints
SA-APRM*
\$120



Pizza Oven 12" Chimney Extension
9.5"L x 12"H x 9.5"D
SA-FLAPO*
\$98



Amerigo Access Tunnel
SA-APO48-ATWC*
\$928



Amerigo Base Plate Extension
SA-APO48-BPE*
\$376

WOOD STORAGE BOX SPECS



Mezzo:
SA-MCA-36-K (Arched)
SA-MCS-36-K (Straight)
Dimensions: 44"H x 36"W x 33"D
Veneer: 25 sq. ft / 16 LF corners

Amerigo:
SA-PCA-36-K (Arched)
Dimensions: 44"H x 48"W by 33"D
Veneer: 42 sq. ft / 16 LF corners

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar required for assembly.


Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-MPO-36	2 Buckets (SA-APRM)	1-2 Buckets	25	14	Included
SA-APO-48	3 Buckets (SA-APRM)	2 Buckets	35	14	Included

FIREPLACE / PIZZA OVEN COMBOS

Gas Insert Only



Stone Age Fireplace and Pizza Oven Combo Kits offer the best of both worlds. Soothing fire and heat when you want it, and pizza in the same structure.



Overall Dimensions:
75"H x 46"W x 42"D
(33"D without pizza shelf)
Dome Height: 23.5"
Firebox Width: 36"
Cooking Surface: 800 Sq. In.
Weight: 3,306 lbs.

Mezzo Vent Free

Metal door and firebrick included. Gas insert only. See finishing specs below.

\$6,596 Retail

Item #	Description	Retail
SA-MPO-VFC	Mezzo Vent Free Combo	\$6,596
SA-MCA-36-K	Pizza Oven Wood Storage Box - Mezzo Arched	\$1,238
SA-MCS-36-K	Pizza Oven Wood Storage Box - Mezzo Straight	\$1,238
SA-FLAPO*	Pizza Oven 12" Chimney Extension (not tapered)	\$98

VENT LESS GAS BURNERS & LOGS

Complete the fireplace portion of your Mezzo Vent Free with a log set and burner.

Item #	Description	Retail
LMF24GTA	Giant Timbers 24" VF Logs, Concrete (1 of 2)	\$219
LMF24GTB	Giant Timbers 24" VF Logs, Concrete (2 of 2)	\$219
MNF24ONE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - NG	\$1,959
MNF24OPE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - LP	\$1,959



Giant Timbers, Concrete

MEZZO VENT FREE ACCESSORIES



High temperature mortar needed for joints

SA-APRM*
\$120



Pizza Oven 12" Chimney Extension
9.5"L x 12"H x 9.5"D

SA-FLAPO*
\$98



Wood Storage Box

SA-MCA-36-K (Arched)
SA-MCA-36-K (Straight)

\$1,238 Retail

Dimensions: 44"H x 36"W x 33"D
Veneer: 25 sq. ft / 16 LF corners

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar required for assembly.



Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-MPO-VFC	5 Buckets (SA-APRM)	5 Buckets	67	24	Included

FIREPLACE / PIZZA OVEN COMBOS

Wood Burning or Gas Insert



The Caminetto models are based on the Mezzo Pizza Oven and New Age Fireplaces bases. Fire or Pizza or both in one structure.




Overall Dimensions:
82"H x 72"W x 30"D
Dome Height: 23.5"
Firebox Width: 63"
Cooking Surface: 600 Sq. In.
Weight: 6,006 lbs.

Caminetto Medeo

Includes firebrick and metal oven door. Requires a double chimney stack, plus pizza oven chimney extensions to extend the chimney height. See finishing specs below.

\$10,178 Retail

Item #	Description	Retail
SA-CMO-63	Caminetto Medeo Combo	\$10,178
SA-2323-8	8" Flue Extension for Medeo (23" x 23")	\$137
SA-FL1313*	Clay Flue Insert (13" x 13" x 24" can be cut)	\$55
SA-FLAPO*	Pizza Oven 12" Chimney Extension (not tapered)	\$98



Overall Dimensions:
83.5"H x 84"W x 30"D
Dome height: 23.5"
Firebox Width: 75"
Cooking Surface: 600 Sq. In.
Weight: 7,114 lbs.

Caminetto Grande

Includes firebrick and metal oven door. Requires a double chimney stack, plus pizza oven chimney extensions to extend the chimney height. See finishing specs below.

\$11,270 Retail

Item #	Description	Retail
SA-CGO-75	Caminetto Grande Combo	\$11,270
SA-2226-8	8" Flue Extension for 72" (22" x 26")	\$144
SA-FL1317*	Clay Flue Insert (13" x 17" x 24" can be cut)	\$105
SA-FLAPO*	Pizza Oven 12" Chimney Extension (not tapered)	\$98

NOTES:

Temperatures reach up to 800°

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires. **CONCRETE FOOTING REQUIRED** — check local codes, but we recommend extending down to the frost line in your area.

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar required for assembly. See page 19 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-CMO-63	8 Buckets (SA-APRM)	8 Buckets	140	36	Included
SA-CGO-75	9 Buckets (SA-APRM)	9 Buckets	165	36	Included

FIREPLACE / PIZZA OVEN COMBOS

Accessories



BUILDING NECESSITIES



Hi-Temp Mortar

SA-APRM*

5-gallon bucket covers 15-30 sq.ft.
Add 1 bucket per 8 additional flue extensions.

\$120 Retail

High temperature mortar required for assembly to maintain warranty. Ready-Mix, just add water.

ACCESSORIES TO ADD HEIGHT

To achieve Zero Clearance rating, New Age fireplaces use full firebrick and a chimney system consisting of cement outer blocks and separate clay flues with an "air gap" between them. New Age fireplaces can also be installed with metal chimney, but require a metal chimney adaptor. Larger New Age models require double chimney.




8" Flue Extension Outer Blocks

Add 1 bucket of mortar per 8 additional flue extensions.
Add 6 sq. ft. of veneer and 2 LF of corners per flue extension.



Clay Flue



Air Gap



Pizza Oven 12" Chimney Extension

SA-FLAPO*
9.5"L x 12"H x 9.5"D

\$98 Retail

Item #	Description	Retail
SA-2323-8	23" x 23" x 8" Outer Block (for 60")	\$137
SA-FL1313*	13" x 13" x 24" Clay Flue (for 60")	\$55
SA-2226-8	22" x 26" x 8" Outer Block (for 42", 48", 72")	\$144
SA-FL1317*	13" x 17" x 24" Clay Flue (for 42", 48", 72")	\$105

CAMINETTO WOOD STORAGE BOXES




Wood Storage Box

SA-WCA-NA-K (Arched)
SA-WCS-NA-K (Straight)

\$1,238 Retail

Dimensions: 36"H x 36"W x 30"D
Veneer: 27 sq. ft / 12 LF corners



Angled Adapter for Wood Storage Box

SA-WAA-NA-K

\$618 Retail

Adapter Kit Contains panels to finish area if angling Wood Storage

FIRE PIT KITS

Wood Burning or Gas Insert



WOOD BURNING

Choose wood burning for the crackle and smell of wood fires.



QUICK INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 1-2 hours and can be veneered the same day. Full firebrick is recommended for safety, but split firebrick can be used.

GAS INSERT

Install a gas burner or decorative log set for easy fire on demand.



WARMING TRENDS

Ask about Warming Trends burner and plate kits to make installing gas inserts easy.

FIRE PIT KITS

Wood Burning or Gas Insert




Stone Age Fire Pit Kits provide an easily installed base for fire pits. They can be installed as wood burning or with gas inserts. Full firebrick recommended.



Overall Height: 14"
Height with Feet: 16.5"
Diameter: 36"
Weight: 400 lbs.

Short Round



Short Round Fire Pit Kit

Full firebrick recommended (not included). See finishing specs below.


\$860 Retail

Item #	Description	Retail
SA-SRP	Short Round Fire Pit (36" diameter)	\$860



Overall Height: 25"
Height with Feet: 27"
Diameter: 36"
Weight: 620 lbs.

Tall Round



Tall Round Fire Pit Kit

Full firebrick recommended (not included). See finishing specs below.

\$1,145 Retail

Item #	Description	Retail
SA-TRP	Tall Round Fire Pit (36" diameter)	\$1,145

NOTES: Firebrick not included. Full firebrick recommended but not required. Feet come attached to the base but can be removed for flat installation.
CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

Check local codes before installing any fire features.

BUILDING NECESSITIES



Hi-Temp Mortar

SA-APRM*

5-gallon bucket covers 15-30 sq.ft.
 Add 1 bucket per 8 additional flue extensions.

\$120 Retail

High temperature mortar required for assembly to maintain warranty. Ready-Mix, just add water.



Full Firebrick

SA-FFB-WHT*

\$3.75/each Retail

2.5" Thick (Recommended)



Firebrick Splits

SA-SFB-WHT*

\$3.50/each Retail

1.25" Thick (Can be used)

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar and Firebrick required for assembly.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Coping	Firebrick Required
SA-SRP	2 Buckets (SA-APRM)	1 Buckets	15	11	51 full (SA-FFB-WHT)
SA-TRP	2 Buckets (SA-APRM)	1 Buckets	25	11	74 full (SA-FFB-WHT)

FIRE PIT KITS


Wood Burning or Gas Insert



Stone Age Fire Pit Kits provide an easily installed base for fire pits. They can be installed as wood burning or with gas inserts. Full firebrick recommended.



Overall Height: 18"
Height with Feet: 20.5"
Diameter: 42"
Weight: 525 lbs.



Large Round Fire Pit Kit


Full firebrick recommended (not included). See finishing specs below.

\$1,145 Retail

Item #	Description	Retail
SA-LRP	Large Round Fire Pit (42" diameter)	\$1,145



Overall Dimensions:
 15"H x 36"W x 36"D
Height with Feet: 17"
Weight: 525 lbs.



Square Fire Pit Kit

Full firebrick recommended (not included). See finishing specs below.

\$999 Retail

Item #	Description	Retail
SA-SQP	Square Fire Pit (36" diameter)	\$999
SA-SQP-EXT	Rectangular Extension w/ Floor Piece (adds 12")	\$141

With Rectangular Extension (includes base)

Overall Dimensions:
 15"H x 48"W x 36"D
Height with Feet: 17"
Weight: 625 lbs.

NOTES: Firebrick not included. Full firebrick recommended but not required.

Feet come attached to the base but can be removed for flat installation.

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

Check local codes before installing any fire features.

ACCESSORIES



Glacier Bay Natural Stone Fire Pit Caps

Item #	Description	Retail
FPCAP-SRP-GB	Fire Pit Cap - Short and Tall Round	\$699
FPCAP-LRP-GB	Fire Pit Cap - Large Round	\$799
FPCAP-VAL-GB	Fire Pit Cap - Techo Valencia	\$699

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar and Firebrick required for assembly. See page 21 for item details.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Coping	Firebrick Required
SA-LRP	2 Buckets (SA-APRM)	1 Bucket	25	11	76 full (SA-FFB-WHT)
SA-SQP	2 Buckets (SA-APRM)	1 Bucket	20 (5 corners)	14	73 full (SA-FFB-WHT)
SA-SQP-EXT	1 Bucket (SA-APRM)	1 Bucket	2	2	19 full (SA-FFB-WHT)