

OUTDOOR GAS FIREPLACES & FIREBOXES

TRADITIONAL | LINEAR

REV: 08/15/25

Outdoor Gas Fireplaces make entertaining easy and convenient but factors such as safety, function, and aesthetics should all be considered when making your choice. It's helpful to know the fireplace types, installation parameters, features and benefits of each type of appliance before purchasing a fireplace. Take a moment to get a better understanding of the fireplace types before planning your project. Always refer to the owner's manual for proper installation practices.

LITERATURE

| Item # | Description | Retail |
|---------|---------------------------------------|--------|
| 01064 | Carol Rose Fireplaces & Fireboxes | N/C |
| 785724M | Superior VRE 3200 VF Fireplace | N/C |
| 785704M | Superior VRE 4600 VF Linear Fireplace | N/C |
| 785723M | Superior VRE 4200 VF Firebox | N/C |
| 785692M | Superior Mega-Flame VF Gas Logs | N/C |

TABLE OF CONTENTS

| TRADITIONAL VENTLESS FIREPLACE Carol Rose 36" & 42" Fireplaces |
|--|
| TRADITIONAL VENTLESS GAS FIREBOXES Carol Rose 36" & 42" Fireboxes |
| LINEAR VENTLESS FIREPLACES Carol Rose |
| KEY VALVES & KEYS Key Valves & Keys10 |



Select one Fireplace and Wildwood Log Set to make a complete fireplace. For Outdoor Use Only.

OUTDOOR FIREPLACE (Requires Wildwood Log Set)

| Item # - NG | Item # - LP | Description | Ignition | Retail |
|-------------|-------------|--|-----------|---------|
| OP36FP72MN | OP36FP72MP | 36" Fireplace with Stainless Steel Front & Refractory Liner (Includes Variable Remote Control. Requires 24" Wildwood Log Set.) | IPI | \$3,199 |
| OP36FP32MN | OP36FP32MP | 36" Fireplace with Stainless Steel Front & Refractory Liner (Includes On/Off Switch. Requires 24" Wildwood Log Set.) | Millivolt | \$2,859 |
| OP42FP72MN | OP42FP72MP | 42" Fireplace with Stainless Steel Front & Refractory Liner (Includes Variable Remote Control. Requires 30" Wildwood Log Set.) | IPI | \$3,489 |
| OP42FP32MN | OP42FP32MP | 42" Fireplace with Stainless Steel Front & Refractory Liner (Includes On/Off Switch. Requires 30" Wildwood Log Set.) | Millivolt | \$3,139 |

LOG SET (Required)

| Item # | Description | Retail |
|---------|--|--------|
| OLX24WR | 24" Wildwood Refractory Log Set, 7 pc (Compatible with OP36FP) | \$445 |
| OLX30WR | 30" Wildwood Refractory Log Set, 7 pc (Compatible with OP42FP) | \$489 |

ACCESSORIES

| Item # | Description | Retail |
|------------|--|--------|
| BDO36SS | 36" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door) | \$659 |
| WD36SS | 36" SS Weather Door (Cannot be used with SS Bi-Fold Door) | \$349 |
| DT36SS | 36" SS Drain Tray (Adds 1" to framing height) | \$419 |
| BDO42SS | 42" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door) | \$775 |
| WD42SS | 42" SS Weather Door (Cannot be used with SS Bi-Fold Door) | \$385 |
| DT42SS | 42" SS Drain Tray (Adds 1" to framing height) | \$499 |
| GT060 | E-Stop Gas Timer, 1 - 60 Min | \$229 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | \$165 |
| SKY-1001-A | Remote, On/Off - DC (Millivolt Only) | \$205 |

SPECIFICATIONS Minimum Framing Dimensions*

| Model | BTU's | Fireplace Opening | Width | Height | Depth |
|-----------|--------|-------------------|-------|--------|-------|
| OP36FP72M | 50,000 | 36"W x 24 ¼"H | 41" | 36"* | 19 ¼" |
| OP42FP72M | 50,000 | 40"W x 24 ¼"H | 45" | 36"* | 19 ¼" |

(*Drain Tray Adds 1" to framing height)



Superior Outdoor Fireplaces include ceramic fiber log sets and grate with choice of refractory panel style. For Outdoor Use Only.

OUTDOOR FIREPLACE

| Item # | Description | Refractory Panels | Retail |
|--------------|--|--------------------------|---------|
| VRE3236ZENWS | 36" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.) | White Stacked | \$3,709 |
| VRE3236ZENWH | 36" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.) | White Herringbone | \$3,809 |
| VRE3242ZENWS | 42" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.) | White Stacked | \$4,039 |
| VRE3242ZENWH | 42" Fireplace w/ Electronic Ignition, NG (Includes Variable Remote Control.) | White Herringbone | \$4,149 |

ACCESSORIES

| Item # | Description | Retail |
|------------|---|--------|
| DPSS36 | 36" Drain Pan (Increases framing height by ¾") | \$299 |
| WC36SL | 36" Outdoor Weather Cover, Stainless Steel | \$449 |
| HOOD36ODSL | 36" Outdoor Hood Kit, Brushed Stainless Steel | \$299 |
| DPSS42 | 42" Drain Pan (Increases framing height by ¾") | \$406 |
| WC42SL | 42" Outdoor Weather Cover, Stainless Steel | \$481 |
| HOOD420DSL | 42" Outdoor Hood Kit, Brushed Stainless Steel | \$353 |
| GCKSLLXNP | Conversion Kit, NG to LP (For use with 36" and 42" units) | \$128 |
| FDVS | Decorative Volcanic Stone (3 lbs) | \$32 |







White Herringbone Refractory Panel



Weather Cover

SPECIFICATIONS Minimum Framing Dimensions*

| Model | BTU's | Fireplace Opening | Width | Height | Depth |
|---------|---------------|-------------------|-------|---------|-------|
| VRE3236 | 30,000-45,000 | 37"W x 28 ½"H | 42 ¾" | 46 ½"** | 20 ½" |
| VRE3242 | 30,000-45,000 | 43"W x 28 ½"H | 48 ¾" | 46 ½"** | 20 ½" |

^{**}Add 3/4" if using Drain Pan

^{*} Consult a manual for complete installation requirements.

36" & 42" FIREBOX

Gas Ventless Fireboxes

The Carol Rose Outdoor Fireplace Collection includes complete outdoor fireplace systems, contemporary burners and traditional log sets and burners. All our outdoor hearth products feature stainless steel for all exterior surfaces to provide lasting beauty. With its concealed controls, your outdoor fireplace will present a clean sleek look.



Select one Ventless Outdoor Firebox, Loft Series Contemporary Burner or Wildwood Log Set w/Harmony Burner (see page 5) to make a complete fireplace. For Outdoor Use Only.

VENTLESS OUTDOOR FIREBOX (Requires Burner and Logs, see page 5)


| Item # | Description | Requires Burner | Retail |
|-----------|---|-----------------|---------|
| OP36FB2MF | 36" Firebox with Stainless Steel Front & Refractory Brick | 24" Burner | \$1,689 |
| OP42FB2MF | 42" Firebox with Stainless Steel Front & Refractory Brick | 30" Burner | \$1,845 |

ACCESSORIES

| Item # | Description | Retail |
|---------|--|--------|
| BDO36SS | 36" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door) | \$659 |
| WD36SS | 36" SS Weather Door (Cannot be used with SS Bi-Fold Door) | \$349 |
| DT36SS | 36" SS Drain Tray (Adds 1" to framing height) | \$419 |
| BDO42SS | 42" SS Bi-Fold Glass Doors (Cannot be used with SS Weather Door) | \$775 |
| WD42SS | 42" SS Weather Door (Cannot be used with SS Bi-Fold Door) | \$385 |
| DT42SS | 42" SS Drain Tray (Adds 1" to framing height) | \$499 |



Bi-Fold Glass Doors



Weather Door



Drain Tray

SPECIFICATIONS

| Minimum | Framing | Dimensions* |
|---------|---------|-------------|
| | | |

| Model | Fireplace Opening | Width | Height | Depth |
|-----------|-------------------|-------|--------|-------|
| OP36FB2MF | 36"W x 24 ¼"H | 41" | 36"* | 19 ¼" |
| OP42FB2MF | 40"W x 24 ¼"H | 45" | 36"* | 19 ¼" |

24" log sets are compatible with large 36" fireboxes. 30" sets are compatible with larger 42" fireplaces. For Outdoor Use Only.

LOFT SERIES CONTEMPORARY BURNER (For use with Outdoor Firebox.)

| Item # - NG | Item # - LP | Description | BTU's | Retail |
|-------------|-------------|---|--------|---------|
| OLI24N | OLI24P | 24" Loft Burner, Intermittent Ignition (Includes Variable Remote Control) | 36,000 | \$1,605 |
| OLI30N | OLI30P | 30" Loft Burner, Intermittent Ignition (Includes Variable Remote Control) | 40,000 | \$1,709 |

HARMONY BURNERS (For use with Outdoor Firebox. Log Set Required)

| Item # - NG | Item # - LP | Description | BTU's | Retail |
|-------------|-------------|---|--------|---------|
| ONI24N | ONI24P | 24" Harmony Burner, Intermittent Ignition (Includes Variable Remote Control, Requires 24" Wildwood Log Set) | 50,000 | \$1,625 |
| ONR24N | ONR24P | 24" Harmony Burner, Millivolt Ignition (Includes On/Off Switch, Requires 24" Wildwood Log Set) | 50,000 | \$1,159 |
| ONI30N | ONI30P | 30" Harmony Burner, Intermittent Ignition (Includes Variable Remote Control, Requires 30" Wildwood Log Set) | 50,000 | \$1,709 |
| ONR30N | ONR30P | 30" Harmony Burner, Millivolt Ignition (Includes On/Off Switch, Requires 30" Wildwood Log Set) | 50,000 | \$1,265 |

WILDWOOD LOG SET (For use with Outdoor Firebox. Harmony Burner Required)

| Item # | Description | Retail |
|---------|---|--------|
| OLX24WR | 24" Wildwood Refractory Log set, 7 pc (Requires 24" Harmony Burner) | \$445 |
| OLX30WR | 30" Wildwood Refractory Log set, 7 pc (Requires 30" Harmony Burner) | \$489 |

ACCESSORIES

| Item # | Description | Retail |
|------------|---|--------|
| GT060 | E-Stop Gas Timer, 1 - 60 Min | \$229 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | \$165 |
| SKY-1001-A | Remote, On/Off - DC (Millivolt Only) | \$205 |



Loft IPI Burner



Wildwood Log Set

GAS FIREPLACES



Select a Firebox plus a Log Set and a Burner to make a complete fireplace. Choose between two regractory panel styles. For Outdoor Use Only.


VENTLESS FIREBOX (Giant Timber Logs & Burner Sold Separately. See page 7 for Log Set.)

| Item # | Description | Refractory Panels | Log Set & Burner Size | Retail |
|-----------|-------------|-------------------|--------------------------|---------|
| VRE4236WS | 36" Firebox | White Stacked | 24" Log Set & 24" Burner | \$2,069 |
| VRE4236WH | 36" Firebox | White Herringbone | 24" Log Set & 24" Burner | \$2,179 |
| VRE4242WS | 42" Firebox | White Stacked | 30" Log Set & 24" Burner | \$2,519 |
| VRE4242WH | 42" Firebox | White Herringbone | 30" Log Set & 24" Burner | \$2,639 |

ACCESSORIES

| Item # | Description | Retail |
|------------|--|--------|
| DPSS36 | 36" Drain Pan (Increases framing height by ¾") | \$299 |
| HOOD36ODSL | 36" Outdoor Hood Kit, Brushed Stainless Steel | \$299 |
| DPSS42 | 42" Drain Pan (Increases framing height by ¾") | \$406 |
| HOOD420DSL | 42" Outdoor Hood Kit, Brushed Stainless Steel | \$353 |







White Herringbone Refractory Panel

SPECIFICATIONS Minimum Framing Dimensions*

| Model | Fireplace Opening | Width | Height | Depth |
|---------|-------------------|---------|----------|---------|
| VRE4236 | 36"W x 28"H | 42 3/4" | 46 1/2"* | 20 1/2" |
| VRE4242 | 42"W x 28"H | 48 3/4" | 46 1/2"* | 20 1/2" |

^{*}Add 3/4" if using Drain Pan

Select a Log Set (<u>using 2 part numbers ending with TA + TB</u>) and a Burner to make a complete log set. 24" sets are compatible with large 36" fireboxes. 30" sets are compatible with larger 42" fireplaces. 36" sets are compatible with a 48" and larger firebox. For Outdoor Use Only.

MEGA-FLAME LOG SETS (Choose 2 - TA & TB of the same name/size, Requires Burner)

| Item # | Description | Burner Size Required | Retail |
|----------|---|-----------------------------|--------|
| LMF24GTA | Giant Timbers 24" Logs, Concrete (1 of 2) | 24" | \$199 |
| LMF24GTB | Giant Timbers 24" Logs, Concrete (2 of 2) | 24" | \$199 |
| LMF30GTA | Giant Timbers 30" Logs, Concrete (1 of 2) | 24" | \$239 |
| LMF30GTB | Giant Timbers 30" Logs, Concrete (2 of 2) | 24" | \$239 |
| LMF36GTA | Giant Timbers 36" Logs, Concrete (1 of 2) | 30" | \$259 |
| LMF36GTB | Giant Timbers 36" Logs, Concrete (2 of 2) | 30" | \$259 |

BURNERS (Includes Variable Remote Control. Requires Log Set)

| Item # - NG | Item # - LP | Description | BTU's | Retail |
|-------------|-------------|---|---------------|---------|
| MNF24ONE | MNF24OPE | 24" Ember Bed Stainless Burner, Electronic Ignition (Requires 24" or 30" Giant Timbers Log Set) | 29,000-40,000 | \$1,829 |
| MNF300NE | MNF300PE | 30" Ember Bed Stainless Burner, Electronic Ignition (Requires 36" Giant Timbers Log Set) | 29,000-40,000 | \$2,029 |

OPTIONAL ACCESSORIES

| Item# | Description | Retail |
|--------|--|--------|
| LAMF | Accessory Log Kit for Giant Timbers | \$213 |
| FDVS | Decorative Volcanic Stone (3 lbs) | \$32 |
| GA6080 | Damper Clamp (Required in vented applications) | \$32 |
| GA6050 | Black Fireplace Hood | \$149 |



Giant Timbers, Concrete



Accessory Log Kit for Giant Timbers (LAMF)

Select one Linear Fireplace and Accent LED Glass (decorative glass may be added to area surrounding burner) to make a complete fireplace. See below for framing dimensions. For Outdoor Use Only.

LINEAR OUTDOOR FIREPLACES (Requires Accent Glass)

| Item # - NG | Item # - LP | Description | Туре | Retail |
|-------------|-------------|------------------------------|--------------|---------|
| OLL48FP12SN | OLL48FP12SP | 48" Linear Outdoor Fireplace | Single-Sided | \$4,275 |
| OLL48SP12SN | OLL48SP12SP | 48" Linear Outdoor Fireplace | See-Through | \$4,565 |
| OLL60FP12SN | OLL60FP12SP | 60" Linear Outdoor Fireplace | Single-Sided | \$5,435 |
| OLL60SP12SN | OLL60SP12SP | 60" Linear Outdoor Fireplace | See-Through | \$5,569 |

ACCENT LED GLASS (Required)

(Translucent) (8 sq ft required for 48" Unit, 10 sq ft required for 60" Unit)

| Item # | Description | Retail |
|--------|--------------------------------------|--------|
| DG1CLF | Crushed Glass, Clear Frost (1 sq ft) | \$81 |
| DG1BZR | Crushed Glass, Bronze (1 sq ft) | \$81 |
| DG1BCR | Crushed Glass, Copper (1 sq ft) | \$81 |

ACCESSORIES

| Item # | Description | Retail |
|---------|---|--------|
| DT48LSS | Drain Tray, Linear, SS* (48" & 60") | \$385 |
| WD48LSS | Weather Door, 48" Linear, SS** | \$319 |
| WG48LT1 | Wind Guard 7"H, 48" Linear ** (Taller for windy applications) | \$279 |
| WD60LSS | Weather Door, 60" Linear, SS** | \$399 |
| WG60LT1 | Wind Guard 7"H, 60" Linear** (Taller for windy applications) | \$335 |
| GT060 | E-Stop Gas Timer, 1 - 60 Min | \$229 |
| GTCSS | E-Stop Timer Compartment, Stainless Steel | \$165 |

SPECIFICATIONS Minimum Framing Dimensions*

| Model | BTU's | Fireplace Opening | Width | Height | Depth |
|---------|--------|-------------------|-------|------------|----------|
| OLL48FP | 55,000 | 48"W x 16 ¾6"H | 52" | 40 13/16"* | 19 1/16" |
| OLL48SP | 55,000 | 48"W x 16 ¾6"H | 52" | 40 13/16"* | 22 5/16" |
| OLL60FP | 65,000 | 60″W x 16 ¾₅″H | 64" | 31"* | 19 ¼" |
| OLL60SP | 65,000 | 60"W x 16 ¾6"H | 64" | 31"* | 22 ½" |

^{*}Drain Tray Adds 1" to framing height

^{**}Single-Sided requires 1, See-Through Requires 2



The VRE4600 Linear Outdoor Fireplace includes full spectrum adjustable LED interior lights, a wall-mounted control box with on/off, high/low ignition controls and Diamond Crystal large crushed glass media. Customers can customize with an optional see-through conversion kit, Onyx Black Crystal and Sapphire Blue Crystal large crushed glass media and on/off, high/low, remote controls. For Outdoor Use Only.

LINEAR OUTDOOR FIREPLACES

| Item # | Description | Retail |
|------------|---|---------|
| ODLVF48ZEN | 48" Outdoor Linear Fireplace, Electronic Ignition, NG | \$6,069 |
| ODLVF60ZEN | 60" Outdoor Linear Fireplace, Electronic Ignition, NG | \$6,759 |
| ODLVF72ZEN | 72" Outdoor Linear Fireplace, Electronic Ignition, NG | \$8,249 |

SEE-THROUGH CONVERSION KITS

| Item # | Description | Retail |
|---------|--------------------------------|---------|
| LVOST48 | 48" See Through Conversion Kit | \$823 |
| LVOST60 | 60" See Through Conversion Kit | \$995 |
| LVOST72 | 72" See Through Conversion Kit | \$1,091 |

ACCESSORIES

| Item # | Description | Retail |
|--------------|--|---------|
| GLO-BLACK | Crushed Glass, Large Onyx Black (5 lb bag) | \$85 |
| GLO-CRYSTAL | Crushed Glass, Large Diamond Crystal (5 lb bag) | \$85 |
| GLO-SAPPHIRE | Crushed Glass, Large Sapphire Blue (5 lb bag) | \$85 |
| EF-BRCK | Remote, On/Off, High/Low Electronic | \$160 |
| EF-WWRCK | Remote, Wireless Wall Mount, On/Off, High/Low Electronic | \$160 |
| BLWS48-B | 48" Stainless Steel Outdoor Weather Cover** | \$823 |
| BLWS60-B | 60" Stainless Steel Outdoor Weather Cover** | \$1,048 |
| BLWS72-B | 72" Stainless Steel Outdoor Weather Cover** | \$1,283 |

PROPANE CONVERSION KITS

| Item # | Description | Retail |
|--------|---|--------|
| LPK2 | 48" Conversion Kit, Electronic NG to LP | \$128 |
| LPK3 | 60" Conversion Kit, Electronic NG to LP | \$128 |
| LPK4 | 72" Conversion Kit, Electronic NG to LP | \$128 |

SPECIFICATIONS

Minimum Framing Dimensions*

| Model | BTU's | Fireplace Opening | Width | Height | Depth |
|------------|---------------|-------------------|-------|--------|--------------------------------|
| ODLVF48ZEN | 24,500-43,500 | 48"W x 16"H | 52 ½" | 37 ¾" | 16 ¼" Single / 15" See-Through |
| ODLVF60ZEN | 36,000-50,000 | 60"W x 16"H | 64 ½" | 37 ¾" | 16 ¼" Single / 15" See-Through |
| ODLVF72ZEN | 42,000-65,000 | 72"W x 16"H | 76 ½" | 37 ¾" | 16 ¼" Single / 15" See-Through |

^{**}Single-Sided requires 1, See-Through Requires 2

^{*} Consult a manual for complete installation requirements.

VALVES & KEYS



DANTE VALVE COMBO PACK

Includes: Dante Valve, Floor Plate, and Key

| Item # | Description | Retail |
|--------------|--|--------|
| CP.910.BR | Straight ½" Valve, Brass w/ Key | \$34 |
| CP.910.CR | Straight ½" Valve, Chrome w/ Key | \$34 |
| CP.910.FB | Straight ½" Valve, Black w/ Key - NEW | \$46 |
| CP.911.BR | Angled ½" Valve, Brass w/ Key | \$34 |
| CP.911.CR | Angled ½" Valve, Chrome w/ Key | \$34 |
| CP.911.FB | Angled ½" Valve, Black w/ Key - NEW | \$46 |
| CP.BVS2.CR.B | Straight ¾" Valve, Chrome (Key Not Included) | \$52 |







Angled Valve, Brass

KEYS

A universal gas key is the perfect tool for controlling gas in your fireplace. Works with 1/4" and 5/16" socket sizes.

| Item # | Description | Retail |
|-----------|---------------------------|--------|
| NKY.3.BR | 3" Gas Valve Key, Brass | \$7 |
| NKY.3.CR | 3" Gas Valve Key, Chrome | \$7 |
| NKY.8.BR | 8" Gas Valve Key, Brass | \$10 |
| NKY.8.CR | 8" Gas Valve Key, Chrome | \$10 |
| NKY.12.BR | 12" Gas Valve Key, Brass | \$15 |
| NKY.12.CR | 12" Gas Valve Key, Chrome | \$15 |
| NKY.18.BR | 18" Gas Valve Key, Brass | \$21 |
| NKY.18.CR | 18" Gas Valve Key, Chrome | \$21 |
| NKY.24.BR | 24" Gas Valve Key, Brass | \$28 |
| NKY.24.CR | 24" Gas Valve Key, Chrome | \$28 |



3" Polished Brass Key



3" Polished Chrome Key

