

STONE AGE OUTDOOR LIVING KITS

FIREPLACES | PIZZA OVENS | FIRE PITS

REV: 07/15/25



TABLE OF CONTENTS

OUTDOOR FIREPLACE KITS	
Why Use a Stone Age Kit?	
Contractor Series	4
Standard Series	4
New Age Series	8
New Age Chimney Systems	
PIZZA OVEN KITS	
Mezzo/Amerigo	12
PIZZA OVEN/FIREPLACE COMBOS	
Mezzo Vent Free	12
Caminetto Medeo & Grande	
FIRE PIT KITS	
Short Round	15
Tall Round	
Large Round	
Square/Rectangular	
Gas Burner Kits for Fire Pits	16

WHY USE STONE AGE OUTDOOR FIREPLACE KITS?









WHY USE AN OUTDOOR FIREPLACE KIT:


Outdoor Fireplace Kits make installing an outdoor fireplace faster and easier. Instead of spending hours or even days constructing the framework of an outdoor fireplace from scratch out of blocks, Stone Age Manufacturing kits arrive on a compact pallet and assemble in just 3-4 hours with the labor of only two people.

CUSTOMIZABLE

Adjust the height of your fireplace in a variety of ways or add wood storage boxes

- Install a custom base or hearth to the height you want. Use natural stone or other materials (risers and hearth included in Standard Series)
- Use a firebox extension to increase the height of your firebox
- Add flue extensions to reach desired height (check local codes for max height)
- Install a metal or stone chimney cap to finish the fireplace

Customize fireplace kits with accessories to reach the height you want.



BENEFITS OF STONE AGE OUTDOOR FIREPLACE KITS



QUICK & EASY INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.





QUALITY CONSTRUCTION

Stone Age kits are solid construction, not hollow and are made from refractory cement reinforced with rebar.



PROPER DRAFT

Design takes the guesswork out of creating a proper draft and great fires. Larger flue keeps smoke flowing upward and not out of the front of the fireplace.




TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard




The Contractor Series offers Stone Age design and materials distilled down to its essential components of fireplace and chimney. Customize height with additional options such as firebox and flue extensions.


The Standard Series includes the Contractor base kit, plus firebrick, an additional flue extension, 18" risers, and hearth.



CONTRACTOR FIREPLACE KIT Includes base kit, plus 3 flue extensions (6" each)




STANDARD FIREPLACE KIT *Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.*



ACCESSORIES




Wood Storage Box - Arched (Straight Available) 36"H x 36"W x 33"D



6" Flue Extension 18" x 18" x 6"





11.5" Firebox Extension

NOTES: Firebox widths are without Firebrick.

TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard



CONTRACTOR FIREPLACE KIT Includes base kit, plus 3 flue extensions (6" each).

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36CN	SA-36CN-SL	36" Contractor Kit - Single Sided	\$3,012
SA-36CN-SEETHRU	SA-36CN-SL-SEETHRU	36" Contractor Kit - See-Thru	\$3,012
SA-48CN	SA-48CN-SL	48" Contractor Kit - Single Sided	\$3,648
SA-48CN-SEETHRU	SA-48CN-SL-SEETHRU	48" Contractor Kit - See-Thru	\$3,648

STANDARD FIREPLACE KIT Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36STD	SA-36STD-SL	36" Standard Kit - Single Sided	\$4,615
SA-36STD-SEETHRU	SA-36STD-SL-SEETHRU	36" Standard Kit - See Thru	\$4,615
SA-48STD	SA-48STD-SL	48" Standard Kit - Single Sided	\$5,575

WOOD STORAGE BOXES

Item # - Arched	Item # - Straight	Description	Retail
SA-WCA-K	SA-WCS-K	Wood Storage Box (36"H x 36"W x 33"D)	\$1,238
SA-WAA-K	_	Angled Adapter for Wood Storage Box	\$618

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$120
SA-FL-EXT	6" Flue Extension	\$110
SA-SFB-WHT	Firebrick - White Splits	\$3.50
SA-36-EXT	36" Single Sided Firebox Extension - 11 ½"	\$652
SA-36-ST-EXT	36" See Thru Firebox Extension - 11 ½"	\$433
SA-48-EXT	48" Single Sided Firebox Extension - 11 ½"	\$764
SA-48-ST-EXT	48" See Thru Firebox Extension - 11 ½"	\$433

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-36CN	4 Buckets	4 Buckets	85	26	85 Splits
SA-36CN See-Thru	4 Buckets	4 Buckets	79	26	61 Splits
SA-48CN	5 Buckets	5 Buckets	109	26	105 Splits
SA-48CN See-Thru	5 Buckets	5 Buckets	101	26	73 Splits
SA-36STD	4 Buckets	4 Buckets	100	32	Included
SA-36STD See-Thru	4 Buckets	4 Buckets	94	32	Included
SA-48STD	5 Buckets	5 Buckets	125	32	Included
SA-FL-EXT	1 Bucket per 8 Extensions	1 Bucket per 8 Extensions	4 per Extension	2 per Extension	N/A

 $\textbf{\textit{CURE TIME}}: \textit{ For proper curing, please wait a minimum of 28 days before lighting any fires.}$

 ${\it CONCRETE}$ FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

STONE AGE

NEW AGE FIREPLACE SERIES

Why Choose a Zero-Clearance Fireplace Kit





INDOOR/OUTDOOR

New Age fireplace kits are UL-127/ULC-S610 Certified for outdoor or indoor applications, and ICC-ES AC156 Certified for Seismic Resistance. Use vented gas logs or wood burning.



MODERN LOOK

The flat top design of New Age Fireplace kits, not only gives a modern look, but also makes for easy construction and mounting televisions above fireplaces.



PAVILIONS AND PERGOLAS

The Zero Clearance rating for New Age kits means you can build directly onto the base kit, which means they build seamlessly and safely into backyard pavilions and pergolas.

NEW AGE FIREPLACE SERIES


Benefits of Fireplace Kits



ZERO CLEARANCE

The design of New Age masonry chimneys incorporates the necessary "air gap" making it possible for framing to be in contact with the fireplace. A clay flue sits separately inside concrete outer blocks giving the fireplace its Zero Clearance rating.





QUICK & EASY INSTALLATION

Once your concrete footing is ready, New Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.



INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe, in both indoor and outdoor applications

NEW AGE FIREPLACE KITS




Overall Dimensions: 66.5"H x 54"W x 30"D Weight: 2,050 lbs.






Overall Dimensions: 72.5"H x 60"W x 30"D Weight: 2,860 lbs.






Overall Dimensions: 85"H x 72"W x 30"D Weight: 3,900 lbs.





Overall Dimensions: 85"H x 84"W x 30"D Weight: 4,900 lbs.



ACCESSORIES



Wood Storage Box - Straight (Arched Available) Dimensions: 36"H x 36"W x 30"D



8" Flue Extension



Clay Flue



14" Firebox Extension

INDOOR/OUTDOOR FIREPLACE KITS





NEW AGE FIREPLACE KITS

Item # - Straight Lintel	Item # - Arched Lintel	Description	Retail
SA-NA-42	SA-NA-42-AL	42" New Age Fireplace Kit	\$3,677
SA-NA-48	SA-NA-48-AL	48" New Age Fireplace Kit	\$4,053
SA-NA-60		60" New Age Fireplace Kit	\$6,031
SA-NA-72		72" New Age Fireplace Kit	\$6,935

MASONRY CHIMNEY EXTENSIONS Requires both clay flue and outer block extension.

60" and 72" models require double flue. (For metal chimney, see page 11.)

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	42", 48"; 72" (double flue)	\$144
SA-FL1317	24" Clay Flue Tile - 13" x 17"	42", 48"; 72" (double flue)	\$118
SA-2323-8	8" Outer Block Flue Extension - 23" x 23"	60" (double flue)	\$137
SA-FL1313	24" Clay Flue Tile - 13" x 13"	60" (double flue)	\$72

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"H x 36"W x 30"D)	\$1,238
SA-WAA-NA-K	_	Angled Adapter for Wood Storage Box	\$618

ACCESSORIES

Item #	Description	
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$120
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-NA-4245-EXT	42" New Age Fireplace Extension - 14"	\$764
SA-NA-4851-EXT	48" New Age Fireplace Extension - 14"	\$844
NE-V942	42" Throat Mount Damper	\$533
NE-V948	48" Throat Mount Damper	\$626
NE-V360	60" Throat Mount Damper	\$1,713
NE-V372	72" Throat Mount Damper	\$2,123

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM) required for assembly and warranty.

				Linear Ft of	Firebrick
Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Veneer Corners	Required
SA-NA-42	6 Buckets	5 Buckets	105	32	120 Full
SA-NA-48	7 Buckets	6 Buckets	115	34	150 Full
SA-NA-60	8 Buckets	7 Buckets	140	36	175 Full
SA-NA-72	9 Buckets	8 Buckets	165	36	200 Full

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.


NEW AGE FIREPLACE SERIES


Chimney Construction



MASONRY CHIMNEY

New Age[™] kits are available in all-masonry, zero clearance configurations, where structural framing may be placed in direct contact with the kit and its masonry chimney. A separate clay flue sits within the concrete outdoor block to create an "air gap" necessary for Zero Clearance applications. Larger fireplaces (60", 72") require double chimneys.







8" Flue Extension
Outer Blocks



Clay Flue


Add 1 bucket of mortar per
8 additional flue extensions

Item #	Description	Retail
SA-2323-8	23" x 23" x 8" Outer Block (for 60"*)	\$137
SA-FL1313*	13" x 13" x 24" Clay Flue (for 60"*)	\$72
SA-2226-8	22" x 26" x 8" Outer Block (for 42", 48", 72"*)	\$144
SA-FL1317*	13" x 17" x 24" Clay Flue (for 42", 48", 72"*)	\$118

^{*60&}quot; and 72" New Age models require a double chimney stack.

METAL CHIMNEY

New Age™ kits may be used with 14" or 16" UL-103 metal chimney. However, please note that unlike our masonry flue, the metal chimney will need a 2" clearance from combustibles. Metal chimney is ideal in situations where total weight could become an issue and is around ten times faster to install vs. a masonry flue. Larger fireplaces (60", 72") require double chimney.



DURAVENT FOR NEW AGE


Chimney Components













Chimney Sections

Flhow

Anchor Plate

Firestop

Attic Insulation Shield

14" compatible with New Age 60" (SA-NA-60 – requires double chimney)

16" compatible with New Age 42" (SA-NA-42), New Age 48" (SA-NA-48), New Age 72" (SA-NA-72 – requires double chimney)

CHIMNEY SECTIONS 14" CHIMNEY 16" CHIMNEY

Description	14" Item #	14" Retail	16" Item #	16" Retail
12" Chimney Length	14DCA-12	\$200.71	16DCA-12	\$225.80
18" Chimney Length	14DCA-18	\$235.21	16DCA-18	\$279.11
36" Chimney Length	14DCA-36	\$388.88	16DCA-36	\$435.92
48" Chimney Length	14DCA-48	\$417.10	16DCA-48	\$453.17

ELBOW

Description	14" Item #	14" Retail	16" Item #	16" Retail
30° Elbow (1 Elbow)	14DCA-E30	\$398.29	16DCA-E30	\$435.92
Elbow Strap	14DCA-ES	\$200.21	16DCA-ES	\$205.03

ANCHOR PLATE

Description	14" Item #	14" Retail	16" Item #	16" Retail
Anchor Plate	SA-14DCA-AP	\$910.00	SA-16DCA-AP	\$1.050.00

FIRESTOPS/SHIELDS

Description	14" Item #	14" Retail	16" Item #	16" Retail
Ceiling Firestop	14DCA-FS	\$109.76	16DCA-FS	\$114.47
Attic Insulation Shield	14DCA-IS	\$777.75	16DCA-IS	\$784.03
Roof Radiation Shield	14DCA-RRS	\$108.55	16DCA-RRS	\$514.74

CHIMNEY TOPS/STORM COLLAR

Description	14" Item #	14" Retail	16" Item #	16" Retail
Chimney Cap	14DCA-VC1	\$624.08	16DCA-VC1	\$715.03
Storm Collar	14DCA-SC	\$68.99	16DCA-SC	\$68.99
Chase Top Collar	14DCA-CTC	\$312.30	16DCA-CTC	\$500.16
Chase Top Flashing	14DCA-CTF	\$316.75	16DCA-CTF	\$754.95


CHIMNEY SUPPORTS

Description	14" Item #	14" Retail	16" Item #	16" Retail
Chimney Support	14DCA-SS	\$206.98	16DCA-SS	\$356.89
Chimney Stabilizer	14DCA-ST	\$96.09	16DCA-ST	\$192.17



Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds.


36" MEZZO PIZZA OVEN Base sold separately.



Dome Height: 23.5" Cooking Surface: 800 Sq. In.

Weight: 750 lbs.


48" AMERIGO PIZZA OVEN Base sold separately.



Cooking Surface: 1,500 Sq. In.

Weight: 1,230 lbs.

36" MEZZO VENT-FREE FIREPLACE PIZZA OVEN



ACCESSORIES



Mezzo Wood Storage Box/Base Arched or Straight Dimensions: 44"H x 36"W x 33"D Veneer: 25 sq. ft/16 LF corners

Amerigo Wood Storage Box/Base Arched only Dimensions: 44"H x 48"W by 33"D Veneer: 42 sq. ft/16 LF corners



Pizza Oven 12" **Chimney Extension** 9.5"L x 12"H x 9.5"D



Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds. Mezzo Vent-free Fireplace/Pizza Oven combines pizza oven with a gas insert fireplace base.

PIZZA OVEN KITS Metal door and firebrick included.

Item # - Arched Lintel	Description	Retail
SA-MPO-36	36" Mezzo Pizza Oven Kit (Base sold separately)	\$3,181
SA-APO-48	48" Amerigo Pizza Oven Kit (Base sold separately)	\$3,949
SA-MPO-VFC	36" Mezzo Vent-Free Fireplace/Pizza Oven Kit (Fireplace is gas insert only, no wood burning.)	\$6,596

WOOD STORAGE BOXES/BASES

Item # - Arched	Item # - Straight	Description	Retail
SA-MCA-36-K	SA-MCS-36-K	Mezzo Wood Storage Box/Base (44"H x 36"W x 33"D)	\$1,238
SA-PCA-48-K	_	Amerigo Wood Storage Box/Base (44"H x 48"W x 33"D)	\$1,480

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$120
SA-FLAPO	12" Pizza Oven Flue Extension	\$98

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM) required for assembly and warranty.

				Linear Ft of	Firebrick
Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Veneer Corners	Required
SA-MPO-36	2 Buckets	1-2 Buckets	25	14	Included
SA-APO-48	3 Buckets	2 Buckets	35	14	Included
SA-MPO-VFC	5 Buckets	5 Buckets	67	24	Included

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

 ${\it CONCRETE}$ FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

PIZZA OVEN/FIREPLACE COMBOS

Wood Burning



CAMINETTO MEDEO


Ø 15.50''-26.50

Overall Dimensions: 82"H x 72"W x 30"D Cooking Surface: 800 Sq. In.

Weight: 6,006 lbs.

CAMINETTO GRANDE





Overall Dimensions: 83.5"H x 84"W x 30"D Cooking Surface: 800 Sq. In.

Weight: 7,114 lbs.

The Caminetto models are based on the Mezzo Pizza Oven and New Age Fireplace bases. Fire or Pizza or both in one structure.

PIZZA OVEN/FIREPLACE COMBO KITS Metal door and firebrick included.

Item #	Description	Retail
SA-CMO-63	Caminetto Medeo Fireplace/Pizza Oven Combo	\$10,178
SA-CGO-75	Caminetto Grande Fireplace/Pizza Oven Combo	\$11,270

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"h x 36"w x 30"d)	\$1,238
SA-WAA-NA-K	_	Angled Adapter for Wood Storage Box	\$618

MASONRY CHIMNEY EXTENSIONS Requires both clay flue and outer block extension. 60" and 72" models require double flue.

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	Caminetto Grande & Medeo	\$144
SA-FL1317	24" Clay Flue Tile - 13" x 17"	Caminetto Grande & Medeo	\$118
SA-FLAPO	12" Pizza Oven Flue Extension	Caminetto Grande & Medeo	\$98

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$120

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM) required for assembly and warranty.

				Linear Ft of	Firebrick
Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Veneer Corners	Required
SA-CGO-63	8 Buckets	8 Buckets	140	36	Included
SA-CGO-75	9 Buckets	9 Buckets	165	36	Included

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires. CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.



Ready-to-finish concrete fire pit bases for woodburning or gas insert fire pits. Assemble in 1-2 hours, veneer the same day. Shown with Glacier Grey Natural Stone Capstone, above.

FIKE PIT KI	15 Firebrick sold separately.	Inside	Outside	Height	Height	
Item #	Description	Dimensions*	Dimensions	w/ Feet	w/o Feet	Retail
SA-SRP	42" Short Round Fire Pit	36"	42"	16 ½"	14"	\$860
SA-TRP	42" Tall Round Fire Pit	36"	42"	27"	24 ½"	\$1,145
SA-LRP	48" Large Round Fire Pit	42"	48"	20 ½"	18"	\$1,145
SA-SOP	42" Square Fire Pit	36" x 36"	42" x 42"	17"	14 1/3"	\$999

^{*}Inside dimensions are without Firebrick.

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$120
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-SQP-EXT	12" Rectangular Extension with Base for SA-SQP (adds 12" length to Square Fire Pit)	\$141
UPK180C-29	Gas Insert Kit - Compatible with 42" Round (See page 16 for details.)	\$1,473
UPK240C-35	Gas Insert Kit - Compatible with 48" Round (See page 16 for details.)	\$1,772
UPK180S-29	Gas Insert Kit - Compatible with 42" Square (See page 16 for details.)	\$1,473

CAPSTONES 3-pieces, natural stone, round only.

Item #	Description	Compatible With	Inside Diameter	Outside Diameter	Cap Width	Thickness	Retail
FPCAP-29X51	29" Glacier Gray Capstone	42" Round	29"	51"	11"	2"	\$699
FPCAP-36X58	36" Glacier Gray Capstone	48" Round	36"	58"	11"	2"	\$799

SPECIFICATIONS Finishing Requirements: Hi-Temp Mortar (SA-APRM) required for assembly and warranty.

				Linear Ft of	Firebrick
Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Coping	Required
SA-SRP	2 Buckets	1 Bucket	15	11	51 Full
SA-TRP	2 Buckets	1 Bucket	25	11	75 Full
SA-LRP	2 Buckets	1 Bucket	25	11	76 Full
SA-SQP	2 Buckets	1 Bucket	20 (5 corners)	14	73 Full
SA-SQP-EXT	1 Bucket	1 Bucket	2	2	19 Full


CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

 ${\it CONCRETE}$ FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

BURNER KITS FOR FIRE PITS



Warming Trends® Universal Burner Kits are designed to give you the parts needed to set up a gas insert for a fire pit including: Warming Trends CROSSFIRE® Brass Burner, Aluminum Plate, FK1 Key Valve Kit with Flex Line and Extension, and Universal Flexible Installation Collars, and Match Light Ignition – additional ignition upgrades available. The following kits will fit Stone Age Fire Pit Kits. *Media and Vent Kit not included



UNIVERSAL BURNER KITS TO FIT STONE AGE FIRE PITS

Includes: Warming Trends CROSSFIRE® Brass Burner, Aluminum Plate, FK1 Key Valve Kit with Flex Line and Extension, Universal Flexible Installation Collars, and Match Light Ignition – additional ignition upgrades available. *Media not included.*

Compatible						Lava Rock [§]	
Item # - NG	Item # - LP	With	Burner	Plate	Collars	Required	Retail
UPK180C-29NG	UPK180C-29LP	42" Round	CFB180	29"	5	60 lbs	\$1,473
UPK240C-35NG	UPK240C-35LP	48" Round	CFB240	35"	6	86 lbs	\$1,772
UPK180S-29NG	UPK180S-29LP	42" Square	CFB180	29"	5	75 lbs	\$1,473

IGNITION KITS

Item # - NG	Item # - LP	Description	Retail
PBIK-PBMBR	PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket	\$162
MERC-NG	MERC-LP	Mercury Manual Ignition w/ Mounting Bracket (<240K)	\$839

ACCESSORIES

Item #	Description	Retail
BLR	Lava Rock 1" - 1 ½", Black (40 lb bag)	\$55
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$61
DTES1HR	1-Hour Dial Timer with Emergency Shut-Off (Compatible with burners up to 170k BTU's)	\$202

[§] Fireglass or Lava Stones = 2x Lava Rock Max Weight - see Warming Trends section for additional media options.