



Scan QR Code
for current
pricing.

STONE AGE OUTDOOR

STONE AGE OUTDOOR LIVING KITS

FIREPLACES | PIZZA OVENS | FIRE PITS

REV: 08/10/26



TABLE OF CONTENTS

OUTDOOR FIREPLACE KITS

Why Use a Stone Age Kit?.....	2
Contractor Series	4
Standard Series	4
New Age Series	8
New Age Chimney Systems.....	10

PIZZA OVEN/FIREPLACE COMBOS

Caminetto Medeo & Grande	11
Mezzo Vent Free	12

PIZZA OVEN KITS

Vecchio/Mezzo/Amerigo	12
-----------------------------	----


FIRE PIT KITS

Fire Pit Kits	14
Gas Burner Kits for Fire Pits	15

WHY USE STONE AGE OUTDOOR FIREPLACE KITS?



STONE AGE OUTDOOR



WHY USE AN OUTDOOR FIREPLACE KIT:


Outdoor Fireplace Kits make installing an outdoor fireplace faster and easier. Instead of spending hours or even days constructing the framework of an outdoor fireplace from scratch out of blocks, Stone Age Manufacturing kits arrive on a compact pallet and assemble in just 3-4 hours with the labor of only two people.

CUSTOMIZABLE

Adjust the height of your fireplace in a variety of ways or add wood storage boxes

- Install a custom base or hearth to the height you want. Use natural stone or other materials (risers and hearth included in Standard Series)
- Use a firebox extension to increase the height of your firebox
- Add flue extensions to reach desired height (check local codes for max height)
- Install a metal or stone chimney cap to finish the fireplace

Customize fireplace kits with accessories to reach the height you want.



BENEFITS OF STONE AGE OUTDOOR FIREPLACE KITS



QUICK & EASY INSTALLATION

Once your concrete footing is ready, Stone Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.




QUALITY CONSTRUCTION

Stone Age kits are solid construction, not hollow and are made from refractory cement reinforced with rebar.



PROPER DRAFT

Design takes the guesswork out of creating a proper draft and great fires. Larger flue keeps smoke flowing upward and not out of the front of the fireplace.




TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard





The Contractor Series offers Stone Age design and materials distilled down to its essential components of fireplace and chimney. Customize height with additional options such as firebox and flue extensions.



The Standard Series includes the Contractor base kit, plus firebrick, an additional flue extension, 18" risers, and hearth.



CONTRACTOR FIREPLACE KIT *Includes base kit, plus 3 flue extensions (6" each)*




STANDARD FIREPLACE KIT *Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.*




ACCESSORIES



Wood Storage Box - Arched
(Straight Available)
36"H x 36"W x 33"D



6" Flue Extension
18" x 18" x 6"



11.5" Firebox Extension



NOTES: Firebox widths are without Firebrick.

TRADITIONAL OUTDOOR FIREPLACE KITS

Contractor & Standard



CONTRACTOR FIREPLACE KIT *Includes base kit, plus 3 flue extensions (6" each).*

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36CN	SA-36CN-SL	36" Contractor Kit - Single Sided	\$3,103
SA-36CN-SEETHRU	SA-36CN-SL-SEETHRU	36" Contractor Kit - See-Thru	\$3,103
SA-48CN	SA-48CN-SL	48" Contractor Kit - Single Sided	\$3,757
SA-48CN-SEETHRU	SA-48CN-SL-SEETHRU	48" Contractor Kit - See-Thru	\$3,757

STANDARD FIREPLACE KIT *Includes base kit, plus 4 flue extensions (6" each), firebrick, 18" risers and hearth.*

Item # - Arched Lintel	Item # - Straight Lintel	Description	Retail
SA-36STD-K	SA-36STD-SL-K	36" Standard Kit - Single Sided	\$4,754
SA-36STD-SEETHRU-K	SA-36STD-SL-SEETHRU-K	36" Standard Kit - See Thru	\$4,754
SA-48STD-K	SA-48STD-SL-K	48" Standard Kit - Single Sided	\$5,741

WOOD STORAGE BOXES

Item # - Arched	Item # - Straight	Description	Retail
SA-WCA-K	SA-WCS-K	Wood Storage Box (36"H x 36"W x 33"D)	\$1,275
SA-WAA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FL-EXT	6" Flue Extension	\$125
SA-SFB-WHT	Firebrick - White Splits	\$3.50
SA-36-EXT	36" Single Sided Firebox Extension - 11 ½"	\$673
SA-36-ST-EXT	36" See Thru Firebox Extension - 11 ½"	\$447
SA-48-EXT	48" Single Sided Firebox Extension - 11 ½"	\$787
SA-48-ST-EXT	48" See Thru Firebox Extension - 11 ½"	\$447

SPECIFICATIONS

Finishing Requirements: *Xtreme Heat Mortar (SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-36CN	4 Buckets	4 Buckets	85	26	85 Splits
SA-36CN See-Thru	4 Buckets	4 Buckets	79	26	61 Splits
SA-48CN	5 Buckets	5 Buckets	109	26	105 Splits
SA-48CN See-Thru	5 Buckets	5 Buckets	101	26	73 Splits
SA-36STD	4 Buckets	4 Buckets	100	32	Included
SA-36STD See-Thru	4 Buckets	4 Buckets	94	32	Included
SA-48STD	5 Buckets	5 Buckets	125	32	Included
SA-FL-EXT	1 Bucket per 8 Extensions	1 Bucket per 8 Extensions	4 per Extension	2 per Extension	N/A

CURE TIME: *For proper curing, please wait a minimum of 28 days before lighting any fires.*

CONCRETE FOOTING REQUIRED — *check local codes, but we recommend extending down to the frost line in your area.*

NEW AGE FIREPLACE SERIES

Why Choose a Zero-Clearance Fireplace Kit



STONE AGE OUTDOOR



INDOOR/OUTDOOR

New Age fireplace kits are UL-127/ULC-S610 Certified for outdoor or indoor applications, and ICC-ES AC156 Certified for Seismic Resistance. Use vented gas logs or wood burning.



MODERN LOOK

The flat top design of New Age Fireplace kits, not only gives a modern look, but also makes for easy construction and mounting televisions above fireplaces.



PAVILIONS AND PERGOLAS

The Zero Clearance rating for New Age kits means you can build directly onto the base kit, which means they build seamlessly and safely into backyard pavilions and pergolas.

NEW AGE FIREPLACE SERIES

Benefits of Fireplace Kits



ZERO CLEARANCE

The design of New Age masonry chimneys incorporates the necessary “air gap” making it possible for framing to be in contact with the fireplace. A clay flue sits separately inside concrete outer blocks giving the fireplace its Zero Clearance rating.



QUICK & EASY INSTALLATION

Once your concrete footing is ready, New Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.




INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe, in both indoor and outdoor applications


NEW AGE FIREPLACE KITS




Overall Dimensions:
66.5"H x 48"W x 30"D
Weight: 2,300 lbs.




Overall Dimensions:
66.5"H x 54"W x 30"D
Weight: 2,500 lbs.



Overall Dimensions:
72.5"H x 60"W x 30"D
Weight: 2,860 lbs.



Overall Dimensions:
85"H x 72"W x 30"D
Weight: 3,900 lbs.



Overall Dimensions:
85"H x 84"W x 30"D
Weight: 4,900 lbs.

ACCESSORIES



Wood Storage Box - Straight
(Arched Available)
Dimensions: 36"H x 36"W x 30"D



14" Firebox Extension



8" Masonry Flue Extension



Clay Flue



Metal Pipe

INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance



NEW AGE FIREPLACE KITS

Item # - Straight Lintel	Item # - Arched Lintel	Description	Retail
SA-NA-36	SA-NA-36-AL	36" New Age Fireplace Kit	\$3,399
SA-NA-42	SA-NA-42-AL	42" New Age Fireplace Kit	\$3,787
SA-NA-48	SA-NA-48-AL	48" New Age Fireplace Kit	\$4,175
SA-NA-60		60" New Age Fireplace Kit	\$6,211
SA-NA-72		72" New Age Fireplace Kit	\$7,143

MASONRY CHIMNEY EXTENSIONS Requires both clay flue and outer block extension. For metal chimney, see page 10.

Item #	Description	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	\$118
SA-2323-8	8" Outer Block Flue Extension - 23" x 23"	\$140
SA-FL1313	24" Clay Flue Tile - 13" x 13"	\$80

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"H x 36"W x 30"D)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-NA-3639-EXT	36" New Age Fireplace Extension - 14"	\$739
SA-NA-4245-EXT	42" New Age Fireplace Extension - 14"	\$787
SA-NA-4851-EXT	48" New Age Fireplace Extension - 14"	\$869
NE-V942	42" Throat Mount Damper	\$533
NE-V948	48" Throat Mount Damper	\$626
NE-V360	60" Throat Mount Damper	\$1,713
NE-V372	72" Throat Mount Damper	\$2,123

SPECIFICATIONS

Finishing Requirements: Xtreme Heat Mortar (SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required	Masonry Chimney Extensions	Metal Chimney
SA-NA-36	5 Buckets	4 Buckets	95	32	110 Full	SA-2323-8 + SA-FL1313 (Single)	14" (Single)
SA-NA-42	6 Buckets	5 Buckets	105	32	120 Full	SA-2226-8 + SA-FL1317 (Single)	16" (Single)
SA-NA-48	7 Buckets	6 Buckets	115	34	150 Full	SA-2226-8 + SA-FL1317 (Single)	16" (Single)
SA-NA-60	8 Buckets	7 Buckets	140	36	175 Full	SA-2323-8 + SA-FL1313 (Double)	14" (Double)
SA-NA-72	9 Buckets	8 Buckets	165	36	200 Full	SA-2226-8 + SA-FL1317 (Double)	16" (Double)

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

METAL-FAB FOR NEW AGE

Chimney Components



Chimney Sections



Elbow



Anchor Plate w/Damper



Firestop Assembly



Attic Insulation Shield

ANCHOR PLATE

14" CHIMNEY

16" CHIMNEY

Description	14" Item #	14" Retail
Anchor Plate with Damper	SA-14AIRTGAPD	\$1,031

16" Item #	16" Retail
SA-16ATGAPD	\$1,083

CHIMNEY SECTIONS

Description	14" Item #	14" Retail
6" Chimney Length, Air Cooled	14AIRTG6	\$157
12" Chimney Length, Air Cooled	14AIRTG12	\$170
18" Chimney Length, Air Cooled	14AIRTG18	\$202
36" Chimney Length, Air Cooled	14AIRTG36	\$322
48" Chimney Length, Air Cooled	14AIRTG48	\$375

16" Item #	16" Retail
—	—
16ATG12	\$187
16ATG18	\$231
16ATG36	\$361
16ATG48	\$375

ELBOW

Description	14" Item #	14" Retail
15° Elbow, Air Cooled	14AIRTGA15	\$330
30° Elbow, Air Cooled	14AIRTGA30	\$330

16" Item #	16" Retail
16ATGA15	\$361
16ATGA30	\$361

FIRESTOPS/SHIELDS

Description	14" Item #	14" Retail
Ceiling Firestop	14AIRTGFSA	\$101
Attic Insulation Shield	14AIRTGIS	\$644

16" Item #	16" Retail
16ATGFSA	\$304
16ATGIS	\$649

CHIMNEY TOPS/STORM COLLAR

Description	14" Item #	14" Retail
Chimney Cap (430 SS Casing)	14AIRTGC	\$517
Storm Collar	14AIRTGSC	\$61
Chase Top Flashing	14AIRTGFC	\$302

16" Item #	16" Retail
16ATGC	\$592
16ATGSC	\$58
16ATGFC	\$286


Item #	Chimney Diameter	Number of Chimneys
SA-NA-36	14" Diameter	Single
SA-NA-42	16" Diameter	Single
SA-NA-48	16" Diameter	Single
SA-NA-60	14" Diameter	Double
SA-NA-72	16" Diameter	Double

PIZZA OVEN/FIREPLACE COMBOS

Wood Burning




CAMINETTO MEDEO



Overall Dimensions:
82"H x 72"W x 30"D
Cooking Surface: 800 Sq. In.
Weight: 6,006 lbs.

CAMINETTO GRANDE



Overall Dimensions:
83.5"H x 84"W x 30"D
Cooking Surface: 800 Sq. In.
Weight: 7,114 lbs.

The Caminetto models are based on the Mezzo Pizza Oven and New Age Fireplace bases. Fire or Pizza or both in one structure.

PIZZA OVEN/FIREPLACE COMBO KITS *Metal door and firebrick included.*

Item #	Description	Retail
SA-CMO-63	Caminetto Medeo Fireplace/Pizza Oven Combo	\$10,483
SA-CGO-75	Caminetto Grande Fireplace/Pizza Oven Combo	\$11,607

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"h x 36"w x 30"d)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

MASONRY CHIMNEY EXTENSIONS *Requires both clay flue and outer block extension. 60" and 72" models require double flue.*

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	Caminetto Grande & Medeo	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	Caminetto Grande & Medeo	\$118
SA-FLAPO	12" Pizza Oven Flue Extension	Caminetto Grande & Medeo	\$100

ACCESSORIES

Item #	Description	Retail
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195

SPECIFICATIONS

Finishing Requirements: Xtreme Heat Mortar (SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-CGO-63	8 Buckets	8 Buckets	140	36	Included
SA-CGO-75	9 Buckets	9 Buckets	165	36	Included

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

PIZZA OVEN KITS

Vecchio, Mezzo & Amerigo




STONE AGE OUTDOOR

Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds.


34" VECCHIO PIZZA OVEN *Base sold separately.*




Overall Dimensions:
42"H x 34"W x 42"D
Dome Height: 29"
Cooking Surface: 600 Sq. In.
Weight: 1,100 lbs.
Chimney: SA-FL1313-6



48" AMERIGO PIZZA OVEN *Base sold separately.*




Overall Dimensions:
42.5"H x 48"W x 42"D
Dome Height: 30"
Cooking Surface: 1,500 Sq. In.
Weight: 1,230 lbs.



36" MEZZO PIZZA OVEN *Base sold separately.*




Overall Dimensions:
36"H x 36"W x 33"D
Dome Height: 23.5"
Cooking Surface: 800 Sq. In.
Weight: 750 lbs.



36" MEZZO VENT-FREE FIREPLACE PIZZA OVEN



Overall Dimensions:
75"H x 46"W x 42"D
(33"D without pizza shelf)
Dome Height: 23.5"
Firebox Width: 36"
Cooking Surface: 800 Sq. In.
Weight: 3,306 lbs.



PIZZA OVEN KITS

Vecchio, Mezzo, Amerigo



STONE AGE OUTDOOR

Stone Age Pizza Oven Kits can be assembled by 2 people in just 2-4 hours and veneered the same day. Ovens reach up to 800° and can cook a pizza in 90 seconds. Mezzo Vent-free Fireplace/Pizza Oven combines pizza oven with a gas insert fireplace base.

PIZZA OVEN KITS *Metal door and firebrick included.*

Item # - Arched Lintel	Description	Retail
SA-VPO-34	34" Vecchio Pizza Oven Kit <i>(Uses Mezzo base, sold separately)</i>	\$2,745
SA-MPO-36	36" Mezzo Pizza Oven Kit <i>(Base sold separately)</i>	\$3,276
SA-APO-48	48" Amerigo Pizza Oven Kit <i>(Base sold separately)</i>	\$4,068
SA-MPO-VFC	36" Mezzo Vent-Free Fireplace/Pizza Oven Kit <i>(Fireplace is gas insert only, no wood burning.)</i>	\$6,794

WOOD STORAGE BOXES/BASES

Item # - Arched	Item # - Straight	Description	Retail
SA-MCA-36-K	SA-MCS-36-K	Mezzo Wood Storage Box/Base (44"H x 36"W x 33"D)	\$1,275
SA-PCA-48-K	—	Amerigo Wood Storage Box/Base (44"H x 48"W x 33"D)	\$1,523

ACCESSORIES

Item #	Description	Retail
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FLAPO	12" Pizza Oven Flue Extension (9.5"L x 12"H x 9.5"D)	\$100
SA-FL1313-6	6" Vecchio Flue Extension (includes clay flue) (19"L x 6"H x 19"D)	\$164

SPECIFICATIONS

Finishing Requirements: Xtreme Heat Mortar (SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-VPO-34	2 Buckets	2 Buckets	32	16	Included
SA-MPO-36	2 Buckets	1-2 Buckets	25	14	Included
SA-APO-48	3 Buckets	2 Buckets	35	14	Included
SA-MPO-VFC	5 Buckets	5 Buckets	67	24	Included

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

FIRE PIT KITS

Woodburning
or Gas Insert



Ready-to-finish concrete base



Ready-to-finish concrete fire pit bases for woodburning or gas insert fire pits. Assemble in 1-2 hours, veneer the same day. Shown with Glacier Grey Natural Stone Capstone, above. See page 15 for Gas Burner Kits.

FIRE PIT KITS Firebrick sold separately.

Item #	Description	Inside Dimensions*	Outside Dimensions	Height w/ Feet	Height w/o Feet	Retail
SA-SRP	42" Short Round Fire Pit	36"	42"	16 ½"	14"	\$885
SA-TRP	42" Tall Round Fire Pit	36"	42"	27"	24 ½"	\$1,179
SA-LRP	48" Large Round Fire Pit	42"	48"	20 ½"	18"	\$1,179
SA-SQP	42" Square Fire Pit	36" x 36"	42" x 42"	17"	14 ½"	\$999

*Inside dimensions are without Firebrick.

CAPSTONES 3-pieces, natural stone, round only.

Item #	Description	Compatible With	Inside Diameter	Outside Diameter	Cap Width	Thickness	Retail
FPCAP-29X51	29" Glacier Gray Capstone	42" Round	29"	51"	11"	2"	\$699

ACCESSORIES

Item #	Description	Retail
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-SQP-EXT	12" Rectangular Extension with Base for SA-SQP (adds 12" length to Square Fire Pit)	\$146

SPECIFICATIONS Finishing Requirements: Xtreme Heat Mortar (SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Coping	Firebrick Required
SA-SRP	2 Buckets	1 Bucket	15	11	51 Full
SA-TRP	2 Buckets	1 Bucket	25	11	75 Full
SA-LRP	2 Buckets	1 Bucket	25	11	76 Full
SA-SQP	2 Buckets	1 Bucket	20 (5 corners)	14	73 Full
SA-SQP-EXT	1 Bucket	1 Bucket	2	2	19 Full



CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.

BURNER KITS FOR FIRE PITS

Warming Trends® Universal Burner Kits are designed to give you the parts needed to set up a gas insert for a fire pit including:

- Warming Trends CROSSFIRE® Brass Universal Burner (works for both NG and LP)
- Aluminum Plate
- FK1 Key Valve Kit with Flex Line and Extension
- Universal Flexible Installation Collars
- Match Light Ignition (*additional ignition upgrades available*)



STONE AGE OUTDOOR

UNIVERSAL BURNER KITS TO FIT STONE AGE FIRE PITS

The following kits will fit Stone Age Fire Pit Kits. *Media and Vent Kit not included. Log sets sold separately.*

Item #	Compatible With	Burner	Plate	Collars	Lava Rock [§] Required	Retail
UPK180C-29U	42" Round	U180	29"	5	60 lbs	\$1,473
UPK240C-35U	48" Round	U240	35"	6	86 lbs	\$1,772
UPK180S-29U	42" Square	U180	29"	5	75 lbs	\$1,473

IGNITION KITS

Item #	Description	Retail
PBIK-PBMBR	Push Button Ignition Kit w/ Mounting Bracket	\$162
MERC-NG	Mercury Manual Ignition w/ Mounting Bracket - Natural Gas (<240K)	\$839
MERC-LP	Mercury Manual Ignition w/ Mounting Bracket - Liquid Propane (<240K)	\$839

ACCESSORIES

Item #	Description	Retail
BLR	Lava Rock 1" - 1 ½", Black (40 lb bag)	\$55
FPVK	Fire Pit Vent Kit - Set of 2 (4" x 12", includes hardware)	\$61
DTES1HR	1-Hour Dial Timer with Emergency Shut-Off (Compatible with burners up to 170k BTU's)	\$202

§ Fireglass or Lava Stones = 2x Lava Rock Max Weight - see Warming Trends section for additional media options.