



DECORATIVE WOOD FIREPLACES

REV: 06/29/26



LITERATURE

Item No.	Description
785355M	WRT/WCT 3000 Series
785700M	WRT 3500 Series
785353M	WRT 4500 Series
785352M	WRT 6000 Series
785730M	WRT 8000 Series
010121	Hamilton
010144	Monroe
VALCOURT	Valcourt Wood Fireplaces

TABLE OF CONTENTS

SUPERIOR

WRT/WCT 3000 Series	2
WRT 3500 Series	3
WRT 4500 Series	4
WRT 6000 Series	5
WRT 8000 Series	6
8DM & 12DM Superior Chimney	7

AMERICAN HEATH

Hamilton	8
Monroe	10
12" American Hearth Chimney	12

VALCOURT

Antoinette	13
Frontenac	14
Saint-Laurent	15

STONE AGE

New Age	16
Metal-Fab Stone Age Chimney	18

WRT/WCT 3000 Pro Series

Woodburning Fireplace



SPECIFICATIONS

Uses 8DM 1700° Chimney, see pages 7.

- Radiant smooth-faced or circulating rolled louver models
- Fully insulated firebox for increased performance in colder climates
- Heavy duty log grate
- Adjustable outside air damper
- Hidden screen pockets
- Durable textured powder coat finish
- Prewired junction box

WOOD FIREPLACE *Standard size with refractory panels.*

Item No	Description	Refractory Panels	Retail
WRT3036WSI	36" Radiant	Stacked Brick	\$1,419
WRT3042WSI	42" Radiant	Stacked Brick	\$1,579
WCT3036WSI	36" Louvered	Stacked Brick	\$1,469
WCT3042WSI	42" Louvered	Stacked Brick	\$1,639



Stacked Brick

DOORS

Item No	Description	Retail
BD36	36" Bi-Fold Glass Door, Black	\$281
BD42	42" Bi-Fold Glass Door, Black	\$336




Bi-Fold Door, Black

BLOWERS

Item No	Description	Retail
BK3	Blower, 3-Blade Fan (Single Speed) (For WCT units)	\$281
BK	Blower, Variable Speed w/Manual Control (For WCT units)	\$393

OUTSIDE AIR KITS

Item No	Description	Retail
AK4	Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting	\$90
AK4X	Air Kit with 4" Collar and Hood Only for Wall Venting	\$56
AK4F	Air Kit with 4" Collar, Hood & 3' Flex for Floor Venting	\$78



AK4

Unit	Outside Air Location	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
WRT/WCT3036	Left Side	Left Side	35"W x 21"H X 14 1/4"D	41 3/4"	41 3/4"	21 7/8"
WRT/WCT3042	Left Side	Left Side	42"W x 24"H X 16 1/4"D	49 3/4"	47 1/4"	23 1/2"

* Consult a manual for complete installation requirements.

WRT 3500 Series

Woodburning Fireplace



SPECIFICATIONS

Uses 12DM 1700° Chimney, see page 7.

- 24 5/8" tall opening
- Large smoke dome for reliable operation
- Fully insulated firebox for increased performance
- Heavy duty log grate
- Adjustable outside air damper
- Includes mesh fire screens
- Outside air kits available
- Durable textured powder coat finish

WOOD FIREPLACE *Standard size with refractory panels.*

Item No	Description	Refractory Panels	Retail
WRT3538WS*	38" Radiant	Stacked Brick	\$2,989
WRT3543WS*	43" Radiant	Stacked Brick	\$3,209
WRT3538WH*	38" Radiant	Herringbone Brick	\$3,089
WRT3543WH*	43" Radiant	Herringbone Brick	\$3,309



Stacked Brick



Herringbone Brick

DOORS


Item No	Description	Retail
38LBF*	38" Bi-Fold Glass Door, Black	\$393
43LBF*	43" Bi-Fold Glass Door, Black	\$472



Bi-Fold Door, Black

OUTSIDE AIR KITS

Item No	Description	Retail
AK4	Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting	\$90
AK4X	Air Kit with 4" Collar and Hood Only for Wall Venting	\$56
AK4F	Air Kit with 4" Collar, Hood & 3' Flex for Floor Venting	\$78



AK4

*While Supplies Last

Unit	Outside Air Location	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
WRT3538	Right Side	Right Side	38"W x 24 5/8"H X 18"D	49 1/4"	50 3/8"	26 1/4"
WRT3543	Right Side	Right Side	42 3/4"W x 24 5/8"H X 18"D	54"	50 3/8"	26 1/4"

* Consult a manual for complete installation requirements.

WRT 4500 Series

Woodburning Fireplace



SPECIFICATIONS

Uses 12DM 1700° Chimney, see page 7.

- 30" tall opening
- Massive smoke dome for reliable operation
- Fully insulated firebox for increased performance
- Refractory panels in two patterns with integrated ash lip
- Heavy duty cast iron log grate w/ rugged forged andirons
- Easy access damper control
- Includes mesh fire screen
- Dual outside air kits available
- Durable textured powder coat finish

WOOD FIREPLACE *X-Large opening with refractory panels.*

Item No	Description	Refractory Panels	Retail
WRT4536WS	36" Radiant	Stacked Brick	\$3,769
WRT4542WS	42" Radiant	Stacked Brick	\$3,889
WRT4550WS	50" Radiant	Stacked Brick	\$4,359
WRT4536WH	36" Radiant	Herringbone Brick	\$3,889
WRT4542WH	42" Radiant	Herringbone Brick	\$3,979
WRT4550WH	50" Radiant	Herringbone Brick	\$4,479



Stacked Brick



Herringbone Brick

DOORS

Item No	Description	Retail
BDG36	36" Bi-Fold Door, Black	\$561
BDG42	42" Bi-Fold Door, Black	\$618
BD50	50" Bi-Fold Door, Black	\$618



Bi-Fold Door, Black

OUTSIDE AIR KITS

Item No	Description	Retail
AK4	Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting	\$90
AK4X	Air Kit with 4" Collar and Hood Only for Wall Venting	\$56
AK4F	Air Kit with 4" Collar, Hood & 3' Flex for Floor Venting	\$78

Unit	Outside Air Location	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
WRT4536	Left/Right Side	Right Side	36"W x 30"H X 20"D	45 1/4"	67 1/8"	28 1/4"
WRT4542	Left/Right Side	Right Side	42"W x 30"H X 23 1/2"D	51 1/4"	67 1/8"	30 1/8"
WRT4550	Left/Right Side	Right Side	50"W x 30"H X 23 1/4"D	59"	67 1/8"	30 1/8"

* Consult a manual for complete installation requirements.

WRT 6000

Woodburning Fireplace



SPECIFICATIONS

Uses 12DM 1700° Chimney, see pages 7.

- Mosaic Masonry firebrick available in a variety of patterns and colors with integrated ash lip
- Massive smoke dome for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Heavy duty cast iron log grate w/ rugged forged andirons
- Easy access damper control
- Includes mesh fire screen
- Dual outside air kits available
- Durable textured powder coat finish

Select a fireplace body and firebrick to make a complete fireplace.

WOOD FIREPLACE

Item No	Description	Retail
WRT6036	36" Masonry Fireplace (requires firebrick)	\$3,609
WRT6042	42" Masonry Fireplace (requires firebrick)	\$3,749
WRT6050	50" Masonry Fireplace (requires firebrick)	\$4,139

MASONRY FIREBRICK *(Required) (Empire stocks Ivory firebrick, other colors are special order.)*

Item No	Description	Retail
MOSAIC36M2-IS	36" Ivory Full Stacked	\$3,258
MOSAIC42M2-IS	42" Ivory Full Stacked	\$3,482
MOSAIC50M2-IS	50" Ivory Full Stacked	\$3,595
MOSAIC36M3-IH	36" Ivory Herringbone	\$3,370
MOSAIC42M3-IH	42" Ivory Herringbone	\$3,595
MOSAIC50M3-IH	50" Ivory Herringbone	\$3,707

DOORS

Item No	Description	Retail
BDMO36E	36" Mosaic Bi-Fold, Ebony Finish	\$1,011
BDMO42E	42" Mosaic Bi-Fold, Ebony Finish	\$1,123
BDMO50E	50" Mosaic Bi-Fold, Ebony Finish	\$1,235

OUTSIDE AIR KITS

Item No	Description	Retail
AK4	Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting	\$90
AK4X	Air Kit with 4" Collar and Hood Only for Wall Venting	\$56
AK4F	Air Kit with 4" Collar, Hood & 3' Flex for Floor Venting	\$78

Unit	Outside Air Location	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
WRT6036	Left/Right Side	Right Side	36"W x 30"H X 19"D	45 1/4"	67 1/8"	28 1/4"
WRT6042	Left/Right Side	Right Side	42"W x 30"H X 23"D	51 1/4"	67 1/8"	30 1/8"
WRT6050	Left/Right Side	Right Side	50"W x 30"H X 23"D	59"	67 1/8"	30 1/8"

* Consult a manual for complete installation requirements.

WRT 8000 Series

Woodburning Fireplace



SPECIFICATIONS

Uses 12DM 1700° Chimney, see pages 7.

- Available in a 48"W x 42"H opening to provide an exceptional view of the fire
- Flush hearth floor design (hearth spacer required for combustible floor installations)
- Mosaic Masonry firebrick available in a split herringbone pattern in a variety of colors (required)
- Massive smoke dome for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Heavy duty steel grate w/ rugged forged andirons
- Easy access damper control
- Includes mesh fire screen
- Dual outside air kits available
- Durable textured powder coat finish

Select a fireplace body and firebrick to make a complete fireplace.

WOOD FIREPLACE

Item No	Description	Retail
WRT8048	48" Masonry Fireplace (requires firebrick)	\$4,849

MASONRY FIREBRICK (Required)

Item No	Description	Retail
MOSAIC48IVSH	Ivory Split Herringbone	\$4,830
MOSAIC48MISH	Midnight Split Herringbone	\$4,830
MOSAIC48SGSH	Slate Grey Split Herringbone	\$4,830
MOSAIC48WRSH	Warm Red Split Herringbone	\$4,830

DOORS

Item No	Description	Retail
BDMO48EA	48" Masonry Ceramic Glass Bi-Fold, Ebony Finish	\$3,932

OUTSIDE AIR KITS/FLOOR PROTECTION

Item No	Description	Retail
AK4	Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting	\$90
AK4X	Air Kit with 4" Collar and Hood Only for Wall Venting	\$56
AK4F	Air Kit with 4" Collar, Hood & 3' Flex for Floor Venting	\$78
HS48	48" Combustible Floor Protective Hearth Spacer	\$1,685

Unit	Outside Air Location	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
WRT8048	Left/Right Side	Right Side	48"W x 42"H X 24"D	60 3/8"	76 3/8"	31 1/2"

* Consult a manual for complete installation requirements.

8DM & 12DM Series

Chimney Components



CHIMNEY

Description	8"		12"	
	Item #	Retail	Item #	Retail
12" Chimney Section	12-8DM	\$90	12-12DM	\$157
18" Chimney Section	18-8DM	\$112	18-12DM	\$180
24" Chimney Section	24-8DM	\$146	24-12DM	\$224
36" Chimney Section	36-8DM	\$180	36-12DM	\$292
48" Chimney Section	48-8DM	\$191	48-12DM	\$371

ELBOWS

Description	8"		12"	
	Item #	Retail	Item #	Retail
30° Elbow (Offset & Return)	30E-8DM	\$202	30E-12DM	\$419

SUPPORTS

Description	8"		12"	
	Item #	Retail	Item #	Retail
Chimney Support (for use with chimney heights in excess of 30')	12S-8DM	\$56	12S-12DM	\$214
Roof Support (use with flashing)	38RS	\$112	-	-

FIRESTOPS/THIMBLE

Description	8"		12"	
	Item #	Retail	Item #	Retail
Firestop Spacer	3600FS-8DM-1	\$45	FS-10	\$68
Firestop Spacer, 30°	30FS-8DM	\$78	30FS-10	\$90
Firestop Thimble (used when penetrating a joist)	38FST	\$101	FST10 (Requires FS-10)	\$141
Firestop Thimble, 30° (used when offsetting through a joist)	FST30	\$129	-	-

ROOF FLASHINGS

Description	8"		12"	
	Item #	Retail	Item #	Retail
0 to 6/12 Pitch Flashing	V6F-8DM	\$202	V6F-10DM	\$202
6/12 to 12/12 Pitch Flashing	V12F-8DM	\$259	V12F-10DM	\$259

CHIMNEY TOPS/STORM COLLAR

Description	8"		12"	
	Item #	Retail	Item #	Retail
Round Top w/ Mesh Screen	RT-8DM	\$123	-	-
Round Top w/ Louvers	RLT-8DM	\$135	RLT-12DM	\$281
Round Top w/ Slip Section & Mesh	RTT-8DM	\$180	-	-
Square Top w/ Slip Section, Black	ETL-8DM-K	\$224	STL-12DMP	\$561
Storm Collar	SC1-1	\$45	SC2-1	\$45

Unit	Chimney Size
WRT/WCT 3000 Pro Series	8" Chimney
WRT 3500 Series	12" Chimney
WRT 4500 Series	12" Chimney
WRT 6000 Series	12" Chimney
WRT 8000 Series	12" Chimney

Hamilton

Wood Fireplace



Traditional Brick
Gray



Herringbone Brick
Gray




Smooth Brick
Gray



Traditional Brick
Black



Herringbone Brick
Black



Smooth Brick
Black



Traditional Brick
White



Herringbone Brick
White



Smooth Brick
White




Traditional Brick
Mocha



Herringbone Brick
Mocha



Smooth Brick
Mocha



	Viewing Area	Minimum Framing Dimensions
Hamilton 36"	36" W x 30" H	49 5/8" W x 62 1/8" H x 29" D
Hamilton 44"	44" W x 30" H	57 5/8" W x 62 1/8" H x 29" D
Hamilton 54"	54" W x 34" H	67 5/8" W x 74 1/8" H x 30 1/2" D

Hamilton

Wood Fireplace



Uses American Hearth Chimney, see page 12.

36" WOOD FIREPLACE (Requires Brick Liner and Outside Air Kit)

Item #	Description	Retail
WB36FB0F	36" Woodburning Fireplace	\$3,009
BDW36BL	36" Bi-Fold Doors, Black	\$599
BDW36PE*	36" Bi-Fold Doors, Pewter	\$599
WB36HE	36" Hearth Extension (52" x 20")	\$109

36" BRICK LINERS	Gray	Black*	Mocha*	White*
Style	\$999	\$1,069	\$1,069	\$1,069
Traditional	WBL36TGR	WBL36TBL	WBL36TBR	WBL36TWH
Herringbone	WBL36HGR	WBL36HBL	WBL36HBR	WBL36HWH
Smooth	WBL36SGR	WBL36SBL	WBL36SBR	WBL36SWH

44" WOOD FIREPLACE (Requires Brick Liner and Outside Air Kit)

Item #	Description	Retail
WB44FB0F	44" Woodburning Fireplace	\$3,169
BDW44BL	44" Bi-Fold Doors, Black	\$639
BDW44PE*	44" Bi-Fold Doors, Pewter	\$619
WB44HE	44" Hearth Extension (68" x 20")	\$119

44" BRICK LINERS	Gray	Black*	Mocha*	White*
Style	\$1,099	\$1,159	\$1,159	\$1,159
Traditional	WBL44TGR	WBL44TBL	WBL44TBR	WBL44TWH
Herringbone	WBL44HGR	WBL44HBL	WBL44HBR	WBL44HWH
Smooth	WBL44SGR	WBL44SBL	WBL44SBR	WBL44SWH

54" WOOD FIREPLACE (Requires Brick Liner & Outside Air Kit)

Item #	Description	Retail
WB5412FB0F	54" Woodburning Fireplace	\$3,389
BDW54BL	54" Bi-Fold Doors, Black	\$739
BDW54PE*	54" Bi-Fold Doors, Pewter	\$709
WB54HE	54" Hearth Extension (78" x 20")	\$149

54" BRICK LINERS	Gray	Black*	Mocha*	White*
Style	\$1,249	\$1,299	\$1,299	\$1,299
Traditional	WBL54TGR	WBL54TBL	WBL54TBR	WBL54TWH
Herringbone	WBL54HGR	WBL54HBL	WBL54HBR	WBL54HWH
Smooth	WBL54SGR	WBL54SBL	WBL54SBR	WBL54SWH

OUTSIDE AIR KIT COMPONENTS

Item #	Description	Retail
WBOAK	Outside Air Kit (Requires Duct)	\$199
WBNID	4" Non-Insulated Duct (10' long)	\$99
WBID	4" Insulated Duct (10' long)	\$239

Monroe

Wood Fireplace



AMERICAN HEARTH



Smooth Brick Liner
White



Smooth Brick Liner
Gray



Smooth Brick Liner
Black



Smooth Brick Liner
Mocha



Firebrick
Soapstone




Firebrick
Buff



Firebrick
Red

	Viewing Area	Minimum Framing Dimensions
Monroe 60" Traditional	60" W x 38" H	75 3/8" W x 76 3/4" H x 30 1/2" D
Monroe 60" Linear	60" W x 24" H	73 5/8" W x 64 1/8" H x 30 1/2" D



Monroe

Wood Fireplace



Uses American Hearth Chimney, see page 12.

60" TRADITIONAL WOOD FIREPLACE (Requires Brick Liner or Firebrick, and 2 Outside Air Kits)

Item #	Description	Retail
WB60FB0F	60" Traditional Woodburning Fireplace (Uses (2) 12" Chimney)	\$8,999

60" BRICK LINERS & FIREBRICK

Item #	Description	Retail
WBL60SGR	Smooth Brick, Gray	\$1,899
WBL60SBL	Smooth Brick, Black	\$1,949
WBL60SWH	Smooth Brick, White	\$1,949
WBL60SBR	Smooth Brick, Mocha	\$1,949
WBL60SBK	Firebrick, Soapstone (2 Sets Required)	\$1,319
WBL60BBK	Firebrick, Buff (2 Sets Required)	\$599
WBL60RBK	Firebrick, Red (2 Sets Required)	\$599
WBBKM	Mortar (Used with Firebrick) (50 lb. Bag)	\$349

OPTIONS

Item #	Description	Retail
WB60HE	60" Hearth Extension	\$299
WB60SHE	60" Hearth Extension, Shallow	\$439

60" LINEAR WOOD FIREPLACE (Requires Brick Liner or Firebrick, and 2 Outside Air Kits)

Item #	Description	Retail
WB60LFB0F	60" Linear Woodburning Fireplace (Uses (2) 12" Chimney)	\$8,999

60" BRICK LINERS & FIREBRICK

Item #	Description	Retail
WBL60LSGR	Smooth Brick, Gray	\$1,699
WBL60LSBL	Smooth Brick, Black	\$1,749
WBL60LSWH	Smooth Brick, White	\$1,749
WBL60LSBR	Smooth Brick, Mocha	\$1,749
WBL60SBK	Firebrick, Soapstone (2 Sets Required)	\$1,319
WBL60BBK	Firebrick, Buff (2 Sets Required)	\$599
WBL60RBK	Firebrick, Red (2 Sets Required)	\$599
WBBKM	Mortar (Used with Firebrick) (50 lb. Bag)	\$349

OPTIONS

Item #	Description	Retail
WB60HE	60" Hearth Extension	\$299
WB60SHE	60" Hearth Extension, Shallow	\$439

OUTSIDE AIR KIT COMPONENTS

Item #	Description	Retail
WBOAK	Outside Air Kit (WB60FB0F & WB60LFB0F Require 2 Outside Air Kits)	\$199
WBNID	4" Non-Insulated Duct (10' long)	\$99
WBID	4" Insulated Duct (10' long)	\$239

12" Chimney

Chimney Components



CHIMNEY

Item #	Description	Retail
WB12V06	6" Chimney Section	\$129
WB12V12	12" Chimney Section	\$149
WB12V18	18" Chimney Section	\$179
WB12V36	36" Chimney Section	\$269
WB12V48	48" Chimney Section	\$325
WB12VCAK	Chimney Air Kit (Requires WBOAK & 4" Flex Duct)	\$129

ELBOWS

Item #	Description	Retail
WB12V15EK	15° Elbow (Offset & Return)	\$779
WB12V30EK	30° Elbow (Offset & Return)	\$719

CAPS/COLLARS/FLASHINGS

Item #	Description	Retail
WB12VRC	Rain Cap	\$199
WB12VRCC	Chimney Cap w/ Spark Arrester Screen	\$399
WB12VPC	Square Pyramid Cap, Black	\$769
WB12VSC	Storm Collar	\$53
WB12VFC	Chase Top Flashing	\$269
WB12VFTC	Tall Cone Flashing	\$449
WB12VF05	2/12 - 5/12 Pitch Flashing	\$445
WB12VF10	6/12 - 10/12 Pitch Flashing	\$449

FIRESTOP/RADIATION SHIELDS

Item #	Description	Retail
WB12VFS	Firestop Spacer	\$63
WB12VRS	Radiation Shield	\$105
WB12VAI	Attic Insulation Shield	\$169

BANDS

Item #	Description	Retail
WB12VSB	Support Band	\$32
WB12VWB	Wall Band	\$49

Unit	Quantity Required	Chimney Size
Hamilton	1	12" Chimney
Monroe	2	12" Chimney



Select one fireplace body, trim kit and brick panels to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP7D	Antoinette Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$6,374
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

TRIM KIT (Required)

Item No	Description	Retail
VA7FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$380
VA7DTR	Masonry Trim Kit, Black (gives a flush finish w/ brick or stone)	\$275

BRICK PANELS (Required)

Item No	Description	Retail
VA7071BR	Classic Molded Refractory Brick Panels	\$850
VA7071M	Contemporary Molded Refractory Brick Panels	\$950

OPTIONS

Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280



Narrow Overlap Trim Kit
VA7E06



Masonry Trim Kit
VA7DTR

TECHNICAL DATA

Specifications	Antoinette
Heating Capacity	up to 1,000 sq ft
Firebox Size	5.3 cu ft
Glass Viewing	19 1/2" x 29 3/4"
Log Length	18"
Flue Pipe Diameter	8" Class A*
Weight	523 lbs
Overall Dimensions	64 1/8"H x 52"W x 27"D



Classic Brick
VA7071BR



Contemporary Brick
VA7071M

*See Installation Manual for complete installation requirements.



Select one fireplace body, trim kit and refractory panels to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP11D	FP11 Frontenac Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$8,899
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

TRIM KIT (Required)

Item No	Description	Retail
VA11FA06	Arched Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$550
VA11FE06	Straight Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$605
VA11DTA	Arched Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$280
VA11DTR	Straight Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$275

BRICK PANELS (Required)

Item No	Description	Retail
VA11071BR	Classic Molded Refractory Brick Panels	\$1,250
VA11071H*	Herringbone Molded Vermiculite Panels	\$1,550
VA11071M	Contemporary Molded Refractory Brick Panels	\$1,250

OPTIONS

Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280

*Special Order

TECHNICAL DATA

Specifications	Frontenac
Heating Capacity	up to 1,000 sq ft
Emissions	4.2 g/hr
Firebox Size	9.4 cu ft
Glass Viewing	26 ¼" x 40 ⅞"
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	920 lbs
Overall Dimensions	74 ¾"H x 60"W x 36 ¼"D

*See Installation Manual for complete installation requirements.



Classic
Brick



Herringbone
Vermiculite



Contemporary
Brick



Select one fireplace body, trim, and brick kit to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP16D	FP16 Saint-Laurent Decorative Linear Fireplace (Includes Guillotine Door w/Ceramic Glass & Cast Iron Andirons)	\$8,279
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

TRIM KIT (Required)

Item No	Description	Retail
VA16FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$495
VA16DTR	Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$170

BRICK PANELS (Required)

Item No	Description	Retail
VA16071M	Contemporary Molded Refractory Brick Panels	\$1,000

OPTIONS

Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280

TECHNICAL DATA

Specifications	Saint-Laurent
Heating Capacity	up to 1,000 sq ft
Firebox Size	6.4 cu ft
Glass Viewing	14 7/8" x 41 1/8"
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	765 lbs
Overall Dimensions	63 3/4"H x 63 1/8"W x 31 3/4"D



Refractory Brick Kit
VA16071M

*See Installation Manual for complete installation requirements.








Indoor/Outdoor Fireplace Kits

New Age Zero Clearance



New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe, in both indoor and outdoor applications

NEW AGE FIREPLACE KITS

	36"	42"	48"
			
	<p>Overall Dimensions: 66.5"H x 48"W x 30"D Weight: 2,300 lbs.</p>	<p>Overall Dimensions: 66.5"H x 54"W x 30"D Weight: 2,500 lbs.</p>	<p>Overall Dimensions: 72.5"H x 60"W x 30"D Weight: 2,860 lbs.</p>
	60"	72"	
			
	<p>Overall Dimensions: 85"H x 72"W x 30"D Weight: 3,900 lbs.</p>	<p>Overall Dimensions: 85"H x 84"W x 30"D Weight: 4,900 lbs.</p>	

ACCESSORIES



Wood Storage Box - Straight
(Arched Available)
Dimensions: 36" H x 36" W x 30" D



8" Flue Extension



Clay Flue



14" Firebox Extension

Indoor/Outdoor Fireplace Kits

New Age Zero Clearance



NEW AGE FIREPLACE KITS

Item # - Straight Lintel	Item # - Arched Lintel	Description	Retail
SA-NA-36	SA-NA-36-AL	36" New Age Fireplace Kit	\$3,399
SA-NA-42	SA-NA-42-AL	42" New Age Fireplace Kit	\$3,787
SA-NA-48	SA-NA-48-AL	48" New Age Fireplace Kit	\$4,175
SA-NA-60		60" New Age Fireplace Kit	\$6,211
SA-NA-72		72" New Age Fireplace Kit	\$7,143

MASONRY CHIMNEY EXTENSIONS Requires both clay flue and outer block extension. 60" and 72" models require double flue. (For metal chimney, see page 18.)

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	42", 48"; 72" (double flue)	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	42", 48"; 72" (double flue)	\$118
SA-2323-8	8" Outer Block Flue Extension - 23" x 23"	36"; 60" (double flue)	\$140
SA-FL1313	24" Clay Flue Tile - 13" x 13"	36"; 60" (double flue)	\$80

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"H x 36"W x 30"D)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-NA-3639-EXT	36" New Age Fireplace Extension - 14"	\$739
SA-NA-4245-EXT	42" New Age Fireplace Extension - 14"	\$787
SA-NA-4851-EXT	48" New Age Fireplace Extension - 14"	\$869
NE-V942	42" Throat Mount Damper	\$533
NE-V948	48" Throat Mount Damper	\$626
NE-V360	60" Throat Mount Damper	\$1,713
NE-V372	72" Throat Mount Damper	\$2,123

SPECIFICATIONS

Finishing Requirements: *Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.*

Item #	Mortar for Assembly	Mortar for Veneer			Firebrick Required
SA-NA-36	5 Buckets	4 Buckets	95	32	110 Full
SA-NA-42	6 Buckets	5 Buckets	105	32	120 Full
SA-NA-48	7 Buckets	6 Buckets	115	34	150 Full
SA-NA-60	8 Buckets	7 Buckets	140	36	175 Full
SA-NA-72	9 Buckets	8 Buckets	165	36	200 Full

CURE TIME: *For proper curing, please wait a minimum of 28 days before lighting any fires.*

CONCRETE FOOTING REQUIRED — *check local codes, but we recommend extending down to the frost line in your area.*

Metal-Fab for New Age

Chimney Components



Chimney Sections



Elbow



Anchor Plate w/Damper



Firestop Assembly



Attic Insulation Shield

14" compatible with New Age 36" (SA-NA-36), New Age 60" (SA-NA-60 – requires double chimney)

16" compatible with New Age 42" (SA-NA-42), New Age 48" (SA-NA-48), New Age 72" (SA-NA-72 – requires double chimney)

CHIMNEY SECTIONS

14"

16"

Description	Item #	Retail
6" Chimney Length, Air Cooled	14AIRTG6	\$149
12" Chimney Length, Air Cooled	14AIRTG12	\$162
18" Chimney Length, Air Cooled	14AIRTG18	\$192
36" Chimney Length, Air Cooled	14AIRTG36	\$307
48" Chimney Length, Air Cooled	14AIRTG48	\$357

Item #	Retail
–	–
16ATG12	\$178
16ATG18	\$220
16ATG36	\$344
16ATG48	\$357

ELBOW

14"

16"

Description	Item #	Retail
15^ Elbow, Air Cooled Temp/Guard	14AIRTGA15	\$314
30^ Elbow, Air Cooled Temp/Guard	14AIRTGA30	\$314

Item #	Retail
16ATGA15	\$344
16ATGA30	\$344

ANCHOR PLATE

14"

16"

Description	Item #	Retail
Anchor Plate with Damper	SA-14AIRTGAPD	\$992

Item #	Retail
SA-16ATGAPD	\$1,042

FIRESTOPS/SHIELDS

14"

16"

Description	Item #	Retail
Ceiling Firestop	14AIRTGFSA	\$96
Attic Insulation Shield	14AIRTGIS	\$613

Item #	Retail
16ATGFSA	\$290
16ATGIS	\$618

CHIMNEY TOPS/STORM COLLAR

14"

16"

Description	Item #	Retail
Chimney Cap (430 SS Casing)	14AIRTGC	\$492
Storm Collar	14AIRTGSC	\$59
Chase Top Flashing	14AIRTGFC	\$288

Item #	Retail
16ATGC	\$564
16ATGSC	\$55
16ATGFC	\$272