



AMERICAN HEARTH

GAS INSERTS

VENTED | VENT FREE

REV: 06/19/26

TABLE OF CONTENTS

GAS INSERTS

- Franklin Clean Face2
- Kennedy4
- Renegade6

GAS FIREPLACES

- Franklin2
- Loft4

LITERATURE

Item No	Description
00872	AH Product Guide (Vented)
00832	Franklin & Loft
01067	Renegade TruFlame
010148	Kennedy



Franklin

Direct Vent Gas Insert



Shown with Lancaster Front



Traditional Brick



Herringbone Brick



Washed Brick



Black Porcelain

Select one Insert Body and a Surround to make a complete Insert.

GAS INSERT BODY

Includes: Slope Glaze Burner, Logs, Black Painted Interior, On / Off Switch, Heat Activated Variable Speed Blower, Ceramic Glass, and Barrier Screen. Choose Millivolt Ignition w/ Standing Pilot (MV) or Intermittent Pilot Ignition w/ Battery Back Up (IPI).

Item No – NG	Item No – LP	Unit	Control	Retail
DVC20IN31N	DVC20IN31P	Franklin DVC20, Small Clean Face Insert	Millivolt	\$2,699
DVC20IN71N	DVC20IN71P	Franklin DVC20, Small Clean Face Insert	IPI	\$2,959
DVC26IN31N	DVC26IN31P	Franklin DVC26, Medium Clean Face Insert	Millivolt	\$2,869
DVC26IN71N	DVC26IN71P	Franklin DVC26, Medium Clean Face Insert	IPI	\$3,119
DVC28IN31N	DVC28IN31P	Franklin DVC28, Large Clean Face Insert	Millivolt	\$3,189
DVC28IN71N	DVC28IN71P	Franklin DVC28, Large Clean Face Insert	IPI	\$3,459

	Max/Min BTU Input	Efficiency	Air Inlet\Exhaust Size	Gas Line	Min. Opening Dimensions	Remote
Franklin, Small	20,500/14,500	77%	3" / 3"	Right	28 ¼"W x 18 ½"H x 14 ¾"D	Optional
Franklin, Medium	26,000/17,000	77%	3" / 3"	Right	31 ¼"W x 21 ½"H x 16 ⅝"D	Optional
Franklin, Large	28,500/18,500	77%	3" / 3"	Right	34 ¼"W x 23 ½"H x 16 ⅝"D	Optional



SURROUND (Required) *Custom Surrounds Available - Call for information*

Item No	Description	Dimensions	Retail
DS2063BL	20 1-Piece, Standard	34"W x 23"H x 1"D	\$225
DS2066BL	20 1-Piece, Standard	40"W x 23"H x 1"D	\$249
DS2096BL	20 1-Piece, Standard	40"W x 26"H x 1"D	\$269
SH1BL	20 1-Piece, Shroud (Requires 1-Piece Surround)	48"W x 36"H	\$229
DS2663BL	26 1-Piece, Standard	37"W x 26"H x 1"D	\$245
DS2666BL	26 1-Piece, Standard	43"W x 26"H x 1"D	\$265
DS2696BL	26 1-Piece, Standard	43"W x 29"H x 1"D	\$275
SH1BL	26 1-Piece, Shroud (Requires 1-Piece Surround)	48"W x 36"H	\$229
SC336BL	26 3-Piece, Cast Iron Surround (Requires SAK26 Adaptor)	42 7/8" x 29 7/8"H	\$539
SAK26	26 3-Piece, Surround Adaptor Kit	-	\$169
C266BL	26 Surround Bottom Cover, 1 1/4" Tall (Fits DS2666BL, DS2696BL)	-	\$119
DS2863BL	28 1-Piece, Standard	40"W x 28"H x 1"D	\$259
DS2866BL	28 1-Piece, Standard	46"W x 28"H x 1"D	\$259
DS2896BL	28 1-Piece, Standard	46"W x 31"H x 1"D	\$285
SH1BL	28 1-Piece, Shroud (Requires 1-Piece Surround)	48"W x 36"H	\$229
SC356BL	28 3-Piece, Cast Iron Surround (requires SAK28 Adaptor)	45 7/8" x 31 7/8"H	\$569
SAK28	28 3-Piece, Surround Adaptor Kit	-	\$199
C286BL	28 Surround Bottom Cover, 1 1/4" Tall (Fits DS2866BL, DS2896BL)	-	\$135

DECORATIVE FRONTS (Optional) (Requires 1 Piece Surround)

Item No	Description	Retail
DVF20HBL	20 Lancaster Front	\$375
DVF26HBL	26 Lancaster Front	\$405
DVF28HBL	28 Lancaster Front	\$435

LINERS (Optional)

Item No	Description	Retail
DVP20DF	20 Traditional Brick	\$229
DVP20SH	20 Herringbone Brick	\$209
DVP20BW	20 Washed Brick	\$259
DVP20KR	20 Black Porcelain	\$349
DVP26DF	26 Traditional Brick	\$249
DVP26SH	26 Herringbone Brick	\$229
DVP26BW	26 Washed Brick	\$259
DVP26KR	26 Black Porcelain	\$379
DVP28DF	28 Traditional Brick	\$269
DVP28SH	28 Herringbone Brick	\$239
DVP28BW	28 Washed Brick	\$279
DVP28KR	28 Black Porcelain	\$429

OPTIONS

Item No	Description	Retail
TMV	Wall Thermostat (Compatible with Millivolt & IPI)	\$49
SKY-1001-A	Remote, On/Off (Compatible with Millivolt & IPI) (FRBC)	\$161
SKY-1001TH-A	Remote, Thermostatic (Compatible with Millivolt & IPI) (FRBTC)	\$186
SKY-3003	Remote, Thermostatic (Compatible with Millivolt & IPI) (FRBTP)	\$253
RVKN	Remote, Variable Flame Height, NG (Compatible with IPI units only)	\$379
RVKP	Remote, Variable Flame Height, LP (Compatible with IPI units only)	\$379

Kennedy

Direct Vent Gas Insert




Oak Log Set



Birch Log Set



Firecracked Red Brick



Firecracked Grey Brick



Red Herringbone Brick



Black Glass

	Max/Min BTU Input	Air Inlet/Exhaust Size	Glass Type	Min. Opening Dimensions	Gas Line Location	Remote
Kennedy	32,000/21,000	3" / 4"	Ceramic	24 1/2"W x 24 1/2"H x 18 1/2"D	Right	Included

Select one Insert Body, Log Set, Liner and Surround to make a complete Insert.

GAS INSERT BODY

Includes: Elevated Flame Under Log Burners; Variable Speed Blower; Full Function Remote Control managing flame height, blower speed, ember bed lighting, accent down lighting, manual / thermostatic control, and IPI / CPI Ignition; Ceramic Glass; and Barrier Screen.

Item No – NG	Item No – LP	Description	Retail
DVCP34BN91N	DVCP34BN91P	Kennedy DCVP34 Insert	\$4,099

LOG SET (Required)

Item No	Description	Retail
LS34TIN	Traditional Log Set (6pc)	\$489
LS34BIN	Birch Log Set (6pc)	\$529

LINER (Required)

Item No	Description	Retail
DVP34FCR	Firecracked Red Brick	\$399
DVP34FCG	Firecracked Grey Brick	\$399
DVP34HR	Red Herringbone Brick	\$399
DVP34RB	Black Glass	\$569

SURROUNDS, 1-PIECE (Required)

Item No	Description	Dimensions	Retail
DS34401BL	Small Surround w/ 1" Return	40"W x 29"H x 1"D	\$299
DS34400BL	Small Flush Surround	40"W x 29"H	\$299
DS34441BL	Medium Surround w/ 1" Return	44"W x 31"H x 1"D	\$299
DS34440BL	Medium Flush Surround	44"W x 31"H	\$299

DECORATIVE FRONTS (Optional) (Special Order)

Item No	Description	Retail
DFI34BL	Front, Forged Iron Black	\$1,699
DFI34ABL	Inset, Forged Iron Black - Arch (Requires Front, DFI34BL)	\$569
DFI34RBL	Inset, Forged Iron Black - Rectangle (Requires Front, DFI34BL)	\$509
DFI34BZ	Front, Forged Iron Oil Rubbed Bronze	\$1,839
DFI34ABZ	Inset, Forged Iron Oil Rubbed Bronze - Arch (Requires Front, DFI34BZ)	\$699
DFI34RBZ	Inset, Forged Iron Oil Rubbed Bronze - Rectangle (Requires Front, DFI34BZ)	\$509
DFI34DP	Front, Forged Iron Distressed Pewter	\$1,699
DFI34ADP	Inset, Forged Iron Distressed Pewter - Arch (Requires Front, DFI34DP)	\$569
DFI34RDP	Inset, Forged Iron Distressed Pewter - Rectangle (Requires Front, DFI34DP)	\$639
DFB34BL	Beveled Trim, Black	\$1,289
DFB34BZ	Beveled Trim, Oil Rubbed Bronze	\$1,589
DFB34BN	Beveled Trim, Brushed Nickel	\$1,359

Renegade

Direct Vent Gas Insert



Traditional Charred



Driftwood



Traditional Stone




Cottage Brick



Black Ceramic Glass



Whitewashed Herringbone



Forged Iron Front



Forged Iron Front w/ Rectangle Inset
(Front and Inset Sold Separately)



Forged Iron Front w/ Arched Inset
(Front and Inset Sold Separately)

	Max/Min BTU Input	Efficiency	Air Inlet/Exhaust Size	Glass Type	Min. Opening Dimensions	Gas Line Location	Remote
Renegade 30	30,000/8,500	77%	3"/4"	Ceramic	31 1/4"W x 19 1/2"H x 18"D	Right	Included
Renegade 35	39,000/11,000	74%	3"/4"	Ceramic	35 1/4"W x 24 1/2"H x 19"D	Right	Included

Renegade

Direct Vent Gas Insert



AMERICAN HEARTH

Select one Insert Body, Log Set, Liner and Surround to make a complete Insert.

GAS INSERT BODY

Includes: Tru Flame Burner; Variable Speed Blower; Full Function Remote Control managing flame height, blower speed, accent down lighting, manual / thermostatic control, and IPI / CPI Ignition; Ceramic Glass; and Barrier Screen.

Item No – NG	Item No – LP	Description	Retail
DVCT30CBN95N	DVCT30CBN95P	Renegade DVCT30, Insert	\$4,265
DVCT35CBN95N	DVCT35CBN95P	Renegade DVCT35, Insert	\$4,699

LOG SET (Required)

Item No	Unit	Description	Retail
LS30DINF	30	Driftwood	\$499
LS30TINF	30	Traditional Charred	\$439
LS35TINF	35	Traditional Charred	\$459

LINER (Required)

Item No	Unit	Description	Retail
DVP30CPKR	30	Black Ceramic Glass Walls (Ceiling & Floor Matte Black)	\$545
DVP30CPTB	30	Cottage Brick	\$369
DVP30CPWH	30	Herringbone Brick, Whitewashed	\$379
DVP30CPTS	30	Traditional Stone	\$379
DVP35CPKR	35	Black Ceramic Glass Walls (Ceiling & Floor Matte Black)	\$729
DVP35CPTB	35	Cottage Brick	\$379
DVP35CPWH	35	Herringbone Brick, Whitewashed	\$399
DVP35CPTS	35	Traditional Stone	\$399

SURROUNDS (Required) *Custom Surrounds Available - Call for information*

Item No	Unit	Description	Dimensions	Retail
DS30631BL	30	Standard	36"W x 24"H x 1"D	\$309
DS30961BL	30	Standard	40"W x 27"H x 1"D	\$319
DS301071BL	30	Standard	42"W x 29"H x 1"D	\$335
DS301271BL	30	Standard	44"W x 31"H x 1"D	\$345
DS3063BL	30	Flush	36"W x 24"H	\$335
DS30107BL	30	Flush	42"W x 29"H	\$345
SH1BL	30	Shroud (Requires Surround)	48"W x 36"H	\$229
DS35631BL	35	Standard	40"W x 29"H x 1"D	\$345
DS35961BL	35	Standard	44"W x 31"H x 1"D	\$355
DS351071BL	35	Standard	48"W x 33"H x 1"D	\$375
DS351271BL	35	Standard	52"W x 36"H x 1"D	\$395
DS3563BL	35	Flush	40"W x 29"H	\$375
DS35107BL	35	Flush	48"W x 33"H	\$395
SH1BL	35	Shroud (Requires Surround)	48"W x 36"H	\$229

DECORATIVE FRONTS (Optional) (Special Order)

Item No	Unit	Description	Retail
DFF30FPD	30	Front, Forged Iron Distress Pewter	\$1,429
DFF30RPD	30	Inset, Forged Iron Distress Pewter - Arch (Requires Front, DFF30FPD)	\$455
DFF30CPD	30	Inset, Forged Iron Distress Pewter - Rectangle (Requires Front, DFF30FPD)	\$425
DFF35FPD	35	Front, Forged Iron Distress Pewter	\$1,555
DFF35RPD	35	Inset, Forged Iron Distress Pewter - Arch (Requires Front, DFF35FPD)	\$465
DFF35CPD	35	Inset, Forged Iron Distress Pewter - Rectangle (Requires Front, DFF35FPD)	\$415

Franklin 28

Vent Free Gas Insert/Fireplace



AMERICAN HEARTH



3-Sided Metal Surround
and Brick Liner



Cast Iron Surround

	Max/Min BTU Input	Efficiency	Dimensions	Remote
Franklin 28	28,000/20,000	99%	31 1/8" W x 22 3/8" H x 16" D	Optional

Franklin 28

Vent Free Gas Insert/Fireplace



Select one Insert Body, Log Set, Liner, and Surround to make a complete Insert.

VENT FREE GAS INSERT/FIREPLACE BODY

Includes Slope Glaze Burner, Automatic Variable Speed Blower, Oxygen Depletion Sensor, ON/OFF Switch, and Screen.

Item No - NG	Item No - LP	Description	Control	Retail
VBPC28IN31N	VBPC28IN31P	Franklin VBPC28, Medium Insert/Fireplace	Millivolt	\$1,899
VBPC28IN71N	VBPC28IN71P	Franklin VBPC28, Medium Insert/Fireplace	IPI	\$2,109

LOG SET (Required for VBPC units)

Item No	Description	Retail
LS18CR	Log Set, Refractory	\$255
LS18EF	Log Set, Fiber	\$195

LINER (Required for VBPC units)

Item No	Description	Retail
VBP28SE	Liner, Banded Brick	\$225

SURROUNDS (Required)

Item No	Description	Dimensions	Retail
DS28433BL	3-Sided, 1-Piece	37"W x 24 1/2"H x 1"D	\$255
DS28763BL	3-Sided, 1-Piece	43"W x 27 1/2"H x 1"D	\$275
DS28334BL	4-Sided, 1-Piece	37"W x 25 7/8"H x 1 1/8"D	\$305
SC336BL	Cast Iron (Requires SAN28 Adapter)	42 7/8"W x 29 7/8"H x 2 1/4"D	\$539
SAN28	Cast Iron Surround Adapter (Required for Cast Iron Surround SC336BL)		\$149
CS3SIDED*	Custom, 3-Sided		\$889
CS4SIDED*	Custom, 4-Sided		\$945
SH1BL	Shroud (requires surround)	48"W x 36"H	\$229

*Complete the Custom Surround Order Form when placing P.O.

OPTIONS

Item No	Description	Retail
RVKN	Remote Kit, Variable Flame Height, NG (for IPI unit only)	\$379
RVKP	Remote Kit, Variable Flame Height, LP (for IPI unit only)	\$379
TMV	Wall Thermostat (Compatible with Millivolt & IPI)	\$49
SKY-1001-A	Remote, On/Off (Compatible with Millivolt & IPI)	\$161
SKY-1001TH-A	Remote, Thermostatic (Compatible with Millivolt & IPI)	\$186
SKY-3003	Remote, Thermostatic (Compatible with Millivolt & IPI)	\$253

Loft

Vent Free Gas Insert/Fireplace



AMERICAN HEARTH



Glass, Black Polished



Glass, Blue Clear



Glass, Clear Frost



Glass, Copper Reflective



Glass, Bronze Reflective



3-Sided Surround



4-Sided Surround

	Max/Min BTU Input	Control System	Dimensions
Loft 28	28,000/19,000	Millivolt	32 1/4" W x 22 3/4" H x 15" D

Select one Body and Surround to make a complete Fireplace or Insert.

VENT FREE GAS INSERT/FIREPLACE

Includes Millivolt Ignition, Black Reflective Liner and Screen.

Item No - NG	Item No - LP	Description	Controls	Retail
VFLC28IN32N	VFLC28IN32P	Loft VFLC28, Medium Insert/Fireplace	Millivolt	\$2,159

SURROUNDS (Required)

Item No	Description	Dimensions	Retail
DS28433BL	3-Sided, 1-Piece	37"W x 24 1/2"H x 1"D	\$255
DS28763BL	3-Sided, 1-Piece	43"W x 27 1/2"H x 1"D	\$275
DS28334BL	4-Sided, 1-Piece	37"W x 25 7/8"H x 1/8"D	\$305
CS3SIDED*	Custom, 3-Sided		\$889
CS4SIDED*	Custom, 4-Sided		\$945
SH1BL	Shroud (requires surround)	48"W x 36"H	\$229

DS Surround does not include a bottom cover. For in-wall installations (not on a hearth) order a custom 4-Sided Surround.

*Complete the Custom Surround Order Form when placing P.O.

CRUSHED GLASS (Optional) (VFLC28 uses 1.5 sq ft)

Item No	Description	Retail
DG1BKP	Black Polished (1 sq ft)	\$83
DG1BUC	Blue Clear (1 sq ft)	\$83
DG1CLF	Clear Frost (1 sq ft)	\$83
DG1BCR	Copper Reflective (1 sq ft)	\$83
DG1BZR	Bronze Reflective (1 sq ft)	\$83

OPTIONS

Item No	Description	Retail
FBB7	Blower, Variable Speed w/Temperature Switch	\$385
TMV	Wall Thermostat (Compatible with Millivolt)	\$49
SKY-1001-A	Remote, On/Off (Compatible with Millivolt)	\$161
SKY-1001TH-A	Remote, Thermostatic (Compatible with Millivolt)	\$186
SKY-3003	Remote, Thermostatic (Compatible with Millivolt)	\$253