



HIGH EFFICIENCY WOOD FIREPLACES

REV: 06/19/26



LITERATURE

Item No.	Description
OSBURN	Osburn Wood & Pellet Stoves
VALCOURT	Valcourt Wood Fireplaces
PUB337A	St-Louis Fireplace

TABLE OF CONTENTS

OSBURN

Stratford II2
 Horizon.....3

VALCOURT

Lafayette II.....4
 Waterloo6
 St. Louis.....8

Stratford II

Wood Fireplace



Select one body, door overlay and faceplate to make a complete fireplace.
(Requires an Anchor Plate for connecting chimney to the fireplace.) (Fireplace comes with a 4" outside air adapter.)

WOOD FIREPLACE

Item No	Description	Retail
OB04007	Stratford II Fireplace w/ Heat Activated Variable Speed Blower (176 CFM)	\$4,499
6DT-AP	Anchor Plate, DuraTech 6" (for use with DuraTech Chimney)	\$157

DOOR OVERLAY (Required)

Item No	Description	Retail
OA10610	Black Door Overlay	\$165
OA10612	Brushed Nickel Door Overlay	\$440

FACEPLATE (Required)

Item No	Description	Retail
OA10255	Traditional Faceplate, Metallic Black	\$715
OA10256	Modern Faceplate, Metallic Black	\$770

OPTIONS

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$330
AC01223	Heat Shield for Surround/Shelf	\$130
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (6") (Includes 300 CFM Fan)	\$960
AC01350	Insulated Flexible Pipe for Forced Air Kit (6" x 25')	\$225
AC01375	Hot Air Gravity Kit, Traditional Style	\$440
AC01389	Hot Air Gravity Kit, Modern w/ Adjustable Pipes	\$660
AC09200	Carrying Handle	\$100



Black Door Overlay (OA10610)
& Traditional Style Faceplate (OA10255)



Black Door Overlay (OA10610)
& Modern Faceplate (OA10256)

TECHNICAL DATA

Specifications	Stratford
BTU	80,000
Heating Capacity	750-2,200 sq ft
Firebox Size	2.5 cu ft
Log Length	20"
Flue Pipe Diameter	6"
Glass Type	Ceramic
Weight	468 lbs
Width	36 3/4"
Depth - Overall	29 3/4"
Height	40 5/8"

Consult Owner's Manual
for Approved Venting.

Horizon

Wood Fireplace



Select one body, faceplate, and brick panels to make a complete fireplace.
 (Requires an Anchor Plate for connecting chimney to the fireplace.) (Fireplace comes with a 5" outside air adapter.)

WOOD FIREPLACE

Item No	Description	Retail
OB04010	Horizon Fireplace w/ Heat Activated Variable Speed Blower (176 CFM)	\$5,824
8DT-AP	Anchor Plate, DuraTech 8" (for use with DuraTech Chimney)	\$220

FACEPLATE (Required)


Item No	Description	Retail
OA10631	Prairie Style Faceplate	\$825

BRICK PANELS (Required)

Item No	Description	Retail
AC02360	Brick Panels	\$650

OPTIONS

Item No	Description	Retail
AC01297	Fresh Air Termination w/ Clamps (5")	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
VA4460	Forced Air Distribution Kit (6")	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225
AC01378	Warm Air Circulation Grill, Modern Style	\$385
AC02770	Glass, Nightflame Effect (2 pc)	\$749
AC09200	Carrying Handles	\$100



Prairie Style Faceplate
OA10631



Brick Panels
AC02360

TECHNICAL DATA

Specifications	Horizon
BTU	95,000 BTU
Heating Capacity	1,000-2,800 sq ft
Flrebox Size	4.28 cu ft
Log Length	25"
Flue Pipe Diameter	8"
Glass Type	Ceramic
Weight	550 lbs
Width	50 3/4"
Depth - Overall	31 3/4"
Height	43 3/8"

Lafayette II Square

Performance

Valcourt
The Fireplace of Your Dreams



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP10RS	FP10R Lafayette II Square High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$4,409
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$157

DOOR OVERLAY (Required)

Item No	Description	Retail
VA10RES07	Black Door Overlay	\$165
VA10RES40	Brushed Nickel Door Overlay	\$385

FACEPLATE (Required)

Item No	Description	Retail
VA10FS07	Faceplate, Black Square	\$550

FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA10LS06	Classic Style	\$275
VA10LS07	Arabesque Style	\$275
VA10LS08	Urban Style	\$275
VA10LS09	Mission Style	\$440
VA10LS10	Crown Style	\$495



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

OPTIONS

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$330
AC01223	Heat Shield for Surround/Shelf	\$130
AC01239	Fresh Air Kit w/ 4" x 5' Flex Duct	\$145
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$960
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$440
AC01389	Hot Air Gravity Distribution Kit - Modern w/ Adjustable Pipes	\$660
AC09200	Carrying Handle Kit	\$100

TECHNICAL DATA

Specifications	Lafayette
BTU	80,000
Heating Capacity	750-2,200 sq ft
Emissions	1.2 g/hr
Firebox Size	2.5 cu ft
Glass Viewing	12 5/8" x 24 3/8"
Log Length	20"
Flue Pipe Diameter	6" Class A*
Weight	493 lbs
Overall Dimensions	40 3/8"H x 36 3/4"W x 28 3/8"D

*See Installation Manual for complete installation requirements.

Lafayette II Arched

Performance

Valcourt
The Fireplace of Your Dreams



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP10R	FP10R Lafayette Arched II High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$4,409
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$157

DOOR OVERLAY (Required)

Item No	Description	Retail
VA10RE07	Black Door Overlay	\$165
VA10RE40	Brushed Nickel Door Overlay	\$385

FACEPLATE (Required)

Item No	Description	Retail
VA10FA07	Faceplate, Black Arched	\$550

FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA10L06	Classic Style	\$275
VA10L07	Arabesque Style	\$275
VA10L08	Urban Style	\$275
VA10L09	Mission Style	\$440
VA10L10	Crown Style	\$495



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

OPTIONS

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$330
AC01223	Heat Shield for Surround/Shelf	\$130
AC01239	Fresh Air Kit w/ 4" x 5' Flex Duct	\$145
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$960
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$440
AC01389	Hot Air Gravity Distribution Kit - Modern w/ Adjustable Pipes	\$660
AC09200	Carrying Handle Kit	\$100

TECHNICAL DATA

Specifications	Lafayette
BTU	80,000
Heating Capacity	750-2,200 sq ft
Emissions	1.2 g/hr
Firebox Size	2.5 cu ft
Glass Viewing	12 5/8" x 24 3/8"
Log Length	20"
Flue Pipe Diameter	6" Class A*
Weight	493 lbs
Overall Dimensions	40 5/8"H x 36 3/4"W x 28 3/8"D

*See Installation Manual for complete installation requirements.



Select one fireplace body, faceplate, and brick panels to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP15	FP15 Waterloo Square High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$5,834
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

FACEPLATE (Required)

Item No	Description	Retail
VA15FL07	Crown Style, Painted Black	\$935

BRICK PANELS (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650

OPTIONS

Item No	Description	Retail
AC01297	Fresh Air Intake Termination w/ Clamps (5")	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC01378	Warm Air Circulation Grill, Modern Style	\$385
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6"x25')	\$225
AC02771	Glass, Nightflame Effect (2 pc)	\$699

TECHNICAL DATA

Specifications	Waterloo
BTU	95,000
Heating Capacity	1,000-2,800 sq ft
Emissions	1.6 g/hr
Maximum Burn Time	11 hrs
Firebox Size	4.28 cu ft
Glass Viewing	13" x 29 3/4"
Log Length	25"
Flue Pipe Diameter	8" Class A*
Weight	545 lbs
Overall Dimensions	43 3/8"H x 50 3/4"W x 31 3/8"D

*See Installation Manual for complete installation requirements.



Refractory Molded Brick Panels
AC02360

Waterloo Arched

Performance

Valcourt
The Fireplace of Your Dreams



Select one fireplace body, faceplate, faceplate louvers, and brick panels to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP15A	FP15 Waterloo Arched High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$5,724
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

FACEPLATE (Required)

Item No	Description	Retail
VA15FA07	Arched, Painted Black	\$715

FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA15L06	Classic Style	\$330
VA15L07	Arabesque Style	\$440
VA15L08	Urban Style	\$440
VA15L09	Mission Style	\$440



Classic Style Louvers



Arabesque Style Louvers

BRICK PANELS (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650



Urban Style Louvers



Mission Style Louvers

OPTIONS

Item No	Description	Retail
AC01297	Fresh Air Intake Termination w/ Clamps (5")	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC01378	Warm Air Circulation Grill, Modern Style	\$385
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6"x25')	\$225
AC02772	Glass, Nightflame Effect (2 pc)	\$699



Refractory Molded Brick Panels
AC02360

TECHNICAL DATA See page 6



Select one fireplace body and faceplate to make a complete fireplace.

WOOD FIREPLACE BODY

Item No	Description	Retail
FP19	FP19 St-Louis Fireplace	\$8,414

FACEPLATE KIT *Required

Item No	Description	Retail
VA19FL06	Faceplate (84 ¼") with Integrated Gravity Air Distribution*	\$1,485
VA19FH06	Faceplate Extension (29 1/8"H)	

OPTIONS

Item No	Description	Retail
AC01297	Air Intake Termination with Clamps 5"	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC02094	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 25')	\$165
AC09200	Fireplace Carrying Handles	\$100
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225

TECHNICAL DATA

Specifications	Frontenac
Heating Capacity	1,000 - 2,400 sq ft
Emissions	1.8 g/hr
Flue Pipe Diameter	8"

*See Installation Manual for complete installation requirements.

- Advanced fire management with NexFlame™ combustion technology: monitors and adjusts combustion in real time
- App-controlled
- Minimalist, Modern Design
- 7 hour burn time
- Made for large spaces

