INFRATECH

INFRATECH OUTDOOR HEATING

ELECTRIC

REV: 05/01/23



Infrared Fact:

Infratech electric heaters are specifically designed so heat doesn't blow away in windy or drafty fall air.

TABLE OF CONTENTS

INFRATECH

Heating 240v 244
Motif Collection 252
Value Controls 253
Universal Controls 258
Home Management System 259
Solid State Relay & Controls 260
208, 277, 480 Volts 262
240 Volts Replacement Elements 265

LITERATURE

Item #	Description
WS19	Infratech Full Line Catalog
INFBROCHURE	Infratech Control Options
SEGBUILDER	Infratech Builder
SEGELECTRICAL	Infratech Electrical/Contractor
SEGHOMEOWNER	Infratech Homeowner
SEGHOSPITALIT	Infratech Hospitality
SEGRETAILER	Infratech Retailer
SEGSPECIFIER	Infratech Specifier
INFMOTIF	Infratech Motif Collection

WHY INFRARED HEAT?

INFRATECH COMFORT

A heated quartz element emits a safe, clean wavelength of light that is only absorbed by solid objects, transferring heat directly to a person, table or floor rather than heating the air.

For this reason, infrared heat can be distributed very evenly, and will not simply "blow away" in windy or drafty conditions. Infratech medium wave quartz element heaters are 93% efficient and emit a barely discernible, pleasing glow that will not affect the ambience of your gathering – unlike competitive short-wave or halogen electric heaters that produce a very harsh glare or bright-colored light.

COST OF OPERATION & MAINTENANCE

OPERATION

It's simple to determine the cost of operating an Infratech heater—multiply the rate charged by your local utility company by the wattage of your heater.

Your Utility Rate X Wattage of Your Heater = Cost of Operation

EXAMPLE: Your utility charges $0.15* / kilowatt hour (kW) X 3 (for a 3000 watt heater) = $0.45 / hour

*This is the National Average. Utility charges will vary.

MAINTENANCE

Unlike traditional gas heaters, Infratech electric heaters are virtually maintenance free. For long lasting use, we recommend once a year to spray the heater with a hose and wipe down. Our elements are rated to last 5,000 hours, plus they are simple and inexpensive to replace.

When you consider our low cost and minimal maintenance, Infratech heaters are easily the first choice when heating outdoor space.

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

3 STEPS TO CHOOSING YOUR INFRATECH SYSTEM

INFRATECH COMFORT

STEP 1: MEASURE THE AREA

Determine the approximate measurements and mounting heights of the area you want to heat (Include: length, width, and height). Also consider where people will gather and spend time, like dining or lounge areas.



STEP 2: SELECT THE HEATERS

Select the heater(s) that will work both functionally and aesthetically for your space. Consider factors such as size, voltage, number of heaters, colors, and mounting options.



NOTE: Indoor or well-protected environments will generally exceed average coverage. Heaters may provide less than average coverage in extremely cold or windy conditions.

3 STEPS TO CHOOSING YOUR INFRATECH SYSTEM

INFRATECH COMFORT

STEP 3: CHOOSE THE CONTROLS

Choose a control option that works best for your application and budget.
Options include value controls, solid-state relay control package, home management integration panel and the new universal control panel.

VALUE CONTROLS

Simple On/Off Switch

Duplex/Stack Switch

Infinite Control Regulator

Single Contactor Panel

Dual Contactor Panel

SOLID STATE RELAY CONTROL PACKAGE

Solid State Relay Panel
Zone Analog Controller w/ Digital Timer

HOME MANAGEMENT INTEGRATION PANEL

UNIVERSAL CONTROL PANEL

See pages 253-261 for Control Pricing and Options

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

HEAT PLANNING GUIDE

INFRATECH COMFORT

Answer these questions to help plan out your Infratech Heating project.

1) How big is the space you are looking to heat? (LxW) _____

2) What are you trying to heat? ☐ Entire space ☐ Focus on a few areas

3) Can you supply plans, pictures, or drawings of the space? ☐ Yes ☐ No

4) Is your space covered or open?

☐ **COVERED**

Ceiling Type: ☐ Pitched/Vaulted ☐ Flat

Ceiling Height: _____

Ceiling Material: _____

☐ **OPEN**

What are you mounting to? _____

5) Select from Electric Options below:

☐ **ELECTRIC**

Voltage Supply: ☐ 208 ☐ 240 ☐ 277 ☐ 480

Phase: ☐ Single Phase (1PH) ☐ Three Phase (3PH)

Mounting: ☐ Surface → If Surface, choose: ☐ Wall ☐ Ceiling

☐ Recessed → If Recessed, specify color: _____

☐ Pole

Controls: ☐ On/Off ☐ Dimming Capability

Is there a home automation system present? ☐ Yes ☐ No

SL-SLIMLINE SERIES
SINGLE ELEMENT HEATERS

INFRATECH COMFORT

Logo Plate designed to rotate if required

T-Slot on back allows the mounting bracket to slide for flexible mounting options.

- Infratech's SL-Series is designed with a low profile that is suitable for both indoor and outdoor surface mount applications.
- Fixtures are available in lengths of 29 ½", 42 ½", and 63 ½".
- Features include narrow profile and a T-slot for flexible mounting options.
- The SL-Series housing body and mounting brackets come with a stainless hue anodized aluminum finish. Also available in All Black Slimline Shadow™.
- Available in 208V, 240V (stocking) and 277V. Single Phase or 3 Phase.



©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

SLIMLINE SERIES, SINGLE ELEMENT
240 VOLTS

INFRATECH COMFORT

Select a heater and control system (page 253-261) to make a complete unit.

3000 WATT HEATERS

Item No	Model	Color	Volts	Amps	Length	Retail
21-5040-SLV	SL-3024	Silver	240	12.5	63 ½"	$952
21-5040-BLK	SL-3024	Black	240	12.5	63 ½"	$952

4000 WATT HEATERS

Item No	Model	Color	Volts	Amps	Length	Retail
21-5080-SLV	SL-4024	Silver	240	16.7	63 ½"	$968
21-5080-BLK	SL-4024	Black	240	16.7	63 ½"	$968

- **Slimline Series Includes:** Standard Mounting Brackets that can be used for both wall and ceiling installation.
- **Additional Voltages Available:** The Slimline Series, Single Element heaters are also available in 208V and 277V. See pages 262-263.

Silver

All Black
Slimline Shadow ™

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

C-SERIES SINGLE ELEMENT

304 Stainless Steel

240 VOLTS

INFRATECH COMFORT

White | Almond | Beige | Biscuit | Black | Mineral Bronze | Copper | Grey

- Single element heaters provide the coverage and intensity of heat necessary for optimum comfort.
- Fixtures are available in lengths of 33”, 39” and 61 ¼”.
- The **C-Series** fixtures are developed for use in high visual impact locations where their sleek design blends seamlessly.
- Compatible with all of Infratech’s Custom Controls for residential or commercial use.
- May also be installed with simple On/Off controls or INF controls (INF only up to 3000W).
- Choose from Brushed 304 Stainless Steel, Black, Mineral Bronze, White, Almond, Beige, Biscuit, Copper and Grey.
- Features Include: Minimal Clearance Requirements, Recessed Mounting Options, Short Standoffs, and Mounting Heights between 7’-11’.
- Includes: Standard Mounting Brackets that can be used for both wall and ceiling installation.
- Available in 208V, 240V (stocking), 277V, and 480V. Single Phase or 3 Phase.



©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

C-SERIES SINGLE ELEMENT

304 Stainless Steel

240 VOLTS

INFRATECH COMFORT

Select a heater and control system (page 253-261) to make a complete unit.

C-SERIES HEATERS 240V

Item No	Model	Watts	Color	Volts	Amps	Length	Retail
21-3100-SS	C-2524	2,500	Stainless Steel	240	10.4	39”	$612
21-3200-SS	C-3024	3,000	Stainless Steel	240	12.5	61 ¼”	$733
21-3300-SS	C-4024	4,000	Stainless Steel	240	16.7	61 ¼”	$748

FLUSH MOUNT OPTIONS

Additional standard colors available add an additional $50 per kit. See page 246 for color options.

Used to recess heaters into ceiling. Please refer to heater manual for detailed framing instructions.

Item No	Description	Heater Length	Framing Dimensions	Retail
18-2295-SS*	Flush Mount Frame, Stainless Steel	33” Heater	37”L x 11 ¾”W x 8”H	$391
18-2300-SS	Flush Mount Frame, Stainless Steel	39” Heater	43”L x 11 ¾”W x 8”H	$401
18-2300-WH	Flush Mount Frame, White	39” Heater	43”L x 11 ¾”W x 8”H	$451
18-2300-BLK	Flush Mount Frame, Black	39” Heater	43”L x 11 ¾”W x 8”H	$451
18-2305-SS	Flush Mount Frame, Stainless Steel	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$427
18-2305-WH	Flush Mount Frame, White	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$477
18-2305-BLK	Flush Mount Frame, Black	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$477

MOUNTING BRACKETS/DROP MOUNTS

Item No	Description	Color	Retail
13-1247	Mounting Bracket, 7 ⅜” L (2” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$58.85
13-1248	Mounting Bracket, 9 ⅜” L (4” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$69.55
13-1249	Mounting Bracket, 11 ⅜” L (6” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$85.60
13-1246-BL	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	Black	$265
13-1246-BR	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	Bronze	$265
13-1246-WH	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	White	$265

**Special Order*

33” Flush Mount Frame Drawing

39” Flush Mount Frame Drawing

61 ¼” Flush Mount Frame Drawing

See page 265 for 240V Replacement Elements.

Custom color matching is available for an additional charge. Call Empire Distributing for a quote.

CD-SERIES DUAL ELEMENT

304 Stainless Steel

240 VOLTS

INFRATECH COMFORT



White | Almond | Beige | Biscuit | Black | Mineral Bronze | Copper | Grey

- The powerful dual-element fixtures provide concentrated heat for larger scale applications.
- The dual element fixtures produce more intense heat and can be mounted up to 12'.
- Fixtures available in lengths of 33", 39", and 61 ¼".
- The **CD-Series** Dual Element fixtures are used in high visual impact locations where their sleek design blends seamlessly.
- Typically installed with custom controls to vary the electric load for comfortable heat in a wide range of conditions.
- May also be installed with duplex/stack switches for a half-power or full-power option.
- Choose from Brushed 304 Stainless Steel, Black, Mineral Bronze, White, Almond, Beige, Biscuit, Copper and Grey.
- Features Include: Minimal Clearance Requirements, Recessed Mounting Options, Short Standoffs, and Mounting Heights between 10'-14'.
- Includes: Standard Mounting Brackets that can be used for both wall and ceiling installation.
- Available in 208V, 240V (stocking), 277V, and 480V. Single Phase or 3 Phase.



©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

CD-SERIES DUAL ELEMENT

304 Stainless Steel

240 VOLTS

INFRATECH COMFORT

Select a heater and control system (page 253-261) to make a complete unit.

CD-SERIES HEATERS 240V

Item No	Model	Watts	Color	Volts	Amps	Length	Retail
21-4000-SS	CD-3024	3,000	Stainless Steel	240	12.5	33”	$733
21-4100-SS	CD-4024	4,000	Stainless Steel	240	16.7	39”	$748
21-4100-BLK	CD-4024	4,000	Black	240	16.7	39”	$798
21-4100-MB	CD-4024	4,000	Mineral Bronze	240	16.7	39”	$798
21-4100-WH	CD-4024	4,000	White	240	16.7	39”	$798
21-4200-SS	CD-5024	5,000	Stainless Steel	240	20.8	39”	$760
21-4200-BLK	CD-5024	5,000	Black	240	20.8	39”	$810
21-4200-MB	CD-5024	5,000	Mineral Bronze	240	20.8	39”	$810
21-4200-WH	CD-5024	5,000	White	240	20.8	39”	$810
21-4300-SS	CD-6024	6,000	Stainless Steel	240	25	61 ¼”	$877
21-4300-BLK	CD-6024	6,000	Black	240	25	61 ¼”	$927
21-4300-MB	CD-6024	6,000	Mineral Bronze	240	25	61 ¼”	$927
21-4300-WH	CD-6024	6,000	White	240	25	61 ¼”	$927

FLUSH MOUNT OPTIONS

Additional standard colors available add an additional $50 per kit. *See page 248 for color options.*

Used to recess heaters into ceiling. Please refer to heater manual for detailed framing instructions.

Item No	Description	Heater Length	Framing Dimensions	Retail
18-2295-SS*	Flush Mount Frame, Stainless Steel	33” Heater	37”L x 11 ¾”W x 8”H	$391
18-2300-SS	Flush Mount Frame, Stainless Steel	39” Heater	43”L x 11 ¾”W x 8”H	$401
18-2300-WH	Flush Mount Frame, White	39” Heater	43”L x 11 ¾”W x 8”H	$451
18-2300-BLK	Flush Mount Frame, Black	39” Heater	43”L x 11 ¾”W x 8”H	$451
18-2305-SS	Flush Mount Frame, Stainless Steel	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$427
18-2305-WH	Flush Mount Frame, White	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$477
18-2305-BLK	Flush Mount Frame, Black	61 ¼” Heater	65 ¼”L x 11 ¾”W x 8”H	$477

MOUNTING BRACKETS/DROP MOUNTS

Item No	Description	Color	Retail
13-1247	Mounting Bracket, 7 ⅜” L (2” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$58.85
13-1248	Mounting Bracket, 9 ⅜” L (4” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$69.55
13-1249	Mounting Bracket, 11 ⅜” L (6” longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$85.60
13-1246-BL	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	Black	$265
13-1246-BR	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	Bronze	$265
13-1246-WH	Drop Mount Heater Assembly Extends up to 6' (Set Of 2)	White	$265

**Special Order*

33” Flush Mount Frame Drawing

39” Flush Mount Frame Drawing

61 ¼” Flush Mount Frame Drawing

See page 265 for 240V Replacement Elements.

Custom color matching is available for an additional charge. Call Empire Distributing for a quote.

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

CD-SERIES SINGLE & DUAL

316 Marine Grade

240 VOLTS

INFRATECH COMFORT



Single Element



Dual Element

White | Almond | Beige | Biscuit | Black | Mineral Bronze | Copper | Grey

- The powerful dual-element fixtures provide concentrated heat for larger scale applications.
- The dual element fixtures produce more intense heat and can be mounted up to 12’.
- Fixtures available in lengths of 33”, 39”, and 61 ¼”.
- The **CD-Series** Dual Element fixtures are used in high visual impact locations where their sleek design blends seamlessly.
- Typically installed with custom controls to vary the electric load for comfortable heat in a wide range of conditions.
- May also be installed with duplex/stack switches for a half-power or full-power option.
- Features Include: Minimal Clearance Requirements, Recessed Mounting Options, Short Standoffs, and Mounting Heights between 10’-14’.
- Includes: Standard Mounting Brackets that can be used for both wall and ceiling installation.
- Available in 208V, 240V (stocking), 277V, and 480V. Single Phase or 3 Phase.
- 316 Marine Grade heaters can be custom ordered for installs done near large bodies of salt water.



©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

CD-SERIES SINGLE & DUAL

316 Marine Grade

240 VOLTS

INFRATECH COMFORT

Select a heater and control system (page 253-261) to make a complete unit.

SINGLE ELEMENT HEATERS

Item No	Model	Watts	Color	Volts	Amps	Length	Retail
21-3200-MG	C-3024	3,000	Stainless Steel	240	12.5	61 ¼"	$983
21-3300-MG	C-4024	4,000	Stainless Steel	240	16.7	61 ¼"	$998

DUAL ELEMENT HEATERS

Item No	Model	Watts	Color	Volts	Amps	Length	Retail
21-4100-MG	CD-4024	4,000	Stainless Steel	240	16.7	39"	$998
21-4200-MG	CD-5024	5,000	Stainless Steel	240	20.8	39"	$1,010
21-4300-MG	CD-6024	6,000	Stainless Steel	240	25	61 ¼"	$1,127

FLUSH MOUNT OPTIONS

Additional standard colors available add an additional $50 per kit. See page 250 for color options.

Used to recess heaters into ceiling. Please refer to heater manual for detailed framing instructions.

Item No	Description	Heater Length	Framing Dimensions	Retail
18-2300-MG	Flush Mount Frame, 316 Marine Grade SS	39" Heater	43"L x 11 ¾"W x 8" H	$651
18-2305-MG	Flush Mount Frame, 316 Marine Grade SS	61 ¼" Heater	65 ¼"L x 11 ¾"W x 8"H	$677

MOUNTING BRACKETS

Item No	Description	Color	Retail
13-1247	Mounting Bracket, 7 ⅜" L (2" longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$58.85
13-1248	Mounting Bracket, 9 ⅜" L (4" longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$69.55
13-1249	Mounting Bracket, 11 ⅜" L (6" longer than standard mounting bracket) (Set Of 2)	Stainless Steel	$85.60

33" Flush Mount Frame Drawing

39" Flush Mount Frame Drawing

61 ¼" Flush Mount Frame Drawing

See page 265 for 240V Replacement Elements.

Custom color matching is available for an additional charge. Call Empire Distributing for a quote.

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

MOTIF COLLECTION

INFRATECH COMFORT

CONTEMPORARY

CRAFTSMAN

MEDITERRANEAN

TRADITIONAL



The Motif collection offers stylish, laser-cut decorative fascias that can be added to the C-Series and CD-Series heaters. Available in black or stainless steel. **NOTE**: **Cannot be used with a flush mount heating application.**

SINGLE ELEMENT

Item No	Style	Color	Fits	Retail
19-1000-BL1-S	Contemporary	Black	39”	$96.30
19-1000-BL2-S*	Craftsman	Black	39”	$96.30
19-1000-BL3-S*	Mediterranean	Black	39”	$96.30
19-1000-BL4-S*	Traditional	Black	39”	$96.30
19-1000-SS1-S*	Contemporary	Stainless Steel	39”	$96.30
19-1000-SS2-S*	Craftsman	Stainless Steel	39”	$96.30
19-1000-SS3-S*	Mediterranean	Stainless Steel	39”	$96.30
19-1000-SS4-S*	Traditional	Stainless Steel	39”	$96.30
19-1005-BL1-S	Contemporary	Black	61 ¼”	$115.50
19-1005-BL2-S	Craftsman	Black	61 ¼”	$115.50
19-1005-BL3-S*	Mediterranean	Black	61 ¼”	$115.50
19-1005-BL4-S*	Traditional	Black	61 ¼”	$115.50
19-1005-SS1-S*	Contemporary	Stainless Steel	61 ¼”	$115.50
19-1005-SS2-S*	Craftsman	Stainless Steel	61 ¼”	$115.50
19-1005-SS3-S*	Mediterranean	Stainless Steel	61 ¼”	$115.50
19-1005-SS4-S*	Traditional	Stainless Steel	61 ¼”	$115.50

DUAL ELEMENT

Item No	Style	Color	Fits	Retail
19-1000-BL1-D	Contemporary	Black	39”	$96.30
19-1000-BL2-D*	Craftsman	Black	39”	$96.30
19-1000-BL3-D*	Mediterranean	Black	39”	$96.30
19-1000-BL4-D*	Traditional	Black	39”	$96.30
19-1000-SS1-D*	Contemporary	Stainless Steel	39”	$96.30
19-1000-SS2-D*	Craftsman	Stainless Steel	39”	$96.30
19-1000-SS3-D*	Mediterranean	Stainless Steel	39”	$96.30
19-1000-SS4-D*	Traditional	Stainless Steel	39”	$96.30
19-1005-BL1-D	Contemporary	Black	61 ¼”	$115.50
19-1005-BL2-D	Craftsman	Black	61 ¼”	$115.50
19-1005-BL3-D*	Mediterranean	Black	61 ¼”	$115.50
19-1005-BL4-D*	Traditional	Black	61 ¼”	$115.50
19-1005-SS1-D	Contemporary	Stainless Steel	61 ¼”	$115.50
19-1005-SS2-D	Craftsman	Stainless Steel	61 ¼”	$115.50
19-1005-SS3-D*	Mediterranean	Stainless Steel	61 ¼”	$115.50
19-1005-SS4-D*	Traditional	Stainless Steel	61 ¼”	$115.50

*Special Order ©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

INFRATECH CONTROLS

INFRATECH COMFORT

WE HAVE THE RIGHT CONTROL SYSTEM FOR ANY SITUATION, ANY BUDGET.

- Infratech custom heating systems help outdoor spaces transition into comfortable sites for entertaining. In addition to our standard colors, sizes, control options and heating capacities, our associates are pleased to work with customers in order to design one-of-a-kind solutions for your home or business.
- The finest hotels and resorts use Infratech to design custom heaters and control packages that seamlessly integrate into the total design and style of their properties. Working directly with clients, designers, architects and engineers, we can develop new heater shapes, colors and profiles that are unique to your specific project.
- We also design and manufacture custom UL Listed 508 controls to regulate much more than just heat output regulation. Our custom controls come with timer capabilities and can be integrated with Home Management Systems.

What Control System is Right for You?

VALUE CONTROLS See page 254-256

ON/OFF SINGLE SWITCH

- Your Simple On/Off Switches may be used in conjunction with all single element heaters.
- Ideal low cost option for your single element heaters
- 20 Amp max per switch
- Wire your heater to the switch, then the switch to your electrical service panel.
- You may run more than 1 heater from a single switch if they do not exceed the 20 allowable Amps, but it is not recommended.

ON/OFF DUPLEX STACK SWITCH

- Your Duplex Stack Switches may be used with all single element heaters.
- Ideal low cost option for your dual element heaters allowing you to turn on both elements or just 1 element for ½ power.
- 40 Amp max per stack, 20 Amps per switch.
- Wire your heater to the switch, then the switch to your electrical service panel.
- You may run your single element heaters from each individual switch provided; as long as they do not exceed the 20 Amps per switch, but it is not recommended.

CONTACTOR PANEL

- Each Contactor has a maximum of 6000-watt capacity at 240V
- Offered in Single or Dual Contactor configuration
- Digital Timer included
- Made by Infratech
- Type 1 Enclosure (It must be mounted indoors)
- UL Listed
- Wiring Diagrams for each configuration
- 3-Year Warranty
- Any 120V Switch (Bluetooth or WiFi)

INFINITE CONTROL (INF) REGULATOR

- This control allows you to turn up or down the intensity of the heater.
- Each dial has a max of 3,000 Watts allowed.
- Each dial has a max of 15 Amps allowed.
- Will work with any single element heater.
- Controlling each element separately using 2 INF Switches for a Dual Element unit is not recommended.

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

VALUE CONTROLS

INFRATECH COMFORT

ON/OFF SINGLE SWITCH

- Your Simple On/Off Switches may be used in conjunction with all heaters.
- Ideal low cost option for your single element heaters
- 20 Amp max per switch
- Wire your heater to the switch, then the switch to your electrical service panel.
- You may run more than 1 heater from a single switch. If you combine heaters, they cannot exceed the 20 allowable Amps per switch. More than one heater per switch is not recommended.

Single On/Off Switch
Wall Plate w/ Gang Box
Item # 14-4400

Single On/Off Switch
Flush Mount w/ Weatherproof Cover
Item # 14-4410

Single On/Off Switch
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4420

Dual On/Off Switch
Wall Plate w/ Gang Box
Item # 14-4405

Dual On/Off Switch
Flush Mount w/ Weatherproof Cover
Item # 14-4415

Dual On/Off Switch
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4425

Single Contactor Panel
Item # 14-4700

Dual Contactor Panel
Item # 14-4710

Flush Mount Cover w/ Access Door
Item # 14-4790

ON/OFF SINGLE SWITCH

Item No	Switch	Mount	Housing Options	Amp per Pole	Retail
14-4400	Single	Flush	SS Wall Plate and Gang Box	20	$89
14-4410	Single	Flush	Weatherproof Cover	20	$103
14-4420	Single	Surface	Weatherproof Box and Cover	20	$116
14-4405	Dual	Flush	SS Wall Plate and Gang Box	20	$154
14-4415	Dual	Flush	Weatherproof Cover	20	$177
14-4425	Dual	Surface	Weatherproof Box and Cover	20	$192

CONTACTOR PANEL (Includes a digital timer for use with value controls.)

Item No	Description	Retail
14-4700	Single Contactor Panel	$562
14-4710	Dual Contactor Panel	$642
14-4790	Flush Mount Cover with Access Door (Requires Contactor Panel)	$161

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

VALUE CONTROLS

INFRATECH COMFORT

ON/OFF DUPLEX STACK SWITCH

- Your Duplex Stack Switches may be used with all heaters.
- Ideal low cost option for your dual element heaters allowing you to turn on both elements or just 1 element for ½ power.
- 40 Amp max per stack, 20 Amps per switch.
- Wire your heater to the switch, then the switch to your electrical service panel.
- You may run more than 1 heater from a single switch. If you combine heaters, they cannot exceed the 20 allowable amps per switch. More than one heater per switch is not recommended.

Single Duplex Switch
Wall Plate w/ Gang Box
Item # 14-4300

Single Duplex Switch
Flush Mount w/ Weatherproof Cover
Item # 14-4310

Single Duplex Switch
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4320

Dual Duplex Switch
Wall Plate w/ Gang Box
Item # 14-4305

Dual Duplex Switch
Flush Mount w/ Weatherproof Cover
Item # 14-4315

Dual Duplex Switch
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4325

Single Contactor Panel
Item # 14-4700

Dual Contactor Panel
Item # 14-4710

Flush Mount Access Door Only
Item # 14-4790

ON/OFF DUPLEX STACK SWITCH

Item No	Switch	Mount	Housing Options	Amp per Pole	Retail
14-4300	Single Duplex	Flush	SS Wall Plate and Gang Box	20	$103
14-4310	Single Duplex	Flush	Weatherproof Cover	20	$116
14-4320	Single Duplex	Surface	Weatherproof Box and Cover	20	$127
14-4305	Dual Duplex	Flush	SS Wall Plate and Gang Box	20	$166
14-4315	Dual Duplex	Flush	Weatherproof Cover	20	$190
14-4325	Dual Duplex	Surface	Weatherproof Box and Cover	20	$203

CONTACTOR PANEL (Includes a digital timer for use with value controls.)

Item No	Description	Retail
14-4700	Single Contactor Panel	$562
14-4710	Dual Contactor Panel	$642
14-4790	Flush Mount Cover with Access Door (Requires Contactor Panel)	$161

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

INFINITE CONTROL (INF) REGULATOR

- This control allows you to turn up or down the intensity of the heater.
- Each dial has a max of 3,000 Watts allowed.
- Each dial has a max of 15 Amps allowed.
- Will work with single element heaters.
- Controlling each element separately using 2 INF Switches for a CD unit is not recommended.

Single INF Control
Wall Plate w/ Gang Box
Item # 14-4200

Single INF Control
Flush Mount w/ Weatherproof Cover
Item # 14-4210

Single INF Control
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4220

Dual INF Control
Wall Plate w/ Gang Box
Item # 14-4205

Dual INF Control
Flush Mount w/ Weatherproof Cover
Item # 14-4215

Dual INF Control
Surface Mount w/ Weatherproof Box & Cover
Item # 14-4225

INFINITE CONTROL REGULATOR

Item No	Switch	Mount	Housing Options	Amp Max	Retail
14-4200	Single	Flush	Wall Plate w/ Deep Gang Box	15	$103
14-4210	Single	Flush	Weatherproof Cover	15	$116
14-4220	Single	Surface	Weatherproof Box and Cover	15	$127
14-4205	Dual	Flush	Wall Plate w/ Deep Gang Box	15	$166
14-4215	Dual	Flush	Weatherproof Cover	15	$190
14-4225	Dual	Surface	Weatherproof Box and Cover	15	$203

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

INFRATECH CONTROLS

INFRATECH COMFORT

UNIVERSAL CONTROL PANEL

See page 258

- 120V Universal Slide Dimmer provided for convenience (1 per Relay)
- The Universal Control is a complete solution that will work with almost any 120V lighting system
- Universal Control Panel is 508/UL-listed and made in the USA
- A WiFi/Bluetooth switch can be purchased separately for operation from your smart phone
- Compatible with Alexa

HOME MANAGEMENT SYSTEM

See page 259

- Infratech's Home Management Control is compatible with top selling systems like Savant™, Lutron™, Crestron™, Control 4™, and others.
- Infratech's simple interface requires a 0-10V DC signal for streamlined installation and straightforward programming.
- This control option allows the user the ability to save preferred heat settings for off-site control via mobile device, control zones, heat intensity, timer functions, and more!

SOLID STATE RELAY PACKAGE

See page 260

- Infratech's Solid State Controls are engineered for your individual project and suitable for commercial or residential installations of any size.
- Multiple zoning capabilities.
- Allows for the option to adjust the intensity of heat of one or more heaters in a specified target area.
- Controls are built to UL 508 listing, which is a higher safety standard than the National Electric Code (NEC).
- Heaters are hard wired directly to the Solid State Relay Panel.
- Tested before leaving the factory, and provided with wiring diagrams for each installation.

UNIVERSAL CONTROLS

INFRATECH COMFORT

Universal Controls

A luxury home where convenience is at a premium. A scenic resort where a seamless look is desired. An exclusive hot spot with multiple heating zones.

At Infratech, we know that our customers have different needs when it comes to the controls they choose for their properties. This is why we offer a broad range of custom control options that allow you to enjoy your Infratech heaters "your way". From comprehensive Solid State Control Packages to Smart Home Integration Panels, and now our new Universal Control Panel that enables you to choose your own switches. There's an Infratech custom control that can help you unlock the versatility, functionality, convenience and comfort you desire from your Infratech heating system.

UNIVERSAL CONTROL PANEL

- 120V Universal Slide Dimmer provided for convenience (1 per Relay).
- The Universal Control is a complete solution that will work with almost any 120V lighting system.
- Universal Control Panel is 508/UL-listed and made in the USA.
- A WiFi/Bluetooth switch can be purchased separately for operation from your smart phone.
- Compatible with Alexa

SPECIFICATIONS

- Each relay has a max capacity of 9,000 Watts.
- You can control (3) 3,000 Watt heaters off 1 Relay, or (1) 6,000 Watt heater off 1 Relay.
- You may NOT mix heater wattages on a single relay.
  - **EXAMPLE**: You can NOT put a 3,000 Watt heater and a 6,000 Watt heater on the same relay.
- We advertise up to a 6 Relay Control Panel, however the number of relays can be unlimited if the power supply is adequate. (Call for quote.)

UNIVERSAL CONTROLS

Item No	Description	Retail
30-4071	1 Relay Universal Control (Includes: 1 Dimmer Switch)	$1,808
30-4072	2 Relay Universal Control (Includes: 2 Dimmer Switches)	$2,495
30-4073	3 Relay Universal Control (Includes: 3 Dimmer Switches)	$3,692
30-4074	4 Relay Universal Control (Includes: 4 Dimmer Switches)	$4,264
30-4075	5 Relay Universal Control (Includes: 5 Dimmer Switches)	$5,575
30-4076	6 Relay Universal Control (Includes: 6 Dimmer Switches)	$6,159

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

HOME MANAGEMENT SYSTEM

INFRATECH COMFORT

FOR USE IN CONJUNCTION WITH YOUR HOME MANAGEMENT SYSTEM

- Infratech's Home Management Control is compatible with top selling Home Management Systems like Savant Lutron™, Crestron™, Control 4™, and others.
- Infratech's simple interface requires a 0-10V DC signal for streamlined installation and straightforward programming.
- This control option allows the user the ability to save preferred heat settings for off-site control via mobile device, control zones, heat intensity, timer functions, and more!

SPECIFICATIONS

- Each relay has a max capacity of 9,000 Watts.
- You may NOT mix heater Watts on a single relay.
  - **EXAMPLE**: You can control (3) 3,000 Watt heaters off 1 Relay, or (1) 6,000 Watt heater off 1 Relay.
  - **EXAMPLE**: You can NOT put a 3,000 Watt heater and a 6,000 Watt heater on the same relay.
- This relay box is installed as a sub-panel. The heaters are connected to the relay box, then the relay box connects to the electrical service panel.
- We advertise up to a 6 Relay Control Panel, however the number of relays can be unlimited if the power supply is adequate. (Call for quote.)
- Zone and timer capability is set up by the smart home system installer.

HOME MANAGEMENT RELAY PANEL (Compatible with all voltages.)

For use in conjunction with your home management system.

Item No	Description	Retail
30-4061	1 Relay Home Management Control	$1,808
30-4062	2 Relay Home Management Control	$2,495
30-4063	3 Relay Home Management Control	$3,692
30-4064	4 Relay Home Management Control	$4,264
30-4065	5 Relay Home Management Control	$5,575
30-4066	6 Relay Home Management Control	$6,159
30-1100	CUSTOM Control Panels	Call

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

SOLID STATE RELAY & CONTROLS

INFRATECH COMFORT

CONSISTS OF A SOLID STATE RELAY PANEL AND ZONE ANALOG CONTROLLERS

- Infratech's Solid State Controls are engineered for your individual project and suitable for commercial or residential installations of any size.
- Multiple zoning capabilities.
- Allows the option to adjust the intensity of heat for one or more heaters in an area.
- Controls are built to UL 508 listing, which is a higher safety standard than the National Electric Code (NEC).
- Heaters are hard wired directly to the Solid State Relay Panel.
- Tested before leaving the factory, and provided with wiring diagrams for each installation.

SOLID STATE RELAY PANEL



Up to 9000 Watts on each Relay
(3) 3,000 Watts, (2) 4,000 Watts, (1) 5,000 or 6,000 Watts
Must be the same wattage on relay.

TWO ZONE ANALOG CONTROLLER W/ DIGITAL TIMER

Up to 3 Relays on each heat intensity knob.

SOLID STATE RELAY PLACEMENT

- Surface Mount in a well ventilated area.
- Heat Sinks are the 1" deep Aluminum Extrusions on the left and right sides of the panel. It is suggested the power be brought in through the top or bottom of the panel (not from the back).
- Minimum clearance is 6" on each side, 12" from the top and bottom.
- Additional clearance will be needed if placed in a poorly ventilated area.
- NEMA 4 Rated, which is completely weather resistant.
- Must be accessible per National Electric Code (NEC).

ZONE ANALOG CONTROLLER PLACEMENT

- NEMA 12 Rated, will need to be mounted in a well-protected covered area.
- Zone Analog Controllers can be installed in any suitable location that will make it convenient to control the heater(s).
- Custom NEMA 4 housing also available upon special order.
- The timer has 5 settings from 15 mintues to 4 hours.

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

SOLID STATE RELAY & CONTROLS

INFRATECH COMFORT

SPECIFICATIONS

- Each relay has a max capacity of 9,000 Watts.
- Each heater on a single relay must be the same wattage.
- This relay box is installed as a sub-panel. The heaters are connected to the relay box, then the relay box connects to the electrical service panel.
- This system is compatible with the Solid-State Relay Controls.
- Each Control Knob can control up to 3 Relays.
  - **EXAMPLE**: You can control (3) 3,000 Watt heaters from 1 Relay. You could then control 3 Relays from 1 Solid State Dial Control. Giving you the ability to control 9 heaters with 1 control knob.

Select one Solid State Relay Control and a Solid State Relay Panel to make a complete package.

SOLID STATE RELAY CONTROLS

Special Order

(Compatible with all voltages. Must purchase Solid State Relay Controls)

Item No	Description	Retail
30-4045	1 Zone Analog Controller w/ Digital Timer	$669
30-4046	2 Zone Analog Controller w/ Digital Timer	$841
30-4047	3 Zone Analog Controller w/ Digital Timer	$1,024
30-4048	4 Zone Analog Controller w/ Digital Timer	$1,207

ZONE ANALOG CONTROLLER W/ DIGITAL TIMER

- Up to 3 Relays on each heat intensity knob.

SOLID STATE RELAY PANELS

Special Order

(Compatible with all voltages. Must purchase a Solid State Relay Panel)

Item No	Description	Retail
30-4051	1 Relay Control Panel	$1,007
30-4052	2 Relay Control Panel	$1,316
30-4053	3 Relay Control Panel	$1,671
30-4054	4 Relay Control Panel	$2,032
30-4055	5 Relay Control Panel	$2,444
30-4056	6 Relay Control Panel	$2,873

SOLID STATE RELAY PANEL

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

208 VOLTS

Special Order

INFRATECH COMFORT

SLIMLINE SERIES *(Single Element)*

Item No	Description	Retail
1600 Watts, 29 ½" in Length, 7.7 Amps		
21-4997-SLV	SL-1628, 208 Volts Silver	$647
21-4997-BLK	SL-1628, 208 Volts Black	$647
2400 Watts, 42 ½" in Length, 11.5 Amps		
21-5010-SLV	SL-2428, 208 Volts Silver	$834
21-5010-BLK	SL-2428, 208 Volts Black	$834
3000 Watts, 63 ½" in Length, 14.4 Amps		
21-5050-SLV	SL-3028, 208 Volts Silver	$952
21-5050-BLK	SL-3028, 208 Volts Black	$952
4000 Watts, 63 ½" in Length, 19.2 Amps		
21-5090-SLV	SL-4028, 208 Volts Silver	$968
21-5090-BLK	SL-4028, 208 Volts Black	$968

Note for C & CD Heaters:
Additional standard colors available, add $50 per heater.
316 Marine Grade heaters can be custom ordered for installs done near large bodies of salt water, or in humid conditions.

Custom color matching is available for an additional charge.
Call Empire Distributing for a quote.

Slimline Series

Slimline - Black

Slimline - Silver

C-SERIES *(Single Element)*

Item No	Description	Retail
1500 Watt, 33" in Length, 7 Amps		
21-3010-SS	C-1528, 208 Volts Stainless Steel	$545
2000 Watts, 39" in Length, 10 Amps		
21-3020-SS	C-2028, 208 Volts Stainless Steel	$601
2500 Watts, 39" in Length, 12 Amps		
21-3110-SS*	C-2528, 208 Volts Stainless Steel	$612
3000 Watts, 61 ¼" in Length, 14 Amps		
21-3220-SS	C-3028, 208 Volts Stainless Steel	$733
4000 Watts, 61 ¼" in Length, 19 Amps		
21-3320-SS	C-4028, 208 Volts Stainless Steel	$748

CD-SERIES *(Dual Element)*

Item No	Description	Retail
3000 Watts, 33" in Length, 14 Amps		
21-4010-SS	CD-3028, 208 Volts Stainless Steel	$733
4000 Watts, 39" in Length, 19 Amps		
21-4110-SS	CD-4028, 208 Volts Stainless Steel	$748
5000 Watts, 39" in Length, 24 Amps		
21-4210-SS*	CD-5028, 208 Volts Stainless Steel	$760
6000 Watts, 61 ¼" in Length, 28.8 Amps		
21-4310-SS*	CD-6028, 208 Volts Stainless Steel	$877

*Stocking

C & CD Series

Black

Mineral Bronze

White

Almond

Beige

Biscuit

Copper

Grey

REPLACEMENT ELEMENTS - 208V

Item No	Description	Fixtures	Retail
10-1060	30" 1500 Watt Element	C-1528, W-1528, CD-3028, WD-3028	$86
10-1095*	36" 2000 Watt Element	C-2028, W-2028, CD-4028, WD-4028	$116
10-2020*	36" 2500 Watt Element	C-2528, W-2528, CD-5028, WD-5028	$116
10-2040*	58" 3000 Watt Element	C-3028, W-3028, CD-6028, WD-6028	$154
10-2065*	58" 4000 Watt Element	C-4028, W-4028	$154
10-7032	22 ⅜" 1600 Watt Element	SL-1628	$86
10-7040	35 ⅜" 2400 Watt Element	SL-2428	$116
10-7060	56 ⅜" 3000 Watt Element	SL-3028	$155
10-7080*	56 ⅜" 4000 Watt Element	SL-4028	$155

*Stocking

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

277 VOLTS

Special Order

INFRATECH COMFORT

SLIMLINE SERIES *(Single Element)*

Item No	Description	Retail
2400 Watts, 42 ½" in Length, 8.7 Amps		
21-5030-SLV	SL-2427, 277 Volts Silver	$834
21-5030-BLK	SL-2427, 277 Volts Black	$834
3000 Watts, 63 ½" in Length, 10.8 Amps		
21-5070-SLV	SL-3027, 277 Volts Silver	$952
21-5070-BLK	SL-3027, 277 Volts Black	$952
4000 Watts, 63 ½" in Length, 14.4 Amps		
21-5110-SLV	SL-4027, 277 Volts Silver	$968
21-5110-BLK	SL-4027, 277 Volts Black	$968

Note for C & CD Heaters:
Additional standard colors available, add $50 per heater.
316 Marine Grade heaters can be custom ordered for installs done near large bodies of salt water, or in humid conditions.

Custom color matching is available for an additional charge.
Call Empire Distributing for a quote.

Slimline Series

Slimline - Black

Slimline - Silver

C-SERIES *(Single Element)*

Item No	Description	Retail
2000 Watts, 39" in Length, 7 Amps		
21-3030-SS	C-2027, 277 Volts Stainless Steel	$601
2500 Watts, 39" in Length, 9 Amps		
21-3130-SS	C-2527, 277 Volts Stainless Steel	$612
3000 Watts, 61 ¼" in Length, 11 Amps		
21-3210-SS	C-3027, 277 Volts Stainless Steel	$733
4000 Watts, 61 ¼" in Length, 14 Amps		
21-3310-SS	C-4027, 277 Volts Stainless Steel	$748

CD-SERIES *(Dual Element)*

Item No	Description	Retail
3000 Watts, 33" in Length, 11 Amps		
21-4030-SS	CD-3027, 277 Volts Stainless Steel	$733
4000 Watts, 39" in Length, 14 Amps		
21-4130-SS	CD-4027, 277 Volts Stainless Steel	$748
5000 Watts, 39" in Length, 18 Amps		
21-4230-SS	CD-5027, 277 Volts Stainless Steel	$760
6000 Watts, 61 ¼" in Length, 21.7 Amps		
21-4330-SS	CD-6027, 277 Volts Stainless Steel	$877

C & CD Series

Black

Mineral Bronze

White

Almond

Beige

Biscuit

Copper

Grey

REPLACEMENT ELEMENTS - 277V

Item No	Description	Fixtures	Retail
10-1090*	36" 2000 Watt Element	C-2027, W-2027, CD-4027, WD-4027	$116
10-2015*	36" 2500 Watt Element	C-2527, W-2527, CD-5027, WD-5027	$116
10-2035*	58" 3000 Watt Element	C-3027, W-3027, CD-6027, WD-6027	$154
10-2060*	58" 4000 Watt Element	C-4027, W-4027	$154
10-7050	35 ⅜" 2400 Watt Element	SL-2427	$116
10-7070	56 ⅜" 3000 Watt Element	SL-3027	$155
10-7090	56 ⅜" 4000 Watt Element	SL-4027	$155

*Stocking

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

480 VOLTS

Special Order

INFRATECH COMFORT

C-SERIES *(Single Element)*

Item No	Description	Retail
2000 Watts, 39” in Length, 4 Amps		
21-3025-SS	C-2048, 480 Volts Stainless Steel	$601
2500 Watts, 39” in Length, 5 Amps		
21-3120-SS	C-2548, 480 Volts Stainless Steel	$612
3000 Watts, 61 ¼” in Length, 6 Amps		
21-3230-SS	C-3048, 480 Volts Stainless Steel	$733
4000 Watts, 61 ¼” in Length, 8.3 Amps		
21-3330-SS	C-4048, 480 Volts Stainless Steel	$748

CD-SERIES *(Dual Element)*

Item No	Description	Retail
3000 Watts, 33” in Length, 6 Amps		
21-4020-SS	CD-3048, 480 Volts Stainless Steel	$733
4000 Watts, 39” in Length, 8.3 Amps		
21-4120-SS	CD-4048, 480 Volts Stainless Steel	$748
5000 Watts, 39” in Length, 10.4 Amps		
21-4220-SS	CD-5048, 480 Volts Stainless Steel	$760
6000 Watts, 61 ¼” in Length, 12.5 Amps		
21-4320-SS	CD-6048, 480 Volts Stainless Steel	$877

Note for C & CD Heaters:
Additional standard colors available, add $50 per heater.
316 Marine Grade heaters can be custom ordered for installs done near large bodies of salt water, or in humid conditions.

Custom color matching is available for an additional charge.
Call Empire Distributing for a quote.

C & CD Series

Black | Mineral Bronze | White | Almond | Beige | Biscuit | Copper | Grey

REPLACEMENT ELEMENTS - 480V

Item No	Description	Fixtures	Retail
10-2000	36" 2000 Watt Element	C-2048, W-2048, CD-4048, WD-4048	$116
10-2025	36" 2500 Watt Element	C-2548, W-2548, CD-5048, WD-5048	$116
10-2045	58" 3000 Watt Element	C-3048, W-3048, CD-6048, WD-6048	$154
10-2070	58" 4000 Watt Element	C-4048, W-4048	$154

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net

240V REPLACEMENT ELEMENTS/ POLE MOUNTS

INFRATECH COMFORT

REPLACEMENT ELEMENTS 240V

Item No	Description	Fixtures	Retail
10-7030*	22 ⅜" 1600 Watt Element	SL-1624	$86
10-7035*	35 ⅜" 2400 Watt Element	SL-2424	$116
10-7055	56 ⅜" 3000 Watt Element	SL-3024	$155
10-7075	56 ⅜" 4000 Watt Element	SL-4024	$155

**Special Order*

REPLACEMENT ELEMENTS 240V

Item No	Description	Fixtures	Retail
10-1055*	30" 1500 Watt Element	C-1524, W-1524, CD-3024, WD-3024	$86
10-1085	36" 2000 Watt Element	C-2024, W-2024, CD-4024, WD-4024	$116
10-2010	36" 2500 Watt Element	C-2524, W-2524, CD-5024, WD-5024	$116
10-2030	58" 3000 Watt Element	C-3024, W-3024, CD-6024, WD-6024	$154

POLE MOUNT OPTIONS *(For C & CD Series Heaters Only)*

Note: Pole Mount for Slimline Series - Call for details

Item No	Description	Color	Retail
22-1250*	W39 Pole Mount for 39” Length Heater (96.5”H) (Comes with Cross Bar)	White (Standard)	$808
22-1255*	W61 Pole Mount for 61 ¼” Length Heater (96.5”H) (Comes with Cross Bar)	White (Standard)	$808

©2023 Empire Distributing | 7406 Route 98, Arcade, NY 14009 | P: 585.492.2780 | orders@empiredistributing.net