



STONE AGE INDOOR FIREPLACES

WOOD

REV: 2/15/25



TABLE OF CONTENTS

OUTDOOR FIREPLACE KITS

Why Choose Zero Clearance	2
Benefits of Fireplace Kits	3
New Age Series	4
Chimney Construction	6
Venting.....	7

NEW AGE FIREPLACE SERIES

Why Choose a Zero-Clearance Fireplace Kit



INDOOR/OUTDOOR

New Age fireplace kits are UL-127/ULC-S610 Certified for outdoor or indoor applications, and ICC-ES AC156 Certified for Seismic Resistance. Use a vented gas insert or wood burning.

MODERN LOOK

The flat top design of New Age Fireplace kits, not only gives a modern look, but also makes for easy construction and mounting televisions above fireplaces.

PAVILIONS AND PERGOLAS

The Zero Clearance rating for New Age kits means you can build directly onto the base kit, which means they build seamlessly and safely into backyard pavilions and pergolas.

NEW AGE FIREPLACE SERIES

Benefits of Fireplace Kits



ZERO CLEARANCE

The design of New Age masonry chimneys incorporates the necessary “air gap” making it possible for framing to be in contact with the fireplace. A clay flue sits separately inside concrete outer blocks giving the fireplace its Zero Clearance rating.



Zero-Clearance Configuration
(New Age™ Masonry Chimney)



QUICK & EASY INSTALLATION

Once your concrete footing is ready, New Age kits require only 2 people to install in 3-4 hours and can be veneered the same day.



INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance




New Age fireplace kits are rated Zero-Clearance, meaning you can safely build right up to the chimney, which makes it great for mounting TVs. New Age kits can be installed using masonry chimneys or metal pipe, in both indoor and outdoor applications

NEW AGE FIREPLACE KITS




36"




Overall Dimensions:
66.5" H x 48" W x 30" D
Weight: 2,300 lbs.

42"



Overall Dimensions:
66.5" H x 54" W x 30" D
Weight: 2,500 lbs.


48"



Overall Dimensions:
72.5" H x 60" W x 30" D
Weight: 2,860 lbs.




60"



Overall Dimensions:
85" H x 72" W x 30" D
Weight: 3,900 lbs.

72"



Overall Dimensions:
85" H x 84" W x 30" D
Weight: 4,900 lbs.

ACCESSORIES



Wood Storage Box - Straight
(Arched Available)
Dimensions: 36" H x 36" W x 30" D



8" Flue Extension



Clay Flue



14" Firebox Extension

INDOOR/OUTDOOR FIREPLACE KITS

New Age Zero Clearance



NEW AGE FIREPLACE KITS

Item # - Straight Lintel	Item # - Arched Lintel	Description	Retail
SA-NA-36	SA-NA-36-AL	36" New Age Fireplace Kit	\$3,399
SA-NA-42	SA-NA-42-AL	42" New Age Fireplace Kit	\$3,787
SA-NA-48	SA-NA-48-AL	48" New Age Fireplace Kit	\$4,175
SA-NA-60		60" New Age Fireplace Kit	\$6,211
SA-NA-72		72" New Age Fireplace Kit	\$7,143

MASONRY CHIMNEY EXTENSIONS

Requires both clay flue *and* outer block extension.

60" and 72" models require double flue. (For metal chimney, see page 7.)

Item #	Description	Compatible With	Retail
SA-2226-8	8" Outer Block Flue Extension - 22" x 26"	42", 48"; 72" (double flue)	\$148
SA-FL1317	24" Clay Flue Tile - 13" x 17"	42", 48"; 72" (double flue)	\$118
SA-2323-8	8" Outer Block Flue Extension - 23" x 23"	36"; 60" (double flue)	\$140
SA-FL1313	24" Clay Flue Tile - 13" x 13"	36"; 60" (double flue)	\$80

WOOD STORAGE BOXES

Item # - Straight	Item # - Arched	Description	Retail
SA-WCS-NA-K	SA-WCA-NA-K	Wood Storage Box (36"H x 36"W x 30"D)	\$1,275
SA-WAA-NA-K	—	Angled Adapter for Wood Storage Box	\$636

ACCESSORIES

Item #	Description	Retail
SA-APRM	Hi-Temp Mortar Mix - 60 lb Bucket	\$150
SA-MXTH	Xtreme Heat Mortar Mix - 60 lb Bucket	\$195
SA-FFB-WHT	Firebrick - White Full Size	\$3.75
SA-NA-3639-EXT	36" New Age Fireplace Extension - 14"	\$739
SA-NA-4245-EXT	42" New Age Fireplace Extension - 14"	\$787
SA-NA-4851-EXT	48" New Age Fireplace Extension - 14"	\$869
NE-V942	42" Throat Mount Damper	\$533
NE-V948	48" Throat Mount Damper	\$626
NE-V360	60" Throat Mount Damper	\$1,713
NE-V372	72" Throat Mount Damper	\$2,123

SPECIFICATIONS

Finishing Requirements: Hi-Temp Mortar (SA-APRM or SA-MXTH) required for assembly and warranty.

Item #	Mortar for Assembly	Mortar for Veneer	Sq. Ft. of Veneer	Linear Ft of Veneer Corners	Firebrick Required
SA-NA-36	5 Buckets	4 Buckets	95	32	110 Full
SA-NA-42	6 Buckets	5 Buckets	105	32	120 Full
SA-NA-48	7 Buckets	6 Buckets	115	34	150 Full
SA-NA-60	8 Buckets	7 Buckets	140	36	175 Full
SA-NA-72	9 Buckets	8 Buckets	165	36	200 Full

CURE TIME: For proper curing, please wait a minimum of 28 days before lighting any fires.

CONCRETE FOOTING REQUIRED — check local codes, but we recommend extending down to the frost line in your area.



NEW AGE FIREPLACE SERIES

Chimney Construction



MASONRY CHIMNEY

New Age™ kits are available in all-masonry, zero clearance configurations, where structural framing may be placed in direct contact with the kit and its masonry chimney. A separate clay flue sits within the concrete outdoor block to create an “air gap” necessary for Zero Clearance applications. Larger fireplaces (60", 72") require double chimneys.



Air Gap

8" Flue Extension Outer Blocks

*Add 1 bucket of mortar per
8 additional flue extensions.*




Clay Flue

Item #	Description	Retail
SA-2323-8	23" x 23" x 8" Outer Block (for 36", 60"*)	\$140
SA-FL1313	13" x 13" x 24" Clay Flue (for 36", 60"*)	\$80
SA-2226-8	22" x 26" x 8" Outer Block (for 42", 48", 72"*)	\$148
SA-FL1317	13" x 17" x 24" Clay Flue (for 42", 48", 72"*)	\$118

**60" and 72" New Age models require a double chimney stack.*

METAL CHIMNEY

New Age™ kits may be used with 14" or 16" UL-103 metal chimney. However, please note that unlike our masonry flue, the metal chimney will need a 2" clearance from combustibles. Metal chimney is ideal in situations where total weight could become an issue and is around ten times faster to install vs. a masonry flue. Larger fireplaces (60", 72") require double chimney.



Chimney Adaptor

For Metal Chimney
flue installations
14" or 16"

New Age 36" = 14" Diameter
New Age 42" = 16" Diameter
New Age 48" = 16" Diameter
New Age 60" = 14" Diameter x 2
New Age 72" = 16" Diameter x 2

See page 7 for metal chimney components and pricing.

METAL-FAB FOR NEW AGE

Chimney Components



Chimney Sections



Elbow



Anchor Plate



Firestop Assembly



Attic Insulation Shield

14" compatible with New Age 36" (SA-NA-36), New Age 60" (SA-NA-60 – requires double chimney)

16" compatible with New Age 42" (SA-NA-42), New Age 48" (SA-NA-48), New Age 72" (SA-NA-72 – requires double chimney)

CHIMNEY SECTIONS

Description	14" Item #	14" Retail
6" Chimney Length, Air Cooled	14AIRTG6	\$149
12" Chimney Length, Air Cooled	14AIRTG12	\$162
18" Chimney Length, Air Cooled	14AIRTG18	\$192
36" Chimney Length, Air Cooled	14AIRTG36	\$307
48" Chimney Length, Air Cooled	14AIRTG48	\$357

14" CHIMNEY

16" CHIMNEY

16" Item #	16" Retail
–	–
16ATG12	\$178
16ATG18	\$220
16ATG36	\$344
16ATG48	\$357

ELBOW

Description	14" Item #	14" Retail
15 [^] Elbow, Air Cooled Temp/Guard	14AIRTGA15	\$314
30 [^] Elbow, Air Cooled Temp/Guard	14AIRTGA30	\$314

16" Item #	16" Retail
16ATGA15	\$344
16ATGA30	\$344

ANCHOR PLATE

Description	14" Item #	14" Retail
Anchor Plate	SA-14AIRTGAPD	\$992

16" Item #	16" Retail
SA-16ATGAPD	\$1,042

FIRESTOP/SHIELDS

Description	14" Item #	14" Retail
Ceiling Firestop	14AIRTGFA	\$96
Attic Insulation Shield	14AIRTGIS	\$613

16" Item #	16" Retail
16ATGFA	\$290
16ATGIS	\$618

CHIMNEY TOPS/STORM COLLAR

Description	14" Item #	14" Retail
Chimney Cap (430 SS Casing)	14AIRTGC	\$492
Storm Collar	14AIRTGSC	\$59
Chase Top Flashing	14AIRTGFC	\$288

16" Item #	16" Retail
16ATGC	\$564
16ATGSC	\$55
16ATGFC	\$272