



# SUPERIOR

WOOD FIREPLACES & GAS LOGS

REV: 11/14/22

## LITERATURE

| Item No. | Description                     | Retail |
|----------|---------------------------------|--------|
| 785355M  | WRT/WCT 3000 Series             | N/C    |
| 785700M  | WRT 3500 Series                 | N/C    |
| 785353M  | WRT 4500 Series                 | N/C    |
| 785352M  | WRT 6000 Series                 | N/C    |
| 785692M  | Vent Free & Dual Rated Gas Logs | N/C    |

*See our Outdoor Living Catalog for  
Outdoor Wood & Gas Fireplaces*

## TABLE OF CONTENTS

### Wood Fireplaces

- WRT/WCT 3000 Series ..... 3
- WRT 3500 Series ..... 4
- WRT 4500 Series ..... 5
- WRT 6000 Series ..... 6

### Venting

- 8DM Series ..... 8
- 12DM Series ..... 9

### Gas Logs

- Glow-Ramp. .... 11
- Mega-Flame ..... 12
- Triple-Flame ..... 13
- Double-Flame ..... 14

NOTE: Superior does not “drop ship” units direct to a dealer or consumer. When ordering a special order unit, additional freight charges will apply.



### WRT/WCT 3000 Series

WRT/WCT 3000 Series is available as a 36" and 42" Radiant or Louvered fireplace with realistic white textured refractory panels in a white stack pattern to provide long lasting warmth and beauty in a traditional hearth setting. The 36" unit has a 21" tall opening and the 42" has a 24" tall opening.



### WRT 3500 Series

WRT 3500 Radiant Series is available as a 38" or 43" fireplace with a 24 5/8" tall opening. The WRT 3500 series comes standard with either grey stacked or grey herringbone refractory panels.



### WRT 4500 Series

WRT4500 Radiant Series is available as a 36", 42" and 50" fireplace and is designed for large interior applications. The WRT4500 fireplaces feature a 30" tall opening with white stacked or herringbone refractory panels for a realistic appearance. "Captivating" is the only way to describe these massive wood burners.



### WRT 6000 Series

WRT6000 Series is available as a 36", 42" and 50" fireplace and "impressive" is the only way to describe these massive wood burners. Designed for large, custom applications, the WRT6000 series of fireplaces features a 30" tall opening and beautiful mosaic masonry brick that represents a true masonry fireplace appearance.



## Specifications

Uses 8DM 1700° Chimney, see pages 8.

- Radiant smooth-faced or circulating rolled louver models
- Fully insulated firebox for increased performance in colder climates
- Heavy duty log grate
- Adjustable outside air damper
- Hidden screen pockets
- Durable textured powder coat finish
- Prewired junction box

## Wood Fireplace *Standard size with refractory panels.*

| Item No    | Description  | Refractory Panels | Retail  |
|------------|--------------|-------------------|---------|
| WRT3036WSI | 36" Radiant  | White Stacked     | \$1,249 |
| WRT3042WSI | 42" Radiant  | White Stacked     | \$1,399 |
| WCT3036WSI | 36" Louvered | White Stacked     | \$1,299 |
| WCT3042WSI | 42" Louvered | White Stacked     | \$1,449 |



White Stacked Refractory Panel

## Doors

| Item No | Description                   | Retail |
|---------|-------------------------------|--------|
| BD36    | 36" Bi-Fold Glass Door, Black | \$249  |
| BD42    | 42" Bi-Fold Glass Door, Black | \$299  |




Bi-Fold Door, Black

## Blowers

| Item No | Description                                        | Retail |
|---------|----------------------------------------------------|--------|
| BK3     | Blower, 3-Blade Fan (Single Speed) (For WCT units) | \$249  |
| BK      | Blower, Variable Speed w/Manual Control            | \$349  |

## Outside Air Kits

| Item No | Description                                             | Retail |
|---------|---------------------------------------------------------|--------|
| AK4     | Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting | \$79   |
| AK4X    | Air Kit with 4" Collar and Hood Only for Wall Venting   | \$49   |
| AK4F    | Air Kit Collar, Hood & 3' Flex for Floor Venting        | \$69   |



AK4

| Unit        | Outside Air Location | Gas Knockout | Fireplace Opening      | Minimum Framing Dimensions* |         |         |
|-------------|----------------------|--------------|------------------------|-----------------------------|---------|---------|
|             |                      |              |                        | Width                       | Height  | Depth   |
| WRT/WCT3036 | Left Side            | Left Side    | 35"W x 21"H X 14 1/4"D | 41 3/4"                     | 41 3/4" | 21 7/8" |
| WRT/WCT3042 | Left Side            | Left Side    | 42"W x 24"H X 16 1/4"D | 49 3/4"                     | 47 3/4" | 23 1/2" |

\* Consult a manual for complete installation requirements.

# WRT 3500 Series

## Woodburning Fireplace



### Specifications

Uses 12DM 1700° Chimney, see page 9.

- 24 3/4" tall opening
- Large smoke dome for reliable operation
- Fully insulated firebox for increased performance
- Heavy duty log grate
- Adjustable outside air damper
- Includes mesh fire screens
- Outside air kits available
- Durable textured powder coat finish

### Wood Fireplace *Standard size with refractory panels.*

| Item No   | Description | Refractory Panels | Retail  |
|-----------|-------------|-------------------|---------|
| WRT3538WS | 38" Radiant | Grey Stacked      | \$2,699 |
| WRT3543WS | 43" Radiant | Grey Stacked      | \$2,899 |
| WRT3538WH | 38" Radiant | Grey Herringbone  | \$2,799 |
| WRT3543WH | 43" Radiant | Grey Herringbone  | \$2,999 |



Grey Stacked Refractory Panel



Grey Herringbone Refractory Panel

### Doors


| Item No | Description                   | Retail |
|---------|-------------------------------|--------|
| 38LBF   | 38" Bi-Fold Glass Door, Black | \$349  |
| 43LBF   | 43" Bi-Fold Glass Door, Black | \$419  |



Bi-Fold Door, Black

### Outside Air Kits

| Item No | Description                                             | Retail |
|---------|---------------------------------------------------------|--------|
| AK4     | Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting | \$79   |
| AK4X    | Air Kit with 4" Collar and Hood Only for Wall Venting   | \$49   |
| AK4F    | Air Kit Collar, Hood & 3' Flex for Floor Venting        | \$69   |



AK4

| Unit    | Outside Air Location | Gas Knockout | Fireplace Opening          | Minimum Framing Dimensions* |         |         |
|---------|----------------------|--------------|----------------------------|-----------------------------|---------|---------|
|         |                      |              |                            | Width                       | Height  | Depth   |
| WRT3538 | Right Side           | Right Side   | 38"W x 24 3/4"H X 18"D     | 49 1/4"                     | 50 7/8" | 26 1/4" |
| WRT3543 | Right Side           | Right Side   | 42 3/4"W x 24 3/4"H X 18"D | 54"                         | 50 7/8" | 26 1/4" |

\* Consult a manual for complete installation requirements.



### Specifications

Uses 12DM 1700° Chimney, see page 9.

- 30" tall opening
- Massive smoke dome for reliable operation
- Fully insulated firebox for increased performance
- Refractory panels in two patterns with integrated ash lip
- Heavy duty cast iron log grate w/ rugged forged andirons
- Easy access damper control
- Includes mesh fire screen
- Dual outside air kits available
- Durable textured powder coat finish

### Wood Fireplace *X-Large opening with refractory panels.*

| Item No   | Description | Refractory Panels | Retail  |
|-----------|-------------|-------------------|---------|
| WRT4536WS | 36" Radiant | White Stacked     | \$3,599 |
| WRT4542WS | 42" Radiant | White Stacked     | \$3,699 |
| WRT4550WS | 50" Radiant | White Stacked     | \$3,949 |
| WRT4536WH | 36" Radiant | White Herringbone | \$3,699 |
| WRT4542WH | 42" Radiant | White Herringbone | \$3,799 |
| WRT4550WH | 50" Radiant | White Herringbone | \$4,049 |



White Stacked Refractory Panel



Herringbone Refractory Panel

### Doors

| Item No | Description             | Retail |
|---------|-------------------------|--------|
| BDG36   | 36" Bi-Fold Door, Black | \$499  |
| BDG42   | 42" Bi-Fold Door, Black | \$549  |
| BD50    | 50" Bi-Fold Door, Black | \$549  |



Bi-Fold Door, Black

### Outside Air Kits

| Item No | Description                                             | Retail |
|---------|---------------------------------------------------------|--------|
| AK4     | Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting | \$79   |
| AK4X    | Air Kit with 4" Collar and Hood Only for Wall Venting   | \$49   |
| AK4F    | Air Kit Collar, Hood & 3' Flex for Floor Venting        | \$69   |

| Unit    | Outside Air Location | Gas Knockout | Fireplace Opening      | Minimum Framing Dimensions* |         |         |
|---------|----------------------|--------------|------------------------|-----------------------------|---------|---------|
|         |                      |              |                        | Width                       | Height  | Depth   |
| WRT4536 | Right Side           | Right Side   | 36"W x 30"H x 20"D     | 45 1/4"                     | 67 1/8" | 28 1/4" |
| WRT4542 | Right Side           | Right Side   | 42"W x 30"H x 23 1/2"D | 51 1/4"                     | 67 1/8" | 30 1/8" |
| WRT4550 | Right Side           | Right Side   | 50"W x 30"H x 23 1/4"D | 59"                         | 67 1/8" | 30 1/8" |

\* Consult a manual for complete installation requirements.

# WRT 6000

## Woodburning Fireplace



## Specifications

Uses 12DM 1700° Chimney, see pages 9.

- Mosaic Masonry firebrick available in a variety of patterns and colors with integrated ash lip
- Massive smoke dome for reliable operation
- Fully insulated firebox for increased performance in colder climates
- Heavy duty cast iron log grate w/ rugged forged andirons
- Easy access damper control
- Includes mesh fire screen
- Dual outside air kits available
- Durable textured powder coat finish

Select a fireplace body and firebrick to make a complete fireplace.

## Wood Fireplace

| Item No | Description                                | Retail  |
|---------|--------------------------------------------|---------|
| WRT6036 | 36" Masonry Fireplace (requires firebrick) | \$3,259 |
| WRT6042 | 42" Masonry Fireplace (requires firebrick) | \$3,399 |
| WRT6050 | 50" Masonry Fireplace (requires firebrick) | \$3,549 |

See page 7 for Required Firebrick.

| Unit    | Outside Air Location | Gas Knockout | Fireplace Opening  | Minimum Framing Dimensions* |         |         |
|---------|----------------------|--------------|--------------------|-----------------------------|---------|---------|
|         |                      |              |                    | Width                       | Height  | Depth   |
| WRT6036 | Right Side           | Right Side   | 36"W x 30"H X 19"D | 45 1/4"                     | 67 1/8" | 28 1/4" |
| WRT6042 | Right Side           | Right Side   | 42"W x 30"H X 23"D | 51 1/4"                     | 67 1/8" | 30 1/8" |
| WRT6050 | Right Side           | Right Side   | 50"W x 30"H X 23"D | 59"                         | 67 1/8" | 30 1/8" |

\* Consult a manual for complete installation requirements.

### Masonry Firebrick *(Required) (Empire stocks Ivory firebrick, other colors are special order.)*

| Item No       | Description            | Retail  |
|---------------|------------------------|---------|
| MOSAIC36M2-IS | 36" Ivory Full Stacked | \$2,899 |
| MOSAIC42M2-IS | 42" Ivory Full Stacked | \$3,099 |
| MOSAIC50M2-IS | 50" Ivory Full Stacked | \$3,199 |
| MOSAIC36M3-IH | 36" Ivory Herringbone  | \$2,999 |
| MOSAIC42M3-IH | 42" Ivory Herringbone  | \$3,199 |
| MOSAIC50M3-IH | 50" Ivory Herringbone  | \$3,299 |

#### Color Key

|          |            |
|----------|------------|
| Midnight | Slate Grey |
| Ivory    | Warm Red   |



Full Stacked



Split Stacked



Full Herringbone



Split Herringbone

|                      |         |         |         |         |
|----------------------|---------|---------|---------|---------|
| <b>36" Fireplace</b> | \$2,899 | \$3,099 | \$2,999 | \$3,199 |
| <b>42" Fireplace</b> | \$3,099 | \$3,299 | \$3,199 | \$3,399 |
| <b>50" Fireplace</b> | \$3,199 | \$3,399 | \$3,299 | \$3,499 |

Call Empire for Item Number.

### Doors

| Item No | Description                      | Retail  |
|---------|----------------------------------|---------|
| BDMO36E | 36" Mosaic Bi-Fold, Ebony Finish | \$899   |
| BDMO42E | 42" Mosaic Bi-Fold, Ebony Finish | \$999   |
| BDMO50E | 50" Mosaic Bi-Fold, Ebony Finish | \$1,099 |



Bi-Fold Door, Ebony

### Outside Air Kits

| Item No | Description                                             | Retail |
|---------|---------------------------------------------------------|--------|
| AK4     | Air Kit with 4" Collar, Hood & 3' Flex for Wall Venting | \$79   |
| AK4X    | Air Kit with 4" Collar and Hood Only for Wall Venting   | \$49   |
| AK4F    | Air Kit Collar, Hood & 3' Flex for Floor Venting        | \$69   |



# 8DM Series

## Chimney Components



Note: 8" Inside Dimension x 12 3/8" Outer Dimension  
Compatible with: WRT/WCT 3000 Series

### Chimney Sections

| Item No | Description         | Retail |
|---------|---------------------|--------|
| 12-8DM  | 12" Chimney Section | \$79   |
| 18-8DM  | 18" Chimney Section | \$99   |
| 24-8DM  | 24" Chimney Section | \$129  |
| 36-8DM  | 36" Chimney Section | \$159  |
| 48-8DM  | 48" Chimney Section | \$169  |



Chimney Section



Elbow Offset & Return

### Elbow

| Item No | Description                 | Retail |
|---------|-----------------------------|--------|
| 30E-8DM | 30° Elbow (Offset & Return) | \$179  |



Chimney Support



Roof Support

### Supports

| Item No | Description                                                     | Retail |
|---------|-----------------------------------------------------------------|--------|
| 12S-8DM | Chimney Support (for use with chimney heights in excess of 30') | \$49   |
| 38RS    | Roof Support (use with flashing)                                | \$99   |




Firestop Spacer



Firestop Spacer 30°

### Firestops/Thimble

| Item No      | Description                                             | Retail |
|--------------|---------------------------------------------------------|--------|
| 3600FS-8DM-1 | Firestop Spacer (1" Clearance)                          | \$39   |
| 30FS-8DM     | Firestop Spacer, 30°                                    | \$69   |
| 38FST        | Firestop Thimble (used when penetrating a joist)        | \$89   |
| FST30        | Firestop Thimble (used when offsetting through a joist) | \$99   |



Firestop Thimble



Roof Flashing

### Roof Flashings

| Item No  | Description                  | Retail |
|----------|------------------------------|--------|
| V6F-8DM  | 0 to 6/12 Pitch Flashing     | \$179  |
| V12F-8DM | 6/12 to 12/12 Pitch Flashing | \$229  |



Round Top w/ Mesh Screen



Round Top w/ Louvers

### Chimney Tops/Storm Collar

| Item No   | Description                       | Retail |
|-----------|-----------------------------------|--------|
| RT-8DM    | Round Top w/ Mesh Screen          | \$109  |
| RLT-8DM   | Round Top w/ Louvers              | \$119  |
| RTT-8DM   | Round Top w/ Slip Section & Mesh  | \$159  |
| ETL-8DM-K | Square Top w/ Slip Section, Black | \$199  |
| SC1-1     | Storm Collar                      | \$39   |



Square Top w/ Slip Section



Storm Collar



Note: 12 3/8" Inside Dimension x 15" Outer Dimension  
 Compatible with: WRT 3500 | WRT 4500 | WRT 6000 Series

### Chimney Sections

| Item No | Description         | Retail |
|---------|---------------------|--------|
| 12-12DM | 12" Chimney Section | \$139  |
| 18-12DM | 18" Chimney Section | \$159  |
| 24-12DM | 24" Chimney Section | \$199  |
| 36-12DM | 36" Chimney Section | \$259  |
| 48-12DM | 48" Chimney Section | \$329  |



Chimney Section



Elbow Offset & Return

### Elbow

| Item No  | Description                 | Retail |
|----------|-----------------------------|--------|
| 30E-12DM | 30° Elbow (Offset & Return) | \$349  |



Chimney Support

### Supports

| Item No  | Description                                                     | Retail |
|----------|-----------------------------------------------------------------|--------|
| 12S-12DM | Chimney Support (for use with chimney heights in excess of 30') | \$189  |




Firestop Spacer



Firestop Spacer 30°

### Firestops/Thimble

| Item No | Description                                              | Retail |
|---------|----------------------------------------------------------|--------|
| FS-10   | Firestop Spacer (2" Clearance)                           | \$59   |
| 30FS-10 | Firestop Spacer, 30°                                     | \$79   |
| FST10   | Thimble (used when penetrating a joist) (Requires FS-10) | \$99   |



Thimble with Firestop Spacer



Roof Flashing

### Roof Flashings

| Item No   | Description                  | Retail |
|-----------|------------------------------|--------|
| V6F-10DM  | 0 to 6/12 Pitch Flashing     | \$179  |
| V12F-10DM | 6/12 to 12/12 Pitch Flashing | \$229  |



Round Top w/ Louvers

### Chimney Tops/Storm Collar

| Item No   | Description                       | Retail |
|-----------|-----------------------------------|--------|
| RLT-12DM  | Round Top w/ Louvered Screen      | \$249  |
| STL-12DMP | Square Top w/ Slip Section, Black | \$499  |
| STL-12D*  | Square Top w/ Slip Section        | \$469  |
| SC2-1     | Storm Collar                      | \$39   |



Square Top w/ Slip Section



Storm Collar

\*Special Order

## Vent-Free & Vented Dual Rated Gas Logs

Superior Gas Logs elevate the traditional log and fire presentation to a much higher level. The combination of authentic looking hand-painted logs with a massive fire and ember bed allows you to have it all. Superior vent-free gas logs are 99% heat efficient, operate during a power outage and can be used in a vented application as well (optional damper clamped required).

## Millivolt Controlled Models

- Continuous ODS safety pilot with matchless push-button ignition
- Manual on-off and variable high-low flame height control
- Remote control ready to accept an optional hand-held remote

## Variable Controlled Models


- Continuous ODS safety pilot with matchless push-button ignition
- Manual on-off and variable high-low flame height control
- Includes remote control with digital display, manual or thermostatic modes and 5 flame height settings

## Electronic Ignition Controlled Models

- Fuel saving electronic intermittent ODS safety pilot with battery back-up
- Manual on-off and 2 position high-low flame height control
- Includes remote control with manual or thermostatic modes and 3 flame height settings

## Minimum Fireplace Dimensions

| Logs                               | Size | Height | Depth | Front Width | Rear Width |
|------------------------------------|------|--------|-------|-------------|------------|
| Boulder Mountain                   | 18"  | 17"    | 14 ½" | 26"         | 20"        |
|                                    | 24"  | 17"    | 14 ½" | 29"         | 22"        |
|                                    | 30"  | 21"    | 14 ½" | 32"         | 22"        |
| Smokey Moutain                     | 18"  | 17"    | 13 ½" | 20"         | 14"        |
|                                    | 24"  | 17"    | 13 ½" | 26"         | 18"        |
|                                    | 30"  | 21"    | 13 ½" | 32"         | 22"        |
| Giant Timbers                      | 24"  | 28"    | 15 ½" | 32 ¼"       | 22 ¾"      |
|                                    | 30"  | 28"    | 15 ½" | 39"         | 26 ¾"      |
|                                    | 36"  | 28"    | 15 ½" | 47"         | 33"        |
| Massive Mixed Oak and Rugged Stack | 18"  | 19"    | 14"   | 28"         | 20"        |
|                                    | 24"  | 19"    | 14"   | 32"         | 22"        |
|                                    | 30"  | 19"    | 14"   | 40"         | 30"        |
| Crescent Hill and Golden Oak       | 18"  | 17"    | 13 ½" | 24"         | 20 ½"      |
|                                    | 24"  | 17"    | 13 ½" | 28"         | 20 ½"      |



### Glow-Ramp Vent-Free Gas Logs

The Glow Ramp Burner Series provides three distinct areas of flame: dancing yellow flames in the rear, glowing logs in the center and vibrant glowing embers in the front. All models are heater rated with 99% heat efficiency and include a wood-burning grate appearance. Pair 18" logs with a 18" burner. Pair 24", 30" and 36" logs with a 24" burner.

Select a Log Set and Burner to make a complete log set.

### Log Sets (Requires Burner)

| Item No  | Description                        | Burner Size Required | Retail |
|----------|------------------------------------|----------------------|--------|
| LBG18BM* | 18" Boulder Mountain, Concrete     | 18"                  | \$299  |
| LBG24BM* | 24" Boulder Mountain, Concrete     | 24"                  | \$339  |
| LBG30BM* | 30" Boulder Mountain, Concrete     | 24"                  | \$379  |
| LBG30SM* | 30" Smokey Mountain, Ceramic Fiber | 24"                  | \$256  |



24" Boulder Mountain, Concrete

### Ramp Burners (Requires Log Set)

| Item No  | Description                                      | Retail  |
|----------|--------------------------------------------------|---------|
| BGE18NR* | 18" Millivolt - NG*                              | \$949   |
| BGE18PR* | 18" Millivolt - LP*                              | \$949   |
| BGE18NV* | 18" Variable with Proflame Remote - NG           | \$1,199 |
| BGE18PV* | 18" Variable with Proflame Remote - LP           | \$1,199 |
| BGE18NE* | 18" Electronic Ignition with Ecoflow Remote - NG | \$1,249 |
| BGE18PE* | 18" Electronic Ignition with Ecoflow Remote - LP | \$1,249 |



24" Smokey Mountain, Ceramic Fiber

| Item No    | Description                                      | Retail  |
|------------|--------------------------------------------------|---------|
| BGE2436NR* | 24" Millivolt - NG*                              | \$1,019 |
| BGE2436PR* | 24" Millivolt - LP*                              | \$1,019 |
| BGE2436NV* | 24" Variable with Proflame Remote - NG           | \$1,229 |
| BGE2436PV* | 24" Variable with Proflame Remote - LP           | \$1,229 |
| BGE2436NE* | 24" Electronic Ignition with Ecoflow Remote - NG | \$1,329 |
| BGE2436PE* | 24" Electronic Ignition with Ecoflow Remote - LP | \$1,329 |

#### Proflame Remote

Included with Variable Ramp Burner

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



#### Ecoflow Remote

Included with Electronic Ramp Burner

- Touchless Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



\*See Skytech Remote Controls in the Hearth Accessory Section for Remote Control Options.

### Optional Accessories

| Item No     | Description                                         | Retail |
|-------------|-----------------------------------------------------|--------|
| VTA-LS5-1** | Log Scraps, Floor Media Kit                         | \$53   |
| VTA-LS5-2** | Log Scraps, Floor Media Kit                         | \$53   |
| FDVS        | Decorative Volcanic Stone                           | \$29   |
| FM100       | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$69   |
| GA6080      | Damper Clamp (Required in vented applications)      | \$29   |
| GA6050      | Black Fireplace Hood                                | \$139  |



Log Scraps 1 (VTA-LS5-1)



Log Scraps 2 (VTA-LS5-2)



Floor Media Kit (FM100)

\*Special Order

\*\*While Supplies Last

### Mega-Flame Vent-Free & Vented Gas Logs

Select the 24", 30" or 36" logs with burner to complete your log set. 24" sets are designed for 36" fireboxes. 30" sets are designed for 42" fireboxes. 36" sets are designed for a 48" and larger firebox.

Select a Log Set (using 2 part numbers ending with TA + TB) and a Burner to make a complete log set.

### Log Sets (Choose 2 - TA & TB of the same name/size, Requires Burner)

| Item No  | Description                          | Burner Size Required | Retail |
|----------|--------------------------------------|----------------------|--------|
| LMF24GTA | 24" Giant Timbers, Concrete (1 of 2) | 24"                  | \$209  |
| LMF24GTB | 24" Giant Timbers, Concrete (2 of 2) | 24"                  | \$209  |
| LMF30GTA | 30" Giant Timbers, Concrete (1 of 2) | 24"                  | \$239  |
| LMF30GTB | 30" Giant Timbers, Concrete (2 of 2) | 24"                  | \$239  |
| LMF36GTA | 36" Giant Timbers, Concrete (1 of 2) | 30"                  | \$269  |
| LMF36GTB | 36" Giant Timbers, Concrete (2 of 2) | 30"                  | \$269  |



Giant Timbers, Concrete

### Mega-Flame Burners (Requires Log Set)

| Item No   | Description                                      | Retail  |
|-----------|--------------------------------------------------|---------|
| MNF24INM* | 24" Millivolt - NG*                              | \$1,119 |
| MNF24IPM* | 24" Millivolt - LP*                              | \$1,119 |
| MNF24INV* | 24" Variable with Proflame Remote - NG           | \$1,329 |
| MNF24IPV* | 24" Variable with Proflame Remote - LP           | \$1,329 |
| MNF24INE* | 24" Electronic Ignition with Ecoflow Remote - NG | \$1,429 |
| MNF24IPE* | 24" Electronic Ignition with Ecoflow Remote - LP | \$1,429 |

| Item No   | Description                                      | Retail  |
|-----------|--------------------------------------------------|---------|
| MNF30INM* | 30" Millivolt - NG*                              | \$1,259 |
| MNF30IPM* | 30" Millivolt - LP*                              | \$1,259 |
| MNF30INV* | 30" Variable with Proflame Remote - NG           | \$1,469 |
| MNF30IPV* | 30" Variable with Proflame Remote - LP           | \$1,469 |
| MNF30INE* | 30" Electronic Ignition with Ecoflow Remote - NG | \$1,569 |
| MNF30IPE* | 30" Electronic Ignition with Ecoflow Remote - LP | \$1,569 |

\*See Skytech Remote Controls in the Hearth Accessory Section for Remote Control Options.

#### Proflame Remote

Included with Variable Mega-Flame Burner

- LED Digital Display
- Manual & T-Stat Modes
- On-Off & 5 Flame Heights



#### Ecoflow Remote

Included with Electronic Mega-Flame Burner

- Touchless Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



Log Scraps 1 (VTA-LS5-1)



Log Scraps 2 (VTA-LS5-2)

### Optional Accessories

| Item No     | Description                                         | Retail |
|-------------|-----------------------------------------------------|--------|
| LAMF        | Accessory Log Kit for Giant Timbers                 | \$199  |
| VTA-LS5-1** | Log Scraps, Floor Media Kit                         | \$53   |
| VTA-LS5-2** | Log Scraps, Floor Media Kit                         | \$53   |
| FDVS        | Decorative Volcanic Stone                           | \$29   |
| FM100       | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$69   |
| GA6080      | Damper Clamp (Required in vented applications)      | \$29   |
| GA6050      | Black Fireplace Hood                                | \$139  |

\*Special Order

\*\*While Supplies Last



Accessory Log Kit for Giant Timbers (LAMF)



Damper Clamp (GA6080)



Floor Media Kit (FM100)

### Triple-Flame Vent-Free & Vented Gas Logs

The Triple-Flame Series provides multiple rows of flame that give a unique flame presentation. All models include a wood-burning grate appearance and glowing ember bed. Pair 18" logs with a 18" burner. Pair 24" and 30" logs with a 24" burner.

**Select a Log Set and Burner to make a complete log set.**

### Log Sets (Requires Burner)

| Item No  | Description                          | Burner Size Required | Retail |
|----------|--------------------------------------|----------------------|--------|
| LTF18MM* | 18" Massive Mixed Oak, Ceramic Fiber | 18"                  | \$245  |
| LTF30MM* | 30" Massive Mixed Oak, Ceramic Fiber | 24"                  | \$314  |
| LTF18RS  | 18" Rugged Stack, Concrete           | 18"                  | \$299  |
| LTF24RS  | 24" Rugged Stack, Concrete           | 24"                  | \$339  |
| LTF30RS  | 30" Rugged Stack, Concrete           | 24"                  | \$379  |



Massive Mixed Oak, Ceramic Fiber



Rugged Stack, Concrete

### Triple-Flame Burners (Requires Log Set)

| Item No | Description                                      | Retail  |
|---------|--------------------------------------------------|---------|
| TF18NR  | 18" Millivolt - NG*                              | \$949   |
| TF18PR  | 18" Millivolt - LP*                              | \$949   |
| TF18NE  | 18" Electronic Ignition with Ecoflow Remote - NG | \$1,259 |
| TF18PE  | 18" Electronic Ignition with Ecoflow Remote - LP | \$1,259 |

| Item No  | Description                                      | Retail  |
|----------|--------------------------------------------------|---------|
| TF2430NR | 24" Millivolt - NG*                              | \$1,019 |
| TF2430PR | 24" Millivolt - LP*                              | \$1,019 |
| TF2430NE | 24" Electronic Ignition with Ecoflow Remote - NG | \$1,329 |
| TF2430PE | 24" Electronic Ignition with Ecoflow Remote - LP | \$1,329 |

\*See Skytech Remote Controls in the Hearth Accessory Section for Remote Control Options.

#### Ecoflow Remote

Included with Electronic Triple Flame Burner

- Touchless Digital Display
- Manual & T-Stat Modes
- On-Off & 3 Flame Heights
- Weekday/Weekend Modes
- Wall Mount Docking Station



### Optional Accessories

| Item No    | Description                                         | Retail |
|------------|-----------------------------------------------------|--------|
| VTA-LS5-1* | Log Scraps, Floor Media Kit                         | \$53   |
| VTA-LS5-2* | Log Scraps, Floor Media Kit                         | \$53   |
| FDVS       | Decorative Volcanic Stone                           | \$29   |
| FM100      | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$69   |
| GA6080     | Damper Clamp (Required in vented applications)      | \$29   |
| CIKA       | Gas Appliance Installation Kit                      | \$119  |
| GA6050     | Black Fireplace Hood                                | \$139  |



Log Scraps 1 (VTA-LS5-1)



Log Scraps 2 (VTA-LS5-2)



Floor Media Kit (FM100)

\*While Supplies Last

# Double-Flame

Vent-Free & Vented Dual Rated Gas Logs



## Double-Flame Vent-Free & Vented Gas Logs

This Double-Flame Series allows the use of any log set (Golden Oak or Crescent Hill) with any of the burners. This Series offer value and performance along with hand painted logs for a more realistic look. Millivolt (Remote Ready) or manual control. All models are dual-listed for vent-free and vented applications.

Select a Log Set and Burner to make a complete log set.

### Log Sets (Requires Burner)

| Item No   | Description                        | Retail |
|-----------|------------------------------------|--------|
| LVD18CH*  | 18" Crescent Hill Logs, Concrete   | \$309  |
| LVD24CH*  | 24" Crescent Hill Logs, Concrete   | \$339  |
| LVD18GO** | 18" Golden Oak Logs, Ceramic Fiber | \$259  |
| LVD24GO** | 24" Golden Oak Logs, Ceramic Fiber | \$299  |



Crescent Hill, Concrete

### Double-Flame Burners (Requires Log Set)

| Item No   | Description            | Retail |
|-----------|------------------------|--------|
| VD1824NR* | 18"/24" Millivolt - NG | \$519  |
| VD1824PR* | 18"/24" Millivolt - LP | \$519  |



Golden Oak, Ceramic Fiber

### Remote Controls (Optional)

See Skytech Remote Controls in the Hearth Accessory section for additional remote control options

| Item No      | Description                    | Retail |
|--------------|--------------------------------|--------|
| SKY-1001-A   | Remote, On/Off - DC            | \$165  |
| SKY-1001TH-A | Remote, On/Off Thermostat - DC | \$190  |

### Optional Accessories

| Item No     | Description                                         | Retail |
|-------------|-----------------------------------------------------|--------|
| VTA-LS5-1** | Log Scraps, Floor Media Kit                         | \$53   |
| VTA-LS5-2** | Log Scraps, Floor Media Kit                         | \$53   |
| FDVS        | Decorative Volcanic Stone                           | \$29   |
| FM100       | Floor Media Kit (Includes Lava Rock/Embers/Cinders) | \$69   |
| GA6080      | Damper Clamp (Required in vented applications)      | \$29   |
| CIKA        | Gas Appliance Installation Kit                      | \$119  |
| GA6050      | Black Fireplace Hood                                | \$139  |



Black Fireplace Hood (GA6050)



Damper Clamp (GA6080)



Gas Appliance Installation Kit (CIKA)

\*Special Order

\*\*While Supplies Last



Log Scraps 1 (VTA-LS5-1)



Log Scraps 2 (VTA-LS5-2)



Floor Media Kit (FM100)