



# SUPERIOR GAS & WOOD FIREBOXES & FIREPLACES

FIREBOXES | FIREPLACES | LINEAR FIRE PITS

REV: 05/01/23

As outdoor living spaces grow in popularity and scale, so does the demand for Outdoor Fireplaces. There are many things to consider when selecting an outdoor fireplace to ensure you have the correct fireplace for your customer. Safety, function, and aesthetics should all be considered when making your choice. It's helpful to know the fireplace types, installation parameters, features and benefits of each type of appliance before purchasing a fireplace. Take a moment to get better understanding of the fireplace types before planning your project. Always refer to the owner's manual for proper installation practices.

## TABLE OF CONTENTS

### VENTLESS GAS

- 36" & 42" Fireboxes ..... 162
- Gas Logs & Burners ..... 163
- 36 & 42" Fireplace (Complete) ..... 164
- Linear Single Sided/See-Through ..... 165

### WOOD FIREPLACE

- WRE 3000 Pro Series ..... 166
- WRE 4500 Custom Series ..... 167
- WRE 6000 Signature Series ..... 168

### LOG LIGHTERS, VALVES & KEYS

- Log Lighters, Valves & Keys ..... 169

### VENTING

- 8DM Series ..... 170
- 12DM Series ..... 171

### WOOD ACCESSORIES

- Grates, Log Racks, Tool Set & Screen .... 172

### LITERATURE

Item No	Description	Retail
785724M	Superior VRE 3200 VF Fireplace	N/C
785704M	Superior VRE 4600 VF Linear Fireplace	N/C
785723M	Superior VRE 4200 VF Firebox	N/C
785692M	Superior Mega-Flame VF Gas Logs	N/C

# 36" & 42" FIREBOXES

Vent-Free Fireboxes



The VRE4200 Series outdoor vent-free firebox offers a durable and attractive stainless steel appearance that is right at home in any outdoor living space. The firebox's refractory brick panels are molded from actual hand-cut firebrick in a traditional stacked or herringbone pattern. Combine with a variety of vent-free gas logs for a beautiful customized fireplace that will provide years of carefree outdoor living enjoyment. 28" Tall Opening. 36" Unit uses 24" Log Set, 42" Unit uses 30" Log Set. For Outdoor Use Only.

## VENT-FREE FIREBOX *(Giant Timber Logs & Burner Sold Separately. See page 163 for Log Set.)*

Item No	Description	Retail
VRE4236WS	36" Full View Fireplace, White Stacked Refractory Panels	\$2,069
VRE4236WH	36" Full View Fireplace, White Herringbone Refractory Panels	\$2,179
VRE4242WS	42" Full View Fireplace, White Stacked Refractory Panels	\$2,519
VRE4242WH	42" Full View Fireplace, White Herringbone Refractory Panels	\$2,639

## OPTIONS

Item No	Description	Retail
DPSS36	36" Drain Pan (Increases framing height by 3/4")	\$299
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$299
DPSS42	42" Drain Pan (Increases framing height by 3/4")	\$406
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$353
OAK-UVFRC	Outside Air Kit with Duct (For use with 36" & 42" units)	\$117

## FRAMING DIMENSIONS

Model	Framing Height	Framing Width	Framing Depth
VRE4236	46 1/2"	42 3/4"	20 1/2"
VRE4242	46 1/2"	48 3/4"	20 1/2"



White Stacked Refractory Panel



White Herringbone Refractory Panel

# GAS LOGS & BURNERS

Vent-Free & Vented Dual Rated Outdoor Gas Logs



## MEGA-FLAME OUTDOOR GAS LOGS

Select a Log Set and a Burner to make a complete set. Millivolt models are remote ready.

Electronic models include a variable remote control. 24" sets are designed for large 36" fireboxes. 30" sets are designed for larger 42" fireplaces. 36" sets are designed for a 48" and larger firebox.

**Select a Log Set (using 2 part numbers ending with TA + TB) and a Burner to make a complete log set.**

## LOG SETS

(Choose 2 - TA & TB of the same name/size, Requires Burner)

Item No	Description	Burner Size Required	Retail
LMF24GTA	Giant Timbers 24" VF Logs, Concrete (1 of 2)	24"	\$219
LMF24GTB	Giant Timbers 24" VF Logs, Concrete (2 of 2)	24"	\$219
LMF30GTA	Giant Timbers 30" VF Logs, Concrete (1 of 2)	24"	\$259
LMF30GTB	Giant Timbers 30" VF Logs, Concrete (2 of 2)	24"	\$259
LMF36GTA	Giant Timbers 36" VF Logs, Concrete (1 of 2)	30"	\$289
LMF36GTB	Giant Timbers 36" VF Logs, Concrete (2 of 2)	30"	\$289



Giant Timbers, Concrete

## BURNERS

(Requires Log Set)

Item No	Description	Log Set Size Required	Retail
MNF24ONE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - NG	24" / 30"	\$1,959
MNF24OPE	24" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - LP	24" / 30"	\$1,959
MNF24ONM*	24" Millivolt, VF Ember Bed Stainless Burner - NG	24" / 30"	\$1,649
MNF24OPM*	24" Millivolt, VF Ember Bed Stainless Burner - LP	24" / 30"	\$1,649

Item No	Description	Log Set Size Required	Retail
MNF30ONE	30" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - NG	36"	\$2,099
MNF30OPE	30" Electronic, VF Ember Bed Stainless Burner, with Variable Remote - LP	36"	\$2,099
MNF30ONM*	30" Millivolt, VF Ember Bed Stainless Burner - NG	36"	\$1,839
MNF30OPM*	30" Millivolt, VF Ember Bed Stainless Burner - LP	36"	\$1,839

## OPTIONAL ACCESSORIES

Item No	Description	Retail
LAMF	Accessory Log Kit for Giant Timbers	\$213
FDVS	Decorative Volcanic Stone	\$32
GA6080	Damper Clamp (Required in vented applications)	\$32
GA6050	Black Fireplace Hood	\$149
SKY-1001-A	Remote Control ON/OFF (for Millivolt burners)	\$173



Accessory Log Kit for Giant Timbers (LAMF)



Damper Clamp (GA6080)

\*Special Order



# 36" & 42" FIREPLACE COMPLETE

## Gas Vent-Free Outdoor Fireplace



The VRE3200 Series brings together rugged stainless steel components and easy installation for reliable outdoor use. These fireplaces come standard with a 28 1/2" tall opening, detailed ceramic fiber logs, stainless steel grate and burner, hidden battery operated electronic ignition control, wireless remote control and choice of White Stacked or White Herringbone refractory liners and floor.

### VENT-FREE OUTDOOR FIREPLACE

Item No	Description	Retail
VRE3236ZENWS	36" Outdoor Fireplace w/ Electronic Ignition & White Stacked Refractory Panels, NG	\$3,899
VRE3236ZENWH	36" Outdoor Fireplace w/ Electronic Ignition & White Herringbone Refractory Panels, NG	\$4,009
VRE3242ZENWS	42" Outdoor Fireplace w/ Electronic Ignition & White Stacked Refractory Panels, NG	\$4,249
VRE3242ZENWH	42" Outdoor Fireplace w/ Electronic Ignition & White Herringbone Refractory Panels, NG	\$4,359

### OPTIONS

Item No	Description	Retail
DPSS36	36" Drain Pan	\$299
WC36SL	36" Outdoor Weather Cover, Stainless Steel	\$449
HOOD36ODSL	36" Outdoor Hood Kit, Brushed Stainless Steel	\$299
DPSS42	42" Drain Pan	\$406
WC42SL	42" Outdoor Weather Cover, Stainless Steel	\$481
HOOD42ODSL	42" Outdoor Hood Kit, Brushed Stainless Steel	\$353
GCKSLLXNP	Conversion Kit, NG to LP (For use with 36" and 42" units)	\$128
FDVS	Decorative Volcanic Stone	\$32



White Stacked Refractory Panel



White Herringbone Refractory Panel



Weather Cover

Unit	Gas Knockout	BTU's	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
VRE3236	Both Side	30,000-45,000	37"W x 28 1/2"H x 17"D	42 3/4"	46 1/2"	20 1/2"
VRE3242	Both Side	30,000-45,000	43"W x 28 1/2"H x 17"D	48 3/4"	46 1/2"	20 1/2"

\* Consult a manual for complete installation requirements.

# LINEAR OUTDOOR FIREPLACES

Single Sided/See Through



Units ship in a single-sided configuration. These units include adjustable LED interior lights, Diamond Crystal large crushed glass media. Customers can customize with optional Onyx Black and Sapphire Blue Crystal crushed glass media and a remote control. Can be converted to a See-Through Fireplace. For Outdoor Use Only.

## VENT-FREE LINEAR OUTDOOR FIREPLACE

Item No	Description	Retail
ODLVF48ZEN	48" VF Linear Fireplace, Electronic Ignition, NG	\$6,069
ODLVF60ZEN	60" VF Linear Fireplace, Electronic Ignition, NG	\$6,759
ODLVF72ZEN	72" VF Linear Fireplace, Electronic Ignition, NG	\$8,249

## ACCESSORIES

Item No	Description	Retail
GLO-BLACK	Crushed Glass, Large Onyx Black (5 lb bag)	\$85
GLO-CRYSTAL	Crushed Glass, Large Diamond Crystal (5 lb bag)	\$85
GLO-SAPPHIRE	Crushed Glass, Large Sapphire Blue (5 lb bag)	\$85
EF-BRCK	Remote, On/Off, High/Low Electronic	\$160
EF-WWRCK	Remote, Wireless Wall Mount, On/Off, High/Low Electronic	\$160
BLWS48-B	48" Stainless Steel Outdoor Weather Cover	\$823
BLWS60-B	60" Stainless Steel Outdoor Weather Cover	\$1,048
BLWS72-B	72" Stainless Steel Outdoor Weather Cover	\$1,283

## PROPANE CONVERSION KITS

Item No	Description	Retail
LPK2	48" Conversion Kit, Electronic NG to LP	\$128
LPK3	60" Conversion Kit, Electronic NG to LP	\$128
LPK4	72" Conversion Kit, Electronic NG to LP	\$128

## SEE-THROUGH CONVERSION KITS

Item No	Description	Retail
LVOST48	48" See Through Conversion Kit	\$823
LVOST60	60" See Through Conversion Kit	\$995
LVOST72	72" See Through Conversion Kit	\$1,091

\*Special Order

Unit	Gas Knockout	BTU's	Fireplace Opening	Minimum Framing Dimensions*		
				Width	Height	Depth
ODLVF48ZEN	Bottom	24,500-43,500	48"W x 16"H	52 ½"	37 ¾"	16 ¼" Single / 15" See-Through
ODLVF60ZEN	Bottom	36,000-50,000	60"W x 16"H	64 ½"	37 ¾"	16 ¼" Single / 15" See-Through
ODLVF72ZEN	Bottom	42,000-65,000	72"W x 16"H	76 ½"	37 ¾"	16 ¼" Single / 15" See-Through

\* Consult a manual for complete installation requirements.

# OUTDOOR WRE 3000 PRO SERIES

Woodburning Fireplace



## SPECIFICATIONS *Uses 8DM 1700° chimney. See page 170.*

- Radiant smooth-faced
- Refractory white stacked or herringbone panels
- Heavy duty stainless steel log grate
- Easy access damper control
- Stainless steel screens retract into hidden screen pockets
- Adjustable outside air damper
- Full length nailing flanges
- Drywall stops
- Dual access pre-wired junction boxes
- Stainless steel construction for long lasting outdoor use

## WOOD FIREPLACE *Standard size with refractory panels.*

Item No	Description	Retail
WRE3036WS	36" Outdoor Fireplace w/White Stacked Refractory Panels	\$2,519
WRE3042WS	42" Outdoor Fireplace w/White Stacked Refractory Panels	\$3,469
WRE3036WH	36" Outdoor Fireplace w/White Herringbone Refractory Panels	\$2,629
WRE3042WH	42" Outdoor Fireplace w/White Herringbone Refractory Panels	\$3,569



White Stacked Refractory Panel



White Herringbone Refractory Panel

## DOORS *(Optional)*

Item No	Description	Retail
BDO36	36" Outdoor Bi-Fold Doors, Black	\$320
BDO42	42" Outdoor Bi-Fold Doors, Black	\$374



Bi-Fold Door, Black

## OPTIONS

Item No	Description	Retail
DP36	36" Drain Pan w/1" Stainless Decorative Face Ext	\$299
DP42	42" Drain Pan w/1" Stainless Decorative Face Ext	\$353
HS36	36" Stainless Steel Hood w/4" Brow	\$235
HS42	42" Stainless Steel Hood w/4" Brow	\$299

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE3036	Left Side	35"W x 21"H x 14 1/4"D	41 3/4"	41 3/4"	21 1/8"
WRE3042	Left Side	39"W x 24"H x 16 1/4"D	49 3/4"	47 3/4"	23 1/2"

\* Consult a manual for complete installation requirements.



# OUTDOOR WRE 4500 CUSTOM SERIES

Woodburning Fireplace



## SPECIFICATIONS *Uses 12DM 1700° chimney. See page 171.*

- 30" tall opening with panels extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control
- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- Refractory white stacked or herringbone panels

## WOOD FIREPLACE *X-Large opening with refractory panels.*

Item No	Description	Retail
WRE4536WS	36" Fireplace w/White Stacked Refractory Panels	\$5,509
WRE4542WS	42" Fireplace w/White Stacked Refractory Panels	\$5,609
WRE4550WS	50" Fireplace w/White Stacked Refractory Panels	\$5,899
WRE4536WH	36" Fireplace w/White Herringbone Refractory Panels	\$5,609
WRE4542WH	42" Fireplace w/White Herringbone Refractory Panels	\$5,729
WRE4550WH	50" Fireplace w/White Herringbone Refractory Panels	\$6,019



White Stacked Refractory Panel



Herringbone Refractory Panel

## DOORS *(Optional)*

Item No	Description	Retail
BDG36	36" Bi-Fold Door, Black	\$534
BDG42	42" Bi-Fold Door, Black	\$588
BD50	50" Bi-Fold Door, Black	\$588



Bi-Fold Door, Black

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE4536	Left Side	36" W x 30" H x 20" D	45 3/4"	67 1/2"	28 1/4"
WRE4542	Left Side	42" W x 30" H x 23 1/2" D	51 3/4"	67 1/2"	30 1/4"
WRE4550	Left Side	50" W x 30" H x 23 1/4" D	59 3/4"	67 1/2"	30 1/4"

\* Consult a manual for complete installation requirements.

# OUTDOOR WRE 6000 SIGNATURE SERIES

Woodburning Fireplace



## SPECIFICATIONS *Uses 12DM 1700° chimney. See page 171.*

- 30" tall opening with firebrick extending to the front edge
- Fully insulated firebox
- Heavy duty stainless steel log grate
- Easy access damper control
- Includes stainless steel mesh fire screens
- Stainless steel construction for long lasting outdoor use
- 16 refractory firebrick choices

*Must purchase fireplace and masonry firebrick to make a complete unit.*

## WOOD FIREPLACE *X-Large opening*

Item No	Description	Retail
WRE6036	36" Outdoor Masonry Fireplace (requires firebrick)	\$5,039
WRE6042	42" Outdoor Masonry Fireplace (requires firebrick)	\$5,159
WRE6050	50" Outdoor Masonry Fireplace (requires firebrick)	\$5,439

## MASONRY FIREBRICK *(Required)*

### Color Key

Midnight	Slate Grey
Ivory	Warm Red



Full Stacked

Split Stacked

Full Herringbone

Split Herringbone

	Full Stacked	Split Stacked	Full Herringbone	Split Herringbone
36" Fireplace	\$3,102	\$3,316	\$3,209	\$3,423
42" Fireplace	\$3,316	\$3,530	\$3,423	\$3,637
50" Fireplace	\$3,423	\$3,637	\$3,530	\$3,744

Call Empire for Item Number.

## DOORS *(Optional)*

Item No	Description	Retail
BDMO36E	36" Bi-Fold Door, Ebony	\$962
BDMO42E	42" Bi-Fold Door, Ebony	\$1,069
BDMO50E	50" Bi-Fold Door, Ebony	\$1,176



Bi-fold Door

Unit	Gas Knockout	Fireplace Opening	Minimum Framing Dimensions*		
			Width	Height	Depth
WRE6036	Right Side	36"W x 30"H x 19"D	45 5/8"	67 1/8"	30 1/8"
WRE6042	Right Side	42"W x 30"H x 21 3/4"D	51 1/8"	67 1/8"	31"
WRE6050	Right Side	50"W x 30" H x 21 3/4"D	59 3/4"	67 1/8"	31"

\* Consult a manual for complete installation requirements.



Gas Lighters provide an easy way to light a wood fire in a fireplace.

**New Installation Requires:**

- 1 - Valve Combo Pack
- 1 - Universal Gas Mixer AND
- 1 - Log Lighter Burner Pipe

## DANTE VALVE COMBO PACK

Designed to be used with Log Lighter with Mixing Chamber.

Includes: Dante Valve, Floor Plate, and Key

Item No	Description	Retail
CP.910.BR	Straight 1/2" Valve, Brass w/ Key	\$34
CP.910.CR	Straight 1/2" Valve, Chrome w/ Key	\$34
CP.911.BR	Angled 1/2" Valve, Brass w/ Key	\$34
CP.911.CR	Angled 1/2" Valve, Chrome w/ Key	\$34
CP.BVS2.CR.B	Straight 3/4" Valve, Chrome (Key Not Included)	\$52



## UNIVERSAL GAS MIXERS

Item No	Description	Retail
711.U.LP	Liquid Propane Mixer (approximately 4" in length.)	\$22
711.U.NG	Natural Gas Mixer (approximately 4" in length.)	\$22



Universal Gas Mixer, LP

## BURNER PIPES - STAINLESS STEEL

Item No	Description	Retail
717SS	17" Stainless Steel Burner Pipe	\$33
724SS	24" Stainless Steel Burner Pipe	\$52
730SS	30" Stainless Steel Burner Pipe	\$60



Stainless Steel Burner Pipe

## KEYS

Universal gas key is the perfect tool for controlling gas in your fireplace. Works with 1/4" and 5/16" socket sizes.

Item No	Description	Retail
NKY.3.BR	3" Gas Valve Key, Brass	\$7
NKY.3.CR	3" Gas Valve Key, Chrome	\$7
NKY.8.BR	8" Gas Valve Key, Brass	\$10
NKY.8.CR	8" Gas Valve Key, Chrome	\$10
NKY.12.BR	12" Gas Valve Key, Brass	\$15
NKY.12.CR	12" Gas Valve Key, Chrome	\$15
NKY.18.BR	18" Gas Valve Key, Brass	\$21
NKY.18.CR	18" Gas Valve Key, Chrome	\$21
NKY.24.BR	24" Gas Valve Key, Brass	\$28
NKY.24.CR	24" Gas Valve Key, Chrome	\$28



# 8DM SERIES

## Chimney Components



Note: 8" Inside Dimension x 12 3/8" Outer Dimension

### CHIMNEY SECTIONS

Item No	Description	Retail
12-8DM	12" Chimney Section	\$85
18-8DM	18" Chimney Section	\$106
24-8DM	24" Chimney Section	\$139
36-8DM	36" Chimney Section	\$171
48-8DM	48" Chimney Section	\$181



Chimney Section



Elbow Offset & Return

### ELBOW

Item No	Description	Retail
30E-8DM	30° Elbow (Offset & Return)	\$192



Chimney Support



Roof Support

### SUPPORTS

Item No	Description	Retail
12S-8DM	Chimney Support (for use with chimney heights in excess of 30')	\$53
38RS	Roof Support (use with flashing)	\$106




Firestop Spacer



Firestop Spacer 30°

### FIRESTOPS/THIMBLE

Item No	Description	Retail
3600FS-8DM-1	Firestop Spacer (1" Clearance)	\$42
30FS-8DM	Firestop Spacer, 30°	\$74
38FST	Firestop Thimble (used when penetrating a joist)	\$96
FST30	Firestop Thimble (used when offsetting through a joist)	\$106



Firestop Thimble



Roof Flashing

### ROOF FLASHINGS

Item No	Description	Retail
V6F-8DM	0 to 6/12 Pitch Flashing	\$192
V12F-8DM	6/12 to 12/12 Pitch Flashing	\$246



Round Top w/ Mesh Screen



Round Top w/ Louvers

### CHIMNEY TOPS/STORM COLLAR

Item No	Description	Retail
RT-8DM	Round Top w/ Mesh Screen	\$117
RLT-8DM	Round Top w/ Louvers	\$128
RTT-8DM	Round Top w/ Slip Section & Mesh	\$171
ETL-8DM-K	Square Top w/ Slip Section, Black	\$213
SC1-1	Storm Collar	\$42



Square Top w/ Slip Section



Storm Collar

# 12DM SERIES

## Chimney Components



Note: 12 3/8" Inside Dimension x 15" Outer Dimension

### CHIMNEY SECTIONS

Item No	Description	Retail
12-12DM	12" Chimney Section	\$149
18-12DM	18" Chimney Section	\$171
24-12DM	24" Chimney Section	\$213
36-12DM	36" Chimney Section	\$278
48-12DM	48" Chimney Section	\$353



Chimney Section



Elbow Offset & Return

### ELBOW

Item No	Description	Retail
30E-12DM	30° Elbow (Offset & Return)	\$374



Chimney Support

### SUPPORTS

Item No	Description	Retail
12S-12DM	Chimney Support (for use with chimney heights in excess of 30')	\$203




Firestop Spacer



Firestop Spacer 30°

### FIRESTOPS/THIMBLE

Item No	Description	Retail
FS-10	Firestop Spacer (2" Clearance)	\$64
30FS-10	Firestop Spacer, 30°	\$85
FST10	Firestop Thimble (used when penetrating a joist)	\$106



Firestop Thimble



Roof Flashing

### ROOF FLASHINGS

Item No	Description	Retail
V6F-10DM	0 to 6/12 Pitch Flashing	\$192
V12F-10DM	6/12 to 12/12 Pitch Flashing	\$246



Round Top  
w/ Louvers

### CHIMNEY TOPS/STORM COLLAR

Item No	Description	Retail
RLT-12DM	Round Top w/Louvered Screen	\$267
STL-12DMP	Square Top w/Slip Section, Black	\$534
STL-12D*	Square Top w/Slip Section	\$502
SC2-1	Storm Collar	\$42



Square Top  
w/ Slip Section



Storm Collar

\*Special Order



# ACCESSORIES

## Grates, Log Racks, Tool Set & Screen

### GRATES (Pilgrim)

Stainless Steel Grates      H = Height | FW = Front Width | BW = Back Width | D = Depth



Item No	Description	H	FW	BW	D	Retail
18633	Grate	4"	22"	16"	16 ¼"	\$208
18634	Grate	4"	25"	21"	16 ¼"	\$224
18635	Grate	4"	28"	25"	16 ¼"	\$269
18636	Grate	4"	32"	27"	16 ¼"	\$314

### LOG RACKS (Hy-C)



Log Rack  
*Small*  
28"L x 12"W x 33"H

**SLRS      \$117**



Log Rack  
*Medium*  
45"L x 14"W x 46"H

**SLRM      Rack      \$131**  
**SLRCD-M      Cover      \$45**



Log Rack  
*X-Large*  
96"L x 14"W x 46"H

**SLRXL      Rack      \$218**  
**SLRCD-XL      Cover      \$73**



Log Rack Cover

### TOOL SET (Pilgrim)



28" Newport  
*Stainless Steel*  
**18092      \$399**

### SCREEN (Pilgrim)



39" W x 31"H Newport  
*Stainless Steel*  
**18257      \$409**

See the *Hearth Accessories* section of our *Empire Distributing Hearth Catalog* for additional Accessories.