



VALCOURT

WOOD FIREPLACES

REV: 10/18/22

Valcourt
The Fireplace of Your Dreams

TABLE OF CONTENTS

High Efficiency

Lafayette II Square	2
Lafayette II Arched	3
Waterloo Square	4
Waterloo Arched.....	5

Decorative & Clean Burning

Antoinette.....	6
Frontenac.....	7
Saint-Laurent	8

Literature

Item No	Description	Retail
VALCOURT	Valcourt Wood Fireplaces	N/C

Lafayette II Square

Performance

Valcourt
The Fireplace of Your Dreams



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP10RS	FP10R Lafayette II Square High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$3,649
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$122.06

Door Overlay (Required)

Item No	Description	Retail
VA10RES07	Black Door Overlay	\$100
VA10RES40	Brushed Nickel Door Overlay	\$350

Faceplate (Required)

Item No	Description	Retail
VA10FS06	Faceplate, Black Square	\$500

Faceplate Louvers (Required)

Item No	Description	Retail
VA10LS01	Classic Style	\$250
VA10LS02*	Arabesque Style	\$250
VA10LS03*	Urban Style	\$250
VA10LS04	Mission Style	\$350
VA10LS05*	Crown Style	\$400



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

Options

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$300
AC01223	Heat Shield for Surround/Shelf	\$120
AC01347	Fresh Air Intake Register w/Airtight Damper 4"	\$230
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$60
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$950
AC01350	Insulated Flexible Pipe for Forced Air Kit (6" x 25')	\$200
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$400
AC01389	Hot Air Gravity Distribution Kit - Modern w/Adjustable Pipes	\$600
AC09200	Carrying Handle Kit	\$90

*Special Order

Technical Data

Specifications	Lafayette
BTU	75,000
Heating Capacity	750-2,200 sq ft
Emissions	1.14 g/hr
Firebox Size	2.5 cu ft
Log Length	20"
Flue Pipe Diameter	6" Class A*
Weight	493 lbs
Overall Dimensions	40 5/8"H x 36 3/4"W x 25"D

*See Installation Manual for complete installation requirements.



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP10R	FP10R Lafayette Arched II High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$3,649
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$122.06

Door Overlay (Required)

Item No	Description	Retail
VA10RE07	Black Door Overlay	\$100
VA10RE40	Brushed Nickel Door Overlay	\$350

Faceplate (Required)

Item No	Description	Retail
VA10FA06	Faceplate, Black Arched	\$500

Faceplate Louvers (Required)

Item No	Description	Retail
VA10L01	Classic Style	\$250
VA10L02	Arabesque Style	\$250
VA10L03	Urban Style	\$250
VA10L04	Mission Style	\$350
VA10L05	Crown Style	\$400



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

Options

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$300
AC01223	Heat Shield for Surround/Shelf	\$120
AC01347	Fresh Air Intake Register w/Airtight Damper 4"	\$230
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$950
AC01350	Insulated Flexible Pipe for Forced Air Kit (6" x 25')	\$200
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$400
AC01389	Hot Air Gravity Distribution Kit - Modern w/ Adjustable Pipes	\$600
AC09200	Carrying Handle Kit	\$90



Fresh Air Intake Register
AC01347



Forced Air Distribution Kit
AC01374



Hot Air Gravity Distribution Kit
Traditional AC01375



Hot Air Gravity Distribution Kit
Modern w/ Adj Pipes AC01389

Technical Data See page 2



Select one fireplace body, faceplate, and brick panels to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP15	FP15 Waterloo Square High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$4,999
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$171.19

Faceplate (Required)

Item No	Description	Retail
VA15FL06	Crown Style, Painted Black	\$850

Brick Panels (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650

Options

Item No	Description	Retail
AC01349	Fresh Air Intake Register w/Airtight Damper 5"	\$250
AC01378	Warm Air Circulation Grill, Modern Style	\$350
VA4460	Forced Air Distribution Kit	\$750
AC01350	Insulated Flexible Pipe for Forced Air Kit (6"x25')	\$200

Technical Data

Specifications	Waterloo
BTU	95,000
Heating Capacity	1,000-2,800 sq ft
Emissions	1.6 g/hr
Maximum Burn Time	10 hrs
Firebox Size	4.28 cu ft
Log Length	25"
Flue Pipe Diameter	8" Class A*
Weight	545 lbs
Overall Dimensions	43 3/8"H x 50 3/4"W x 28 1/2"D

*See Installation Manual for complete installation requirements.



Refractory Molded Brick Panels
AC02360



Warm Air Circulation Grill
AC01378



Forced Air Distribution Kit
VA4460



Select one fireplace body, faceplate, and brick panels to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP15A	FP15 Waterloo Arched High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$4,899
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$171.19

Faceplate (Required)

Item No	Description	Retail
VA15FA06	Arched, Painted Black	\$650

Brick Panels (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650



Refractory Molded Brick Panels
AC02360

Faceplate Louvers (Required)

Item No	Description	Retail
VA15L01	Classic Style	\$300
VA15L02*	Arabesque Style	\$400
VA15L03*	Urban Style	\$400
VA15L04*	Mission Style	\$400



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers

Options

Item No	Description	Retail
AC01349	Fresh Air Intake Register w/Airtight Damper 5"	\$250
AC01378	Warm Air Circulation Grill, Modern Style	\$350
VA4460	Forced Air Distribution Kit	\$750
AC01350	Insulated Flexible Pipe for Forced Air Kit (6"x25')	\$200

*Special Order

Technical Data See page 4



Select one fireplace body, trim kit and brick panels to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP7CB	FP7LM Antoinette Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$4,999
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$171.19

Trim Kit *(Required)*

Item No	Description	Retail
VA7FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$350
VA7TR	Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$250



Narrow Overlap Trim Kit
VA7E06

Brick Panels *(Required)*

Item No	Description	Retail
VA7071BR	Classic Molded Refractory Brick Panels	\$750
VA7071M	Contemporary Molded Refractory Brick Panels	\$850



Masonry Trim Kit
VA7TR

Options

Item No	Description	Retail
AC01347	Fresh Air Intake Register w/Airtight Damper 4"	\$230

Technical Data

Specifications	Antoinette
Heating Capacity	up to 1,000 sq ft
Firebox Size	5.3 cu ft
Log Length	18"
Flue Pipe Diameter	8" Class A*
Weight	523 lbs
Overall Dimensions	64 1/8"H x 48 7/8"W x 30 3/4"D

*See Installation Manual for complete installation requirements.



Classic Brick
VA7071BR



Contemporary Brick
VA7071M



Select one fireplace body, trim kit and refractory panels to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP11	FP11 Frontenac Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$7,599
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$171.19

Trim Kit (Required)

Item No	Description	Retail
VA11FA06	Arched Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$450
VA11FE06	Straight Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$500
VA11TA	Arched Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$250
VA11TR	Straight Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$250

Brick Panels (Required)

Item No	Description	Retail
VA11071BR	Classic Molded Refractory Brick Panels	\$1,150
VA11071H*	Herringbone Molded Refractory Vermiculite Panels	\$1,500
VA11071M	Contemporary Molded Refractory Brick Panels	\$1,200

Options

Item No	Description	Retail
AC01347	Fresh Air Intake Register w/Airtight Damper 4"	\$230

*Special Order

Technical Data

Specifications	Frontenac
Emissions	4.2 g/hr
Firebox Size	9.4 cu ft
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	920 lbs
Overall Dimensions	74 ¾" H x 59 ½" W x 30 ¼" D

*See Installation Manual for complete installation requirements.



Classic
Brick

Herringbone
Vermiculite

Contemporary
Brick



Straight Narrow Face Overlay



Select one fireplace body, trim, and brick kit to make a complete fireplace.

Wood Fireplace Body

Item No	Description	Retail
FP16	FP16 Saint-Laurent Decorative Linear Fireplace (Includes Guillotine Door w/Ceramic Glass & Cast Iron Andirons)	\$6,949
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$171.19

Trim Kit (Required)

Item No	Description	Retail
VA16FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$350
VA16TR	Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$150

Brick Panels (Required)

Item No	Description	Retail
VA16071M	Contemporary Molded Refractory Brick Panels	\$900

Options

Item No	Description	Retail
AC01347	Fresh Air Intake Register w/Airtight Damper 4"	\$230


Technical Data

Specifications	Saint-Laurent
Heating Capacity	up to 1,000 sq ft
Firebox Size	6.4 cu ft
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	765 lbs
Overall Dimensions	63 3/4"H x 62 5/8"W x 31 3/4"D

*See Installation Manual for complete installation requirements.



Refractory Brick Kit
VA16071M



Masonry Trim Kit
VA16TR

Narrow Overlap Trim Kit
VA16FE