



# VALCOURT

## WOOD FIREPLACES

REV: 03/02/26

*Valcourt*  
The Fireplace of Your Dreams

## TABLE OF CONTENTS

### HIGH EFFICIENCY

Lafayette II Square .....	2
Lafayette II Arched .....	3
Waterloo Square .....	4
Waterloo Arched.....	5
St-Louis.....	6

### DECORATIVE & CLEAN BURNING

Antoinette .....	7
Frontenac.....	8
Saint-Laurent.....	9

### LITERATURE

Item No	Description
VALCOURT	Valcourt Wood Fireplaces
PUB337A	St-Louis Fireplace

# Lafayette II Square

Performance

*Valcourt*  
The Fireplace of Your Dreams



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP10RS	FP10R Lafayette II Square High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$4,409
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$157

## DOOR OVERLAY (Required)

Item No	Description	Retail
VA10RES07	Black Door Overlay	\$165
VA10RES40	Brushed Nickel Door Overlay	\$385

## FACEPLATE (Required)

Item No	Description	Retail
VA10FS07	Faceplate, Black Square	\$550

## FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA10LS06	Classic Style	\$275
VA10LS07	Arabesque Style	\$275
VA10LS08	Urban Style	\$275
VA10LS09	Mission Style	\$440
VA10LS10	Crown Style	\$495



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

## OPTIONS

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$330
AC01223	Heat Shield for Surround/Shelf	\$130
AC01239	Fresh Air Kit w/ 4" x 5' Flex Duct	\$145
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$960
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$440
AC01389	Hot Air Gravity Distribution Kit - Modern w/ Adjustable Pipes	\$660
AC09200	Carrying Handle Kit	\$100

## TECHNICAL DATA

Specifications	Lafayette
BTU	80,000
Heating Capacity	750-2,200 sq ft
Emissions	1.2 g/hr
Firebox Size	2.5 cu ft
Glass Viewing	12 5/8" x 24 3/8"
Log Length	20"
Flue Pipe Diameter	6" Class A*
Weight	493 lbs
Overall Dimensions	40 3/8"H x 36 3/4"W x 28 3/8"D

\*See Installation Manual for complete installation requirements.

# Lafayette II Arched

Performance

*Valcourt*  
The Fireplace of Your Dreams



Select one fireplace body, door overlay, faceplate and faceplate louvers to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP10R	FP10R Lafayette Arched II High Efficiency Controlled Combustion Fireplace (Includes: Blower, Fresh Air Intake Adapter, Molded Refractory Bricks & Cast Iron Andiron) (4" Outside Air Flex Pipe & Hood not included)	\$4,409
6DT-AP	Anchor Plate, DuraTech 6" (See Wood Venting Section for DuraTech Chimney Components)	\$157

## DOOR OVERLAY (Required)

Item No	Description	Retail
VA10RE07	Black Door Overlay	\$165
VA10RE40	Brushed Nickel Door Overlay	\$385

## FACEPLATE (Required)

Item No	Description	Retail
VA10FA07	Faceplate, Black Arched	\$550

## FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA10L06	Classic Style	\$275
VA10L07	Arabesque Style	\$275
VA10L08	Urban Style	\$275
VA10L09	Mission Style	\$440
VA10L10	Crown Style	\$495



Classic Style Louvers



Arabesque Style Louvers



Urban Style Louvers



Mission Style Louvers



Crown Style Louvers

## OPTIONS

Item No	Description	Retail
AC01275	Fire Screen (Rigid)	\$330
AC01223	Heat Shield for Surround/Shelf	\$130
AC01239	Fresh Air Kit w/ 4" x 5' Flex Duct	\$145
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280
AC02091	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 10')	\$75
AC01359	Insulated Flex Pipe for Fresh Air Intake Kit (4" x 25')	\$200
AC01374	Forced Air Distribution Kit (300 CFM)	\$960
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225
AC01375	Hot Air Gravity Distribution Kit - Traditional	\$440
AC01389	Hot Air Gravity Distribution Kit - Modern w/ Adjustable Pipes	\$660
AC09200	Carrying Handle Kit	\$100



Airtight Damper  
AC01347



Forced Air Distribution Kit  
AC01374



Hot Air Gravity Distribution Kit  
Traditional AC01375



Hot Air Gravity Distribution Kit  
Modern w/ Adj Pipes AC01389

## TECHNICAL DATA See page 2

# Waterloo Square

Performance

*Valcourt*  
The Fireplace of Your Dreams



Select one fireplace body, faceplate, and brick panels to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP15	FP15 Waterloo Square High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$5,834
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

## FACEPLATE (Required)

Item No	Description	Retail
VA15FL07	Crown Style, Painted Black	\$935

## BRICK PANELS (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650

## OPTIONS

Item No	Description	Retail
AC01297	Fresh Air Intake Termination w/ Clamps (5")	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC01378	Warm Air Circulation Grill, Modern Style	\$385
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6"x25')	\$225
AC02771	Glass, Nightflame Effect (2 pc)	\$699

## TECHNICAL DATA

Specifications	Waterloo
BTU	95,000
Heating Capacity	1,000-2,800 sq ft
Emissions	1.6 g/hr
Maximum Burn Time	11 hrs
Firebox Size	4.28 cu ft
Glass Viewing	13" x 29 3/4"
Log Length	25"
Flue Pipe Diameter	8" Class A*
Weight	545 lbs
Overall Dimensions	43 3/8"H x 50 3/4"W x 31 3/8"D

\*See Installation Manual for complete installation requirements.



# Waterloo Arched

## Performance

*Valcourt*  
The Fireplace of Your Dreams



Select one fireplace body, faceplate, faceplate louvers, and brick panels to make a complete fireplace.

### WOOD FIREPLACE BODY

Item No	Description	Retail
FP15A	FP15 Waterloo Arched High Efficiency Fireplace (Includes Double Doors w/Ceramic Glass, Blower, Fresh Air Intake Adapter) (5" Outside Air Flex Pipe & Hood not included)	\$5,724
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

### FACEPLATE (Required)

Item No	Description	Retail
VA15FA07	Arched, Painted Black	\$715

### FACEPLATE LOUVERS (Required)

Item No	Description	Retail
VA15L06	Classic Style	\$330
VA15L07	Arabesque Style	\$440
VA15L08	Urban Style	\$440
VA15L09	Mission Style	\$440



Classic Style Louvers



Arabesque Style Louvers

### BRICK PANELS (Required)

Item No	Description	Retail
AC02360	Classic Molded Refractory Brick Panels	\$650



Urban Style Louvers



Mission Style Louvers

### OPTIONS

Item No	Description	Retail
AC01297	Fresh Air Intake Termination w/ Clamps (5")	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC01378	Warm Air Circulation Grill, Modern Style	\$385
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6"x25')	\$225
AC02772	Glass, Nightflame Effect (2 pc)	\$699



Refractory Molded Brick Panels  
AC02360

### TECHNICAL DATA See page 4



Select one fireplace body and faceplate to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP19	FP19 St-Louis Fireplace	\$8,414

## TALL FACEPLATE KIT (Required)

Item No	Description	Retail
VA19FL06	Tall Faceplate (84 ¼") with Integrated Gravity Air Distribution	\$1,485

## OPTIONS

Item No	Description	Retail
AC01297	Air Intake Termination with Clamps 5"	\$66
AC01349	Airtight Damper for Fresh Air Intake Kit (5")	\$285
AC02093	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 10')	\$75
AC02094	Insulated Flex Pipe for Fresh Air Intake Kit (5" x 25')	\$165
AC09200	Fireplace Carrying Handles	\$100
VA4460	Forced Air Distribution Kit	\$760
AC01350	Insulated Flex Pipe for Forced Air Kit (6" x 25')	\$225

## TECHNICAL DATA

Specifications	Frontenac
Heating Capacity	1,000 - 2,400 sq ft
Emissions	1.8 g/hr
Flue Pipe Diameter	8"

\*See Installation Manual for complete installation requirements.

- Advanced fire management with NexFlame™ combustion technology: monitors and adjusts combustion in real time
- App-controlled
- Minimalist, Modern Design
- 7 hour burn time
- Made for large spaces





Select one fireplace body, trim kit and brick panels to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP7D	Antoinette Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$6,374
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

## TRIM KIT (Required)

Item No	Description	Retail
VA7FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$380
VA7DTR	Masonry Trim Kit, Black (gives a flush finish w/ brick or stone)	\$275



Narrow Overlap Trim Kit  
VA7E06

## BRICK PANELS (Required)

Item No	Description	Retail
VA7071BR	Classic Molded Refractory Brick Panels	\$850
VA7071M	Contemporary Molded Refractory Brick Panels	\$950



Masonry Trim Kit  
VA7DTR

## OPTIONS

Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280

## TECHNICAL DATA

Specifications	Antoinette
Heating Capacity	up to 1,000 sq ft
Firebox Size	5.3 cu ft
Glass Viewing	19 1/2" x 29 3/4"
Log Length	18"
Flue Pipe Diameter	8" Class A*
Weight	523 lbs
Overall Dimensions	64 1/8"H x 52"W x 27"D



Classic Brick  
VA7071BR



Contemporary Brick  
VA7071M

\*See Installation Manual for complete installation requirements.



Select one fireplace body, trim kit and refractory panels to make a complete fireplace.

### WOOD FIREPLACE BODY

Item No	Description	Retail
FP11D	FP11 Frontenac Clean Burning Decorative Fireplace (Includes Guillotine Door w/Ceramic Glass, Cast Iron Andirons, and Fresh Air Intake Adapter) (4" Outside Air Flex Pipe & Hood not included)	\$8,899
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

### TRIM KIT (Required)

Item No	Description	Retail
VA11FA06	Arched Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$550
VA11FE06	Straight Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$605
VA11DTA	Arched Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$280
VA11DTR	Straight Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$275

### BRICK PANELS (Required)

Item No	Description	Retail
VA11071BR	Classic Molded Refractory Brick Panels	\$1,250
VA11071H*	Herringbone Molded Vermiculite Panels	\$1,550
VA11071M	Contemporary Molded Refractory Brick Panels	\$1,250

### OPTIONS

Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280

\*Special Order

### TECHNICAL DATA

Specifications	Frontenac
Heating Capacity	up to 1,000 sq ft
Emissions	4.2 g/hr
Firebox Size	9.4 cu ft
Glass Viewing	26 ¼" x 40 ⅞"
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	920 lbs
Overall Dimensions	74 ¾"H x 60"W x 36 ¼"D

\*See Installation Manual for complete installation requirements.



Classic  
Brick

Herringbone  
Vermiculite

Contemporary  
Brick



Straight Narrow Face Overlay



Select one fireplace body, trim, and brick kit to make a complete fireplace.

## WOOD FIREPLACE BODY

Item No	Description	Retail
FP16D	FP16 Saint-Laurent Decorative Linear Fireplace (Includes Guillotine Door w/Ceramic Glass & Cast Iron Andirons)	\$8,279
8DT-AP	Anchor Plate, DuraTech 8" (See Wood Venting Section for DuraTech Chimney Components)	\$220

## TRIM KIT (Required)

Item No	Description	Retail
VA16FE06	Narrow Overlap Trim Kit, Black (to overlap thin facing like tile)	\$495
VA16DTR	Masonry Trim Kit, Black (gives a flush finish w/brick or stone)	\$170

## BRICK PANELS (Required)

Item No	Description	Retail
VA16071M	Contemporary Molded Refractory Brick Panels	\$1,000

## OPTIONS


Item No	Description	Retail
AC01347	Airtight Damper for Fresh Air Intake Kit (4")	\$280

## TECHNICAL DATA

Specifications	Saint-Laurent
Heating Capacity	up to 1,000 sq ft
Firebox Size	6.4 cu ft
Glass Viewing	14 7/8" x 41 1/8"
Log Length	30"
Flue Pipe Diameter	8" Class A*
Weight	765 lbs
Overall Dimensions	63 3/4"H x 63 1/8"W x 31 3/4"D



Refractory Brick Kit  
VA16071M



Masonry Trim Kit  
VA16DTR

Narrow Overlap Trim Kit  
VA16FE06

\*See Installation Manual for complete installation requirements.