



WOOD STOVES

REV 06/19/26



LITERATURE

| Item No | Description |
|---------|-----------------------------|
| MFFIRE | Literature, MF Fire |
| BRECK | Breckwell Literature |
| OSBURN | Osburn Wood & Pellet Stoves |
| PSG | PSG Caddy Wood Furnace |

TABLE OF CONTENTS

MF FIRE

| | |
|-------------|---|
| Nova..... | 2 |
| Pendry..... | 4 |

BRECKWELL

| | |
|-----------------|---|
| SW Series | 6 |
| CH Series..... | 6 |

OSBURN

| | |
|-------------------|----|
| 950..... | 7 |
| 1700..... | 8 |
| 2000..... | 9 |
| Inspire 2000..... | 10 |
| Matrix | 11 |
| 3500..... | 12 |
| Gusto | 13 |

PSG

| | |
|------------|----|
| Caddy..... | 14 |
|------------|----|

Nova

Wood Stove



Nova with Black Satin Door and Tower Pedestal



Nova with Black Satin Door, Tower Pedestal and Tower Leg Kit



Nova with Black Satin Door and Bench

TECHNICAL DATA

Please refer to manual for complete list of specifications.

| | Efficiency | Emissions | Fan (Optional) | Firebox Size | Max Log Size | Heating Capacity | Heat Output | Flue Size | Top or Rear Vent | Rear Vent Flue Height | Dimensions |
|---------|------------|-----------|----------------|--------------|--------------|------------------|-------------|-----------|------------------|-----------------------|-----------------------------|
| Nova 1 | 79% | 1.9 g/hr | 125 CFM | 1.7 cu ft | 18" | 1,500 sq ft | 50,000 BTU | 6" | Both | 16" Centered* | 21"H* x 22 1/2"W x 18 1/2"D |
| Nova 2X | 84% | 1.4 g/hr | 125 CFM | 2.4 cu ft | 22" | 2,500 sq ft | 75,000 BTU | 6" | Both | 18 1/2" Centered* | 23 1/2"H* x 27"W x 18 1/2"D |

*add leg kit, bench, or tower height

Select one stove body and bench, leg kit or tower to make a complete stove.

STOVE BODY

| Item No | Description | MAP |
|--------------|----------------------------------|---------|
| MF02-BP1-DP1 | Nova 1 with Door* (Satin Black) | \$3,681 |
| MF03-BP1-DP1 | Nova 2X with Door* (Satin Black) | \$4,102 |

*Effective November 20th, 2025 - MAP price of all MF Fire appliances include a \$250 surcharge.
\$250 Surcharge does not receive dealer discount.

BENCH/LEG KIT/TOWER (Required)

| Item No | Description | MAP |
|---------|--|---------|
| MF-BE1 | Bench, Nova (18 1/2") | \$1,009 |
| NL03 | Leg Kit, Nova (3") | \$69 |
| NL06 | Leg Kit, Nova (6") | \$149 |
| NL09 | Leg Kit, Nova (9") | \$206 |
| N27 | Tower Pedestal, Nova 1 (No Legs) (22") | \$809 |
| N27-2 | Tower Pedestal, Nova 2X (No Legs) (22") | \$919 |
| NT06 | Optional Leg Kit, Nova Tower (6") (Requires N27 or N27-2 Pedestal) | \$149 |

OPTIONS

| Item No | Description | MAP |
|-----------|--|---------|
| AL002 | Ash Lip, Nova 1 (For use with Leg Kit only) | \$129 |
| AL003 | Ash Lip, Nova 2X (For use with Leg Kit only) | \$139 |
| AP002 | Ash Pan, Nova (Does not attach to the stove) (For use with Leg Kit only) | \$99 |
| FM02F | Blower, for Stove with Legs | \$409 |
| FM02T | Blower, for Stove with Tower or Bench | \$409 |
| MF02-DP0* | Door, Nova 1 (Stainless Steel) | \$967 |
| MF03-DP0 | Door, Nova 2X (Stainless Steel) | \$1,154 |
| MU01 | Outside Air Kit, Nova 1 | \$109 |
| MU02 | Outside Air Kit, Nova 2X | \$109 |
| MF02-RCK | Reduced Clearance Kit, Nova 1 | \$429 |
| MF03-RCK | Reduced Clearance Kit, Nova 2X | \$429 |

*Special Order

FLOOR PROTECTION REQUIREMENTS

| Accessory | With Ash Lip | Without Ash Lip |
|-------------------------|--------------|---|
| 3" Legs | R = 1.35 | R = 1.35 (Nova 1) R = 2.00 (Nova 2X) |
| 6" Legs | Type 1 | R = 1.35 |
| 9" Legs/ Tower/Bench | Type 1 | Type 1 |

Pendry

Wood Stove



Interchangeable Side and Top Panels

TECHNICAL DATA Please refer to manual for complete list of specifications.

| | Efficiency | Emissions | Fan (Optional) | Firebox Size | Max Log Size | Heating Capacity | Heat Output | Flue Size | Top or Rear Vent | Rear Vent Flue Height | Dimensions |
|-----------|------------|-----------|----------------|--------------|--------------|------------------|-------------|-----------|------------------|-----------------------|-----------------------------|
| Pendry C | 79% | 1.9 g/hr | 125 CFM | 1.7 cu ft | 18" | 1,500 sq ft | 50,000 BTU | 6" | Both | 16" Centered* | 21"H* x 22 1/2"W x 18 1/2"D |
| Pendry 2X | 84% | 1.4 g/hr | 125 CFM | 2.4 cu ft | 22" | 2,500 sq ft | 75,000 BTU | 6" | Both | 18 1/2" Centered* | 23 1/2"H* x 27"W x 18 1/2"D |

*add leg kit, bench, or tower height

Select one stove body and leg kit or tower to make a complete stove.

STOVE BODY

| Item No | Description | MAP |
|--------------|------------------------------------|---------|
| MF08-BP1-DP1 | Pendry C with Door* (Satin Black) | \$3,881 |
| MF09-BP1-DP1 | Pendry 2X with Door* (Satin Black) | \$4,402 |

*Effective November 20th, 2025 - MAP price of all MF Fire appliances include a \$250 surcharge. \$250 Surcharge does not receive dealer discount.

LEG KIT/TOWER (Required)

| Item No | Description | MAP |
|---------|--|-------|
| PL03 | Leg Kit, Arch (3") | \$69 |
| PL06 | Leg Kit, Arch (6") | \$149 |
| PL09 | Leg Kit, Arch (9") | \$206 |
| NL03 | Leg Kit, Straight (3") | \$69 |
| NL06 | Leg Kit, Straight (6") | \$149 |
| NL09 | Leg Kit, Straight (9") | \$206 |
| PT27 | Tower Base, Pendry C (22") | \$849 |
| PT27-2 | Tower Base, Pendry 2X (22") | \$949 |
| NT06 | Optional Leg Kit, Pendry Tower (6") (Requires PT27 or PT27-2 Pedestal) | \$149 |

OPTIONS

| Item No | Description | MAP |
|---------|--|-------|
| AL002 | Ash Lip, Pendry C (For use with Leg Kit only) | \$129 |
| AL003 | Ash Lip, Pendry 2X (For use with Leg Kit only) | \$139 |
| FM02F | Blower, for Stove with Legs | \$409 |
| FM02T | Blower, for Stove with Tower | \$409 |
| MU01 | Outside Air Kit - Pendry C | \$109 |
| MU02 | Outside Air Kit - Pendry 2X | \$109 |
| TBA | Color Side Panels | TBA |
| TBA | Soapstone Top | TBA |

Floor Protection Requirements

| Accessory | With Ash Lip | Without Ash Lip |
|---------------|--------------|---|
| 3" Legs | R = 1.35 | R = 1.35 (Pendry C) R = 2.00 (Pendry 2X) |
| 6" Legs | Type 1 | R = 1.35 |
| 9" Legs/Tower | Type 1 | Type 1 |

SW & CH Series

Wood Stoves



BRECKWELL



CH11

CH20E

CH25

WOOD STOVES

| Item No | Description | Retail |
|---------|----------------------------|---------|
| SW500 | SW500 Wood Stove | \$1,329 |
| CH11 | CH11 Wood Stove w/ Ashpan | \$1,549 |
| CH20E | CH20E Wood Stove w/ Ashpan | \$1,749 |
| CH25 | CH25 Wood Stove w/ Ashpan | \$1,899 |

OPTIONAL ACCESSORY

| Item No | Description | Retail |
|---------|-----------------|--------|
| B36T | Blower | \$175 |
| 4FAK | Outside Air Kit | \$94 |

TECHNICAL DATA

| Specifications | SW500 | CH11 | CH20E | CH25 |
|----------------------|-----------------|-------------------|-------------------|-------------------|
| BTU | 26,000 | 68,000 | 89,000 | 112,800 |
| Heating Capacity | up to 750 sq ft | up to 1,200 sq ft | up to 2,000 sq ft | up to 2,500 sq ft |
| Log Length | 11" | 18" | 21" | 21" |
| Firebox Size | 0.59 cu. ft. | 1.1 cu. ft. | 2.0 cu. ft. | 2.5 cu. ft. |
| Flue Outlet | 6" | 6" | 6" | 6" |
| Width | 16.4" | 22.5" | 27" | 29.4" |
| Depth | 17.5" | 21.5" | 20.76" | 25.3" |
| Height | 33.5" | 31" | 32" | 31.3" |
| Weight | 139 lbs | 191 lbs | 262 lbs | 290 lbs |
| Emissions | 1.7 g/hr | 2.4 g/hr | 1.6 g/hr | 2.4 g/hr |
| Mobile Home Approved | Yes | Yes | Yes | Yes |

950

Wood Stove



WOOD STOVE

| Item No | Description | Retail |
|---------|---|---------|
| OB00950 | 950 Wood Stove (Includes: door and leg kit. No overlay needed.) | \$2,199 |

OPTIONS

| Item No | Description | Retail |
|---------|--|--------|
| AC02023 | Blower Variable Speed with Thermodisc (100 CFM) | \$300 |
| AC01420 | Fire Screen (Rigid) | \$175 |
| AC01421 | Fresh Air Intake Kit (5") | \$165 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Intake Kit (5" x 4') | \$50 |

TECHNICAL DATA

| Specifications | 950 |
|----------------------|-------------------|
| BTU | 45,000 BTU |
| Heating Capacity | 250 - 1,200 sq ft |
| Firebox Size | 1.8 cu ft |
| Glass Viewing | 8 7/8" x 10 1/4" |
| Log Length | 17" |
| Flue Pipe Diameter | 6" |
| Weight | 280 lbs |
| Width | 20 1/4" |
| Depth - Overall | 27 7/8" |
| Height | 28 7/8" |
| Mobile Home Approved | Yes |
| Ash Pan | No |

1700

Wood Stove



Select one stove body, door overlay and a pedestal or leg kit to make a complete stove.

WOOD STOVES

| Item No | Description | Retail |
|---------|-----------------|---------|
| OB01700 | 1700 Wood Stove | \$2,309 |

DOOR OVERLAYS (Required)

| Item No | Description | Retail |
|---------|-----------------------------|--------|
| OA10249 | Black Door Overlay | \$110 |
| OA10250 | Brushed Nickel Door Overlay | \$275 |



Door Overlay, Black
OA10249

PEDESTAL/LEG KITS (Required)

| Item No | Description | Retail |
|----------|---|--------|
| OA10244 | Pedestal with Ash Drawer | \$385 |
| OA10245 | Leg Kit with Ash Drawer, Straight - Black | \$550 |
| OA10246* | Leg Kit with Ash Drawer, Straight - Brushed Nickel | \$825 |
| OA10247 | Leg Kit with Ash Drawer, Traditional - Black | \$330 |
| OA10248* | Leg Kit with Ash Drawer, Traditional - Brushed Nickel | \$770 |



Door Overlay,
Brushed Nickel
OA10250

OPTIONS

| Item No | Description | Retail |
|---------|--|--------|
| AC01000 | Blower Variable Speed with Thermodisc (130 CFM) | \$399 |
| AC01299 | Fire Screen (Rigid) | \$200 |
| AC01291 | Fresh Air Intake Kit for Stoves on Legs (5") | \$220 |
| AC01336 | Fresh Air Intake Kit for Stoves on Pedestal (5") | \$120 |
| AC02090 | Insulated Flex Pipe for Fresh Air Kit (5" x 4') | \$50 |
| OA10132 | Glass Ash Lip | \$165 |

*Special Order



Leg Kits (Nickel, Black)
Left: Straight, Right: Traditional



Pedestal with Ash Pan

TECHNICAL DATA

| Specifications | 1700 |
|----------------------|------------------|
| BTU | 65,000 BTU |
| Heating Capacity | 500-1,800 sq ft |
| Firebox Size | 1.86 cu ft |
| Glass Viewing | 9 3/8" x 15 3/4" |
| Log Length | up to 18" |
| Flue Pipe Diameter | 6" |
| Weight | 331 lbs |
| Width | 24 7/8" |
| Depth - Overall | 23 1/4" |
| Height with Pedestal | 30 3/8" |
| Height with Legs | 28 1/2" |
| Mobile Home Approved | Yes |

2000

Wood Stove



Select one stove body, door overlay and a pedestal or leg kit to make a complete stove.

WOOD STOVES

| Item No | Description | Retail |
|---------|--|---------|
| OB02015 | 2000 Wood Stove with Variable Speed Blower (130 CFM) | \$2,859 |

DOOR OVERLAYS (Required)

| Item No | Description | Retail |
|---------|-----------------------------|--------|
| OA10237 | Black Door Overlay | \$110 |
| OA10238 | Brushed Nickel Door Overlay | \$330 |



Door Overlays
Black, Brushed Nickel

PEDESTAL/LEG KITS (Required)

| Item No | Description | Retail |
|----------|---|--------|
| OA10239 | Pedestal with Ash Drawer | \$440 |
| OA10235 | Leg Kit with Ash Drawer, Straight - Black | \$550 |
| OA10236* | Leg Kit with Ash Drawer, Straight - Brushed Nickel | \$825 |
| OA10226 | Leg Kit with Ash Drawer, Traditional - Black | \$330 |
| OA10228* | Leg Kit with Ash Drawer, Traditional - Brushed Nickel | \$765 |

OPTIONS

| Item No | Description | Retail |
|---------|---|--------|
| AC01315 | Fire Screen (Rigid) | \$200 |
| AC01211 | Fresh Air Intake Kit for Stove on Legs (5") | \$220 |
| AC01336 | Fresh Air Intake Kit for Stove on Pedestal (5") | \$120 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Kit (5" x 4') | \$50 |
| OA10132 | Glass Ash Lip | \$165 |
| AC02055 | Quick Connect Thermodisc Kit | \$80 |

*Special Order



Leg Kits (Nickel, Black)
L: Straight, R: Traditional



Pedestal with Ash Pan

TECHNICAL DATA

| Specifications | 2000 |
|----------------------|-------------------|
| BTU | 75,000 BTU |
| Heating Capacity | 500-2,100 sq ft |
| Firebox Size | 2.4 cu ft |
| Glass Viewing | 10 1/4" x 17 1/8" |
| Log Length | up to 20" |
| Flue Pipe Diameter | 6" |
| Weight | 390 lbs |
| Width | 27" |
| Depth - Overall | 29" |
| Height with Pedestal | 33 1/8" |
| Height with Legs | 30 3/4" |
| Mobile Home Approved | Yes |

Inspire 2000

Wood Stove



Select one stove body, decorative side panel, and base kit to make a complete stove.

WOOD STOVES

| Item No | Description | Retail |
|---------|-------------------------|---------|
| OB02042 | Inspire 2000 Wood Stove | \$3,449 |

DECORATIVE SIDE PANEL (Required)

| Item No | Description | Retail |
|---------|---------------------------|--------|
| OA10242 | Decorative Side Panel Kit | \$220 |

BASE KITS (Required)


| Item No | Description | Retail |
|---------|------------------------------------|---------|
| OA10240 | Steel Base Kit with Ash Drawer | \$720 |
| OA10241 | Soapstone Base Kit with Ash Drawer | \$1,265 |
| AC02354 | Modern Bench (Requires OA10243) | \$849 |
| OA10243 | Minimalist Base Kit* | \$380 |

OPTIONS

| Item No | Description | Retail |
|---------|--|--------|
| AC01236 | Refractory Panel Kit for Steel or Soapstone Base | \$770 |
| AC01237 | Refractory Panel Kit for Minimalist Base | \$880 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Kit (5" x 4') | \$50 |
| AC03095 | Blower with Variable Speed Control (130 CFM) | \$340 |
| AC02055 | Quick Connect Thermodisc | \$80 |
| AC02775 | Glass, Nightflame Effect (2 pc) | \$529 |

TECHNICAL DATA

| Specifications | Inspire 2000 |
|----------------------|------------------|
| BTU | 75,000 BTU |
| Heating Capacity | 500-2,100 sq ft |
| Firebox Size | 2.4 cu ft |
| Glass Viewing | 9 1/2" x 20 1/4" |
| Log Length | up to 20" |
| Flue Pipe Diameter | 6" |
| Weight | 537 lbs |
| Width | 27 7/8" |
| Depth - Overall | 24 1/4" |
| Height w/ Pedestal | 39 1/2" |
| Mobile Home Approved | Yes |



Refractory Panel Kit
Goes inside the stove to give
a contemporary look.



Steel Base Kit



Soapstone Base Kit



Modern Bench



*Minimalist Base Kit
*Minimalist Base - Consult "Installation
Instructions Minimalist Base Kit" for install/
hearth requirements.



Select one body, side panel kit, and top panel kit to make a complete stove.

WOOD STOVE

| Item No | Description | Retail |
|---------|--|---------|
| OB02032 | Matrix Wood Stove with Variable Speed Blower (130 CFM) | \$3,949 |

SIDE PANEL KIT (Required)

| Item No | Description | Retail |
|---------|-------------------------------|--------|
| OA10701 | Soap Stone Panel Kit, Side | \$990 |
| OA10700 | Steel Panel Kit, Side (Black) | \$390 |

TOP PANEL KIT (Required)

| Item No | Description | Retail |
|---------|------------------------------|--------|
| OA10703 | Soap Stone Panel Kit, Top | \$440 |
| OA10704 | Steel Panel Kit, Top (Black) | \$160 |

OPTIONS

| Item No | Description | Retail |
|---------|---|--------|
| AC01315 | Fire Screen (Rigid) | \$200 |
| AC01297 | Fresh Air Termination w/ Clamps (5") | \$66 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Kit (5" x 4') | \$50 |



Matrix Wood Stove with Soap Stone Side & Top Panel Kit

SPECIFICATIONS

- Reversible door (Hinged on left or right)
- Easy-to-access ash pan with safety lid
- Air-wash system
- Heavy duty cast iron door and cast iron door overlay
- Ultra-quiet crossflow blower with variable speed control and thermodisc included
- Fresh Air Intake included

TECHNICAL DATA

| Specifications | Matrix 2000 |
|----------------------|-----------------|
| BTU | 75,000 BTU |
| Heating Capacity | 500-2,100 sq ft |
| Firebox Size | 2.4 cu ft |
| Glass Viewing | 8 ¾" x 17 ½" |
| Log Length | up to 20" |
| Flue Pipe Diameter | 6" |
| Weight | 506 lbs |
| Width | 27 ½" |
| Depth - Overall | 25" |
| Height w/ Pedestal | 36 ⅞" |
| Mobile Home Approved | Yes* |

* with optional AC02090 & AC01349

3500

Wood Stove



Select one stove body and door overlay to make a complete stove.

WOOD STOVE

| Item No | Description | Retail |
|---------|---|---------|
| OB03500 | 3500 Wood Stove with Ash Pan Pedestal with Heat Activated Variable Speed Blower (130 CFM) | \$3,839 |

DOOR OVERLAY (Required)

| Item No | Description | Retail |
|---------|-----------------------------|--------|
| OA10163 | Black Door Overlay | \$110 |
| OA10164 | Brushed Nickel Door Overlay | \$330 |

OPTIONS

| Item No | Description | Retail |
|---------|--|--------|
| AC01281 | Fire Screen (Rigid) | \$200 |
| AC01336 | Fresh Air Intake Kit (5") | \$120 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Intake Kit (5" x 4') | \$50 |
| OA10166 | Glass Ash Lip | \$220 |

TECHNICAL DATA

| Specifications | 3500 |
|----------------------|-------------------|
| BTU | 110,000 BTU |
| Heating Capacity | 1,000-2,700 sq ft |
| Firebox Size | 3.5 cu ft |
| Glass Viewing | 11 3/4" x 18 7/8" |
| Log Length | up to 22" |
| Flue Pipe Diameter | 6" |
| Weight | 524 lbs |
| Width | 28 7/8" |
| Depth - Overall | 33 1/2" |
| Height | 34 3/4" |
| Mobile Home Approved | Yes |



Door Overlay, Black
OA10163



Door Overlay,
Brushed Nickel
OA10164

Gusto

Wood Cookstove



Select one stove body and molding to make a complete stove.

WOOD STOVES

| Item No | Description | Retail |
|---------|------------------------------|---------|
| OB02047 | Gusto Wood Burning Cookstove | \$5,829 |

MOLDING (Required)

| Item No | Description | Retail |
|---------|-------------------------|--------|
| OA10268 | Molding, Black | \$220 |
| OA10269 | Molding, Brushed Nickel | \$385 |

OPTIONS

| Item No | Description | Retail |
|---------|--|--------|
| AC01000 | Blower Variable Speed with Thermodisc (130 CFM) | \$399 |
| AC01212 | Cooking Plates 8 1/2" x 8 1/2" (2 units) | \$130 |
| AC01211 | Fresh Air Intake Kit (5") | \$220 |
| AC01349 | Airtight Damper for Fresh Air Intake Kit (5") | \$285 |
| AC02090 | Insulated Flex Pipe for Fresh Air Intake Kit (5" x 4') | \$50 |
| OA10132 | Glass Ash Lip | \$165 |

TECHNICAL DATA

| Specifications | Gusto |
|--------------------|------------------|
| BTU | 75,000 BTU |
| Heating Capacity | 500-2,100 sq ft |
| Firebox Size | 2.26 cu ft |
| Glass Viewing | 8 1/4" x 18 3/8" |
| Log Length | 20" |
| Flue Pipe Diameter | 6" |
| Glass Type | Ceramic |
| Weight | 590 lbs |
| Width - Overall | 27" |
| Depth - Overall | 26 3/8" |
| Height - Overall | 41 7/8" |

| Specifications | Gusto |
|----------------------|------------|
| Oven Width | 17 7/8" |
| Oven Height | 7 7/8" |
| Oven Depth | 15 1/2" |
| Oven Size | 1.26 cu ft |
| Firebox Door Width | 20" |
| Firebox Door Height | 9" |
| Mobile Home Approved | Yes |



Select one body and blower with motor to make a complete furnace.

CADDY BODY

| Item No | Description | Retail |
|---------|--------------------|---------|
| PF01020 | Caddy Wood Furnace | \$4,977 |

BLOWER (Required)

| Item No | Description | Retail |
|---------|-----------------------|---------|
| PA08586 | Blower Box with Motor | \$1,383 |

OPTIONS

| Item No | Description | Retail |
|---------|---------------------------|--------|
| PA08506 | Top Air Return Plenum Kit | \$230 |



SPECIFICATIONS

| Specifications | PF01020 |
|----------------------------|--------------------------|
| Maximum Input Capacity | 310,000 BTU |
| Heating Capacity | 1,000-2,500 sq ft |
| Maximum Burn Time | 10 hours |
| Maximum Log Length | 21" |
| Chimney Diameter | 6" |
| Firebox Volume | 3.6 cu ft |
| Avg Emission Rate | .095 lb/mmBTU |
| Optimum Efficiency | 84.90% |
| Height/Width/Depth-Overall | 41 ¼"H x 29 ¼"W x 41 ½"D |
| Blower | 4 speed / 1,300 CFM |
| Hot Air Plenum | 28 ¾"D x 24 ½"H |
| Air Return Plenum | 15 ¾"D x 24 ¾"H |
| Weight | 731 lbs |